

PART NUMBER	DESCRIPTION	List price 2025	Category
2183	DIGITAL RADIUS GAGE, .2-35.83"/5-910mm	745.00	A
2197	LARGE RANGE DIGITAL RADIUS GAGE, R1(4-590"/100-1500mm), R2(4-590"/100-1500mm)	4788.00	A
4807	ANGLE GAGE SET	74.70	A
4808	WIRE GAGE, 0-36(.3249~.0050")	38.30	A
4809	U.S. STAND SHEET METAL GAGE, 0-36(.3125~.0070")	40.60	A
5022	2-PIECE MEASURING TOOL SET	238.00	A
6140	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .630"	28.60	A
6143	DEPTH STOP FOR CALIPERS	21.50	A
6144	ACCESSORY SET FOR DIGITAL CALIPERS	96.80	A
6300	MICROMETER STAND	58.90	A
6301	MICROMETER STAND	44.90	A
6302	MICROMETER STAND	1367.00	A
6315	MICROMETER MEASURING FORCE DETECTOR	133.00	A
6318	CALIPER/MICROMETER GRINDING MACHINE (caliper grinding blocks are included)	4322.00	A
7230	SCRIBER	7.81	A
7231	SCRIBER	7.60	A
7232	SCRIBER	8.09	A
7332	SPINDLE LIFT KNOB	5.31	A
0010-A35	SOUND LEVEL METER, 35dB~130dB	176.00	B
0020-A199	VIBRATION PEN (THREE PARAMETERS)	1076.00	B
0110-1125	ANEMOMETER	184.00	B
0120-IM24	INDUCTIVE MOISTURE METER, 0~100%	214.00	B
0130-L110	LIGHT METER (BASIC TYPE)	67.70	B
0131-A120	LIGHT METER, 0.01~19.99FC, 0.1~199.9FC, 1~1999FC, 10~19990FC, 0.1~199.9Lux, 1~1999Lux, 10~19990Lux, 100~199900Lux	114.00	B
0210-G260	INFRARED THERMOMETER (BASIC TYPE), -22 °F~500°F/-30°C~260°C	68.90	B
0213-A500	INFRARED THERMOMETER, -58°F~716°F/-50°C~380°C	81.70	B
0310-H26	THERMOHYGROMETER, 32°F~122°F/0°C~50°C	195.00	B
0311-3070	DATA LOGGER FOR TEMPERATURE AND HUMIDITY (BUILT-IN SENSOR), -22°F~158°F/ -30°C~70°C	549.00	B
0311-3070-ADAPT	POWER ADAPTER	37.10	B
0312-TH50	THERMOHYGROMETER, 32°F~122°F/0°C~50°C	45.40	B
0313-TH48	THERMOHYGROMETER (EXTERNAL SENSOR), -40°F~176°F/-40°C~80°C	100.00	B
0320-K230	K-TYPE THERMOCOUPLE THERMOMETER, -58°F~392°F-50°C~200°C	68.30	B
0411-0200	PORTABLE CONDUCTIVITY/TDS METER, 0.00µS/cm~200mS/cm	872.00	B
0431-0018	PORTABLE pH METER, -2.00~18.00pH	748.00	B
0501-MA01	TESLAMETER (GAUSSMETER), 2000mT, accuracy ±1.0%	632.00	B
0501-MA05	TESLAMETER (GAUSSMETER), 2000mT, accuracy ±2.0%(≤1000mT), ±5.0% (1000mT~2000mT)	263.00	B
0501-PA	AXIAL PROBE	170.00	B
0501-PR	RADIAL PROBE	100.00	B
1102-150	DIGITAL CALIPER (FRACTION READING), 0-6"/0-150mm	115.00	A
1102-200	DIGITAL CALIPER (FRACTION READING), 0-8"/0-200mm	162.00	A
1102-300	DIGITAL CALIPER (FRACTION READING), 0-12"/0-300mm	210.00	A
1103-150	DIGITAL CALIPERS (ABSOLUTE SYSTEM), 0-6"/0-150mm	92.70	A
1103-200	DIGITAL CALIPERS (ABSOLUTE SYSTEM), 0-8"/0-200mm	140.00	A
1103-300	DIGITAL CALIPERS (ABSOLUTE SYSTEM), 0-12"/0-300mm	248.00	A
1106-1002	DIGITAL CALIPER, 0-1000mm/0-40"	1685.00	A
1106-302	ELECTRONIC CALIPER (jaw length 150mm), 0-300mm/0-12"	520.00	A
1106-503	ELECTRONIC CALIPER (jaw length 200mm), 0-500mm/0-20"	914.00	A
1106-601	DIGITAL CALIPER, 0-600mm/0-24"	519.00	A
1108-150	DIGITAL CALIPER (STANDARD TYPE), 0-6"/0-150mm	74.40	A
1108-150CAL	0-6" DIGITAL Caliper with ISO17025 Calibration Cert	132.00	A
1108-200	DIGITAL CALIPER(STANDARD TYPE), 0-8"/0-200mm	110.00	A
1108-200CAL	0-8" DIGITAL Caliper with ISO17025 Calibration Cert	158.00	A
1108-300	DIGITAL CALIPER(STANDARD TYPE), 0-12"/0-300mm	165.00	A
1108-300CAL	0-12" DIGITAL Caliper with ISO17025 Calibration Cert	223.00	A

1110-150A	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	269.00	A
1110-150AWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	333.00	A
1110-150B	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	173.00	A
1110-150BWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	257.00	A
1110-150C	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, IP67 dust/waterproof (no data output), 0-6"/0-150mm	307.00	A
1110-150D	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, IP67 dust/waterproof (no data output), 0-6"/0-150mm	273.00	A
1110-200A	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	328.00	A
1110-200AWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	385.00	A
1110-200B	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	216.00	A
1110-200BWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	301.00	A
1110-300A	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	450.00	A
1110-300AWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	512.00	A
1110-300B	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	328.00	A
1110-300BWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	414.00	A
1111-100A	MINI DIGITAL CALIPER, 0-4"/0-100mm	77.70	A
1111-75A	MINI DIGITAL CALIPER, 0-3"/0-75mm	82.00	A
1113-150	WIRELESS DIGITAL CALIPERS, 0-6"/0-150mm	174.00	A
1113-200	WIRELESS DIGITAL CALIPERS, 0-8"/0-200mm	208.00	A
1113-300	WIRELESS DIGITAL CALIPERS, 0-12"/0-300mm	295.00	A
1114-150A	DIGITAL CALIPER, 0-6"/0-150mm	106.00	A
1114-200A	DIGITAL CALIPER, 0-8"/0-200mm	145.00	A
1114-300A	DIGITAL CALIPER, 0-12"/0-300mm	219.00	A
1118-150B	IP67 WATERPROOF DIGITAL CALIPER, 0-6"/0-150mm, with rectangular depth bar	234.00	A
1118-150R	IP67 WATERPROOF DIGITAL CALIPER, 0-6"/0-150mm, with round depth bar	239.00	A
1118-200B	IP67 WATERPROOF DIGITAL CALIPER, 0-8"/0-200mm, with rectangular depth bar	359.00	A
1118-300B	IP67 WATERPROOF DIGITAL CALIPER, 0-12"/0-300mm, with rectangular depth bar	428.00	A
1119-150	DIGITAL CALIPER WITH ROUND DEPTH BAR, 0-6"/0-150mm	84.80	A
1120-1501	DIGITAL INSIDE GROOVE CALIPER, 1.38-6"/35-150mm	345.00	A
1120-1501WL	DIGITAL INSIDE GROOVE CALIPER, 1.38-6"/35-150mm, built-in wireless	429.00	A
1120-150A	ELECTRONIC INSIDE GROOVE CALIPER, 22-150mm	185.00	A
1120-150AE	DIGITAL INSIDE GROOVE CALIPER, 1-6"/25.4-150mm	272.00	A
1120-150AWL	DIGITAL INSIDE GROOVE CALIPER, 1-6"/25.4-150mm, built-in wireless	279.00	A
1120-150P	DIGITAL INSIDE GROOVE CALIPER, .87-6"/22-150mm, IP67 dust/waterproof	670.00	A
1120-2001	DIGITAL INSIDE GROOVE CALIPER, 1.57-8"/40-200mm	360.00	A
1120-2001WL	DIGITAL INSIDE GROOVE CALIPER, 1.57-8"/40-200mm, built-in wireless	441.00	A
1120-200A	DIGITAL INSIDE GROOVE CALIPER, .98-8"/25-200mm	327.00	A
1120-200AWL	DIGITAL INSIDE GROOVE CALIPER, .98-8"/25-200mm, built-in wireless	396.00	A
1120-3001	DIGITAL INSIDE GROOVE CALIPER, 1.97-12"/50-300mm	448.00	A
1120-3001WL	DIGITAL INSIDE GROOVE CALIPER, 1.97-12"/50-300mm, built-in wireless	531.00	A
1120-300A	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/30-300mm	431.00	A
1120-300AWL	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/30-300mm, built-in wireless	494.00	A
1120-500	DIGITAL INSIDE GROOVE CALIPER, 1.57-20"/40-500mm	1006.00	A
1120-5001	DIGITAL INSIDE GROOVE CALIPER, 2.36-20"/60-500mm	1033.00	A
1120-5002	DIGITAL INSIDE GROOVE CALIPER, 3.15-20"/80-500mm	1124.00	A

1121-1501	DIGITAL INSIDE POINT C, 35-150mm/1.38-6"	365.00	A
1121-150A	DIGITAL INSIDE POINT CALIPER, .9-6"/24-150mm	291.00	A
1121-150B	DIGITAL INSIDE POINT CALIPER, 50-150mm/1.97-6", type B	428.00	A
1121-2001	DIGITAL INSIDE POINT CALIPER, 40-200mm/1.57-8"	493.00	A
1121-200A	DIGITAL INSIDE POINT CALIPER, 1-8"/25-200mm	342.00	A
1121-200B	DIGITAL INSIDE POINT CALIPER, 60-200mm/2.36-8", type B	587.00	A
1121-3001A	DIGITAL INSIDE POINT CALIPER, 2-12"/50-300mm	619.00	A
1121-300A	DIGITAL INSIDE POINT CALIPER, 1.18-12"/30-300mm	524.00	A
1121-300B	DIGITAL INSIDE POINT CALIPER, 60-300mm/2.36-12", type B	665.00	A
1121-5001	DIGITAL INSIDE POINT CALIPER, 60-500mm/2.36-20"	903.00	A
1121-5002	DIGITAL INSIDE POINT CALIPER, 80-500mm/3.15-20"	974.00	A
1121-500A	DIGITAL INSIDE POINT CALIPER, 40-500mm/1.57-20"	877.00	A
1122-300	DIGITAL HOOK CALIPER, .16-12"/4-300mm	560.00	A
1122-300WL	DIGITAL HOOK CALIPER, .16-12"/4-300mm, built-in wireless	637.00	A
1123-150A	DIGITAL INSIDE KNIFE-EDGE CALIPER, .6-6"/15-150mm	296.00	A
1123-150AWL	DIGITAL INSIDE KNIFE-EDGE CALIPER, 15-150mm/0.6-6", built-in wireless	368.00	A
1123-200A	DIGITAL INSIDE KNIFE-EDGE CALIPER, .8-8"/20-200mm	428.00	A
1123-200AWL	DIGITAL INSIDE KNIFE-EDGE CALIPER, .8-8"/20-200mm, built-in wireless	504.00	A
1123-300A	DIGITAL INSIDE KNIFE-EDGE CALIPER, .9-12"/24-300mm	715.00	A
1124-300A	DIGITAL CALIPER WITH INTERCHANGEABLE POINTS	705.00	A
1125-1000	UNIVERSAL CALIPER, 0-40"/0-1000mm	2160.00	A
1125-1000WL	UNIVERSAL CALIPER, 0-40"/0-1000mm, built-in wireless	2273.00	A
1125-600	UNIVERSAL CALIPER, 0-24"/0-600mm	1355.00	A
1125-600WL	UNIVERSAL CALIPER, 0-600mm/0-24", built-in wireless	1599.00	A
1125-T101	CONICAL POINTS	86.30	A
1125-T101-1	Conical points (optional)	115.00	A
1125-T102	ROUND SHOULDER POINTS	75.00	A
1125-T103	FLAT SHOULDER POINTS	108.00	A
1125-T104	POINT SLEEVES	49.90	A
1128-200	DIGITAL INSIDE GROOVE CALIPER, .39-8"/10-200mm	568.00	A
1128-200WL	DIGITAL INSIDE GROOVE CALIPER, .39-8"/10-200mm, built-in wireless	633.00	A
1129-300	DIGITAL DEEP HOLE INSIDE GROOVE CALIPER, 0-12"/0-300mm	670.00	A
1129-300WL	DIGITAL DEEP HOLE INSIDE GROOVE CALIPER, 0-12"/0-300mm, built-in wireless	748.00	A
1130-150	LEFT HAND DIGITAL CALIPER, 0-6"/0-150mm	179.00	A
1130-200	LEFT HAND DIGITAL CALIPER, 0-8"/0-200mm	211.00	A
1130-300	LEFT HAND DIGITAL CALIPER, 0-12"/0-300mm	305.00	A
1131-24	DIGITAL CALIPER, 0-24"/0-600mm	867.00	A
1131-24WL	WIRELESS ELECTRONIC CALIPER (with jaw length 3.937"), 0-24"/0-600mm, built-in wireless	787.00	A
1131-40	DIGITAL CALIPER, 0-40"/0-1000mm	1947.00	A
1131-60	DIGITAL CALIPER, 0-60"/0-1500mm	2680.00	A
1131-80	DIGITAL CALIPER, 0-80"/0-2000mm	3841.00	A
1133-24	DIGITAL CALIPER, 0-24"/0-600mm	924.00	A
1133-24WL	WIRELESS ELECTRONIC CALIPER (with jaw length 3.937"), 0-24"/0-600mm, built-in wireless	871.00	A
1133-40	DIGITAL CALIPER, 0-40"/0-1000mm	1970.00	A
1135-1002	DIGITAL CALIPER, 0-40"/0-1000mm	1720.00	A
1135-451	DIGITAL CALIPER, 0-18"/0-450mm	693.00	A
1135-451WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-18"/0-450mm, built-in wireless	844.00	A
1135-601	DIGITAL CALIPER, 0-24"/0-600mm	896.00	A
1135-601WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-24"/0-600mm, built-in wireless	877.00	A
1136-1002	DIGITAL CALIPER, 0-1000mm/0-40"	2027.00	A
1136-1502	DIGITAL CALIPER, 0-1500mm/0-60"	3554.00	A
1136-2002	DIGITAL CALIPER, 0-2000mm/0-80"	5272.00	A
1136-301	ELECTRONIC CALIPER (jaw length 100mm), 0-300mm/0-12"	552.00	A
1136-301WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-300mm/0-12", 0.01mm/0.0005"	700.00	A
1136-451WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-450mm/0-18", 0.01mm/0.0005"	856.00	A

1136-501	ELECTRONIC CALIPER, 0-500mm/0-20"	683.00	A
1136-502	ELECTRONIC CALIPER, 0-500mm/0-20"	815.00	A
1136-601	ELECTRONIC CALIPER (jaw length 100mm), 0-600mm/0-24"	683.00	A
1138-200	DIGITAL CALIPER WITH LONG UPPER JAWS, 0-8"/0-200mm	525.00	A
1138-200WL	DIGITAL CALIPER WITH LONG UPPER JAWS, 0-8"/0-200mm, built-in wireless	601.00	A
1139-150	DIGITAL PLASTIC CALIPER, 0-6"/0-150mm	33.30	A
1140-100	MINI DIGITAL DEPTH GAGE WITH ROUND BAR, 0-4"/0-100mm	289.00	A
1140-100WL	MINI DIGITAL DEPTH GAGE WITH ROUND BAR, , 0-4"/0-100mm, built-in wireless	393.00	A
1140-150	MINI DIGITAL DEPTH GAGE WITH ROUND BAR, 0-6"/0-150mm	341.00	A
1140-150WL	MINI DIGITAL DEPTH GAGE WITH ROUND BAR,0-6"/0-150mm, built-in wireless	443.00	A
1140-25	MINI DIGITAL DEPTH GAGES WITH ROUND BAR, 0-1"/0-25mm	202.00	A
1140-50	MINI DIGITAL DEPTH GAGES WITH ROUND BAR, 0-2"/0-50mm	228.00	A
1141-10001A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	1913.00	A
1141-10002A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	2324.00	A
1141-10003A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	2534.00	A
1141-1000A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	1594.00	A
1141-150A	DIGITAL DEPTH GAGE, 0-6"/0-150mm	115.00	A
1141-150AWL	DIGITAL DEPTH GAGE, 0-6"/0-150mm, built-in wireless	197.00	A
1141-200A	DIGITAL DEPTH GAGE, 0-8"/0-200mm	144.00	A
1141-200AWL	DIGITAL DEPTH GAGE, 0-8"/0-200mm, built-in wireless	220.00	A
1141-300A	DIGITAL DEPTH GAGE, 0-12"/0-300mm	335.00	A
1141-300AWL	DIGITAL DEPTH GAGE, 0-12"/0-300mm, built-in wireless	393.00	A
1141-5001A	DIGITAL DEPTH GAGE, 0-20"/0-500mm	801.00	A
1141-5001AWL	DIGITAL DEPTH GAGE, 0-20"/0-500mm, built-in wireless	916.00	A
1141-500A	DIGITAL DEPTH GAGE, 0-20"/0-500mm	562.00	A
1141-500AWL	DIGITAL DEPTH GAGE, 0-20"/0-500mm, built-in wireless	687.00	A
1142-10001A	DIGITAL HOOK DEPTH GAGE, 0-40"/0-1000mm	2116.00	A
1142-10002A	DIGITAL HOOK DEPTH GAGE, 0-40"/0-1000mm	3643.00	A
1142-1000A	DIGITAL HOOK DEPTH GAGE, 0-40"/0-1000mm	1830.00	A
1142-150A	DIGITAL HOOK DEPTH GAGE, 0-6"/0-150mm	163.00	A
1142-150AWL	DIGITAL HOOK DEPTH GAGE, 0-6"/0-150mm, built-in wireless	255.00	A
1142-200A	DIGITAL HOOK DEPTH GAGE, 0-8"/0-200mm	201.00	A
1142-200AWL	DIGITAL HOOK DEPTH GAGE, 0-8"/0-200mm, built-in wireless	291.00	A
1142-300A	DIGITAL HOOK DEPTH GAGE, 0-12"/0-300mm	406.00	A
1142-300AWL	DIGITAL HOOK DEPTH GAGE, 0-12"/0-300mm, built-in wireless	525.00	A
1142-5001A	DIGITAL HOOK DEPTH GAGE, 0-20"/0-500mm	966.00	A
1142-500A	DIGITAL HOOK DEPTH GAGE, 0-20"/0-500mm	828.00	A
1142-500AWL	DIGITAL HOOK DEPTH GAGE, 0-20"/0-500mm, built-in wireless	927.00	A
1143-200A	DIGITAL POINT DEPTH GAGE, 0-8"/0-200mm	254.00	A
1144-10001A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-40"/0-1000mm	2294.00	A
1144-10002A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-40"/0-1000mm	2925.00	A
1144-1000A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-40"/0-1000mm	1979.00	A
1144-150A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-6"/0-150mm	164.00	A
1144-150AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-6"/0-150mm, wireless	266.00	A
1144-200A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-8"/0-200mm	197.00	A
1144-200AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-8"/0-200mm, wireless	298.00	A
1144-300A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-12"/0-300mm	421.00	A
1144-300AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-12"/0-300mm, wireless	537.00	A
1144-5001A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm	1030.00	A
1144-5001AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm, wireless	1144.00	A
1144-500A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm	897.00	A
1144-500AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm, wireless	994.00	A
1145-25A	MINI DIGITAL DEPTH GAGE, 0-1"/0-25mm	123.00	A
1146-20A	MINI DIGITAL HEIGHT GAGE, 0-0.8"/0-20mm	184.00	A
1146-20B	MINI DIGITAL HEIGHT GAGE, 0-0.8"/0-20mm	209.00	A
1147-150	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-6"/0-150mm	174.00	A
1147-150WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLE	237.00	A
1147-200	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-8"/0-200mm	218.00	A
1147-200WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLE	275.00	A

1147-300	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-12"/0-300mm	464.00	A
1147-300WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLES FOR EXTENSION BASE, 0-12"/0-300mm	420.00	A
1147-500	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-20"/0-500mm	637.00	A
1147-500WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLES FOR EXTENSION BASE, 0-20"/0-500mm	693.00	A
1147-700	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-28"/0-700mm	992.00	A
1147-700WL	WIRELESS DIGITAL DEPTH GAGES WITH MOUNTING HOLES FOR EXTENSION BASE),0-700mm/0-28", 0.01mm/0.0005"	1057.00	A
1148-100	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	371.00	A
1148-100E	DIGITAL DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	399.00	A
1148-100S	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	374.00	A
1148-100SE	DIGITAL DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	394.00	A
1148-100SWL	DIGITAL DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm, built-in wireless	480.00	A
1148-120	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-4.7"/0-120mm	446.00	A
1148-120E	DIGITAL DEPTH GAGES WITH ROUND DEPTH BAR, 0-4.7"/0-120mm	473.00	A
1148-200	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-8"/0-200mm	455.00	A
1148-200E	DIGITAL DEPTH GAGES WITH ROUND DEPTH BAR, 0-8"/0-200mm	488.00	A
1148-300E	DIGITAL DEPTH GAGES WITH ROUND DEPTH BAR, 0-12"/0-300mm	598.00	A
1148-P101	.0197" DISK POINT	15.50	A
1148-P102	.0276" DISK POINT	15.40	A
1148-P103	.0394" DISK POINT	43.40	A
1148-P103E	.04" DISK POINT	36.90	A
1148-P104	.0197" DISK POINT	48.60	A
1149-150	DIGITAL WATERPROOF DEPTH GAGE, 0-6"/0-150mm	332.00	A
1149-200	DIGITAL WATERPROOF DEPTH GAGE, 0-8"/0-200mm	455.00	A
1149-300	DIGITAL WATERPROOF DEPTH GAGE, 0-12"/0-300mm	584.00	A
1150-1000	ELECTRONIC HEIGHT GAGE, 0-40"/0-1000mm	2513.00	A
1150-1000E	DIGITAL HEIGHT GAGE, 0-40"/0-1000mm	2197.00	A
1150-1500E	DIGITAL HEIGHT GAGE, 0-60"/0-1500mm	3569.00	A
1150-2000E	DIGITAL HEIGHT GAGE, 0-80"/0-2000mm	5280.00	A
1150-300	ELECTRONIC HEIGHT GAGE, 0-12"/0-300mm	594.00	A
1150-300E	DIGITAL HEIGHT GAGE, 0-12"/0-300mm	604.00	A
1150-500E	DIGITAL HEIGHT GAGE, 0-20"/0-500mm	844.00	A
1150-600	ELECTRONIC HEIGHT GAGE, 0-24"/0-600mm	1143.00	A
1150-600E	DIGITAL HEIGHT GAGE, 0-24"/0-600mm	1100.00	A
1151-300A	DIGITAL HEIGHT GAGE, 0-300mm/0-12"	997.00	A
1151-300AE	DIGITAL HEIGHT GAGE, 0-12"/0-300mm	983.00	A
1151-450A	DIGITAL HEIGHT GAGE, 0-450mm/0-18"	1382.00	A
1151-450AE	DIGITAL HEIGHT GAGE, 0-18"/0-450mm	1364.00	A
1151-600A	DIGITAL HEIGHT GAGE, 0-600mm/0-24"	1595.00	A
1151-600AE	DIGITAL HEIGHT GAGE, 0-24"/0-600mm	1578.00	A
1154-150	DIGITAL HEIGHT GAGE, 0-6"/0-150mm	278.00	A
1154-150WL	DIGITAL HEIGHT GAGE, 0-6"/0-150mm, built-in wireless	357.00	A
1155-505	DIGITAL HIGH PRECISION HEIGHT GAUGES, 0-2"	4892.00	A
1155-510	DIGITAL HIGH PRECISION HEIGHT GAUGES, 0-2"	6541.00	A
1155-5-FOS	Data output cables(including foot switch)	421.00	A
1155-5-POB	Charge pal	49.60	A
1156-1000	DIGITAL HEIGHT GAGES WITH DRIVING WHEEL, 0-40"/0-1000mm	4307.00	A
1156-300	DIGITAL HEIGHT GAGES WITH DRIVING WHEEL, 0-12"/0-300mm	769.00	A
1156-600	DIGITAL HEIGHT GAGES WITH DRIVING WHEEL, 0-24"/0-600mm	1212.00	A
1157-501	DIGITAL HEIGHT GAGES, 0-2", granite base	3099.00	A
1157-502	DIGITAL HEIGHT GAGES, 0-2", ceramic base	3791.00	A
1158-100	LARGE RANGE DIGITALAL HEIGHT GAGE, 0~4"	10436.00	A
1160-10	DIGITAL TAPER GAGE, .01-.39"/0.2-10mm	578.00	A
1160-20	DIGITAL TAPER GAGE, .39-.79"/10-20mm	668.00	A
1160-30	DIGITAL TAPER GAGE, .79-1.18"/20-30mm	700.00	A

1160-40	DIGITAL TAPER GAGE, 1.18-1.58"/30-40mm	701.00	A
1161-150A	DIGITAL TUBE THICKNESS CALIPER, 0-6"/0-150mm	304.00	A
1161-150AWL	DIGITAL TUBE THICKNESS CALIPER, 0-6"/0-150mm, built-in wireless	350.00	A
1162-125A	DIGITAL DISK BRAKE CALIPER, 0-5"/0-125mm	254.00	A
1163-50A	DIGITAL SNAP GAGE, 0-2"/0-50mm	272.00	A
1165-150A	DIGITAL CRIMP HEIGHT CALIPER, 0-6"/0-150mm	262.00	A
1166-150A	DIGITAL SCRIBING CALIPER, 0-6"/0-150mm	286.00	A
1166-150AWL	DIGITAL SCRIBING CALIPER, 0-6"/0-150mm,built-in wireless	369.00	A
1167-150A	DIGITAL DISK BRAKE AND PAD CALIPER, 0-6"/0-150mm	289.00	A
1168-300A	DIGITAL DRUM BRAKE CALIPER, 0-12"/0-300mm	415.00	A
1169-150	DIGITAL SMALL POINT CALIPER, 0-6"/0-150mm	171.00	A
1171-200	DIGITAL CALIPER (NON-WATERPROOF), 0-8"/0-200mm	222.00	A
1171-200WL	DIGITAL CALIPER (NON-WATERPROOF), 0-8"/0-200mm, built-in wireless	341.00	A
1171-250	DIGITAL CALIPER (NON-WATERPROOF), 0-10"/0-250mm	334.00	A
1171-300	DIGITAL CALIPER (NON-WATERPROOF), 0-12"/0-300mm	358.00	A
1171-306	DIGITAL CALIPER (NON-WATERPROOF), 0-12"/0-300mm	298.00	A
1172-200	DIGITAL CALIPER WITH LARGE MEASURING FACES, 0-8"/0-200mm	556.00	A
1176-150	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-6"/9-150mm, lower jaw .70-6"/17-150mm	390.00	A
1176-150P	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-6"/9-150mm, lower jaw .70-6"/17-150mm, IP67 dust/waterproof	631.00	A
1176-150WL	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-6"/9-150mm, lower jaw .70-6"/17-150mm	441.00	A
1176-200	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-8"/9-200mm, lower jaw .70-8"/17-200mm	461.00	A
1176-200WL	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-8"/9-200mm, lower jaw .70-8"/17-200mm	502.00	A
1177-1000E	DIGITAL BACK-JAW CENTERLINE CALIPER, 1.2-40"/30.5-1000mm	2123.00	A
1177-1500E	DIGITAL BACK-JAW CENTERLINE CALIPER, 1.2-60"/30.5-1500mm	3678.00	A
1177-200	ELECTRONIC BACK-JAW CENTERLINE CALIPER, .4-8"/10-200mm	508.00	A
1177-300	ELECTRONIC BACK-JAW CENTERLINE CALIPER, .4-12"/10-300mm	636.00	A
1177-300E	DIGITAL BACK-JAW CENTERLINE CALIPER, .4-12"/10.5-300mm	657.00	A
1177-300EWL	WIRELESS ELECTRONIC BACK-JAW CENTERLINE CALIPER, .4-12"/10.5-300mm, built-in wireless	762.00	A
1177-500E	DIGITAL BACK-JAW CENTERLINE CALIPER, .8-20"/20.5-500mm	1240.00	A
1177-500EWL	WIRELESS ELECTRONIC BACK-JAW CENTERLINE CALIPER, .8-20"/20.5-500mm, built-in wireless	1411.00	A
1178-300	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/25-300mm	557.00	A
1178-300P	DIGITAL INSIDE GROOVE CALIPER, 1.30-12"/33-300mm, (IP67 DUST/WATERPROOF, NO DATA OUTPUT)	1104.00	A
1178-300WL	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/25-300mm, built-in wireless	651.00	A
1179-1000	DIGITAL RTJ RING GROOVE CALIPER, inside diameter of RTJ ring groove .6-40"/15-1000mm, outside diameter of RTJ ring groove 1.2-40"/30-1000mm	2541.00	A
1179-300	DIGITAL RTJ RING GROOVE CALIPER, inside diameter of RTJ ring groove .4-12"/10-300mm, outside diameter of RTJ ring groove 1-12"/25-300mm	659.00	A
1179-300WL	WIRELESS DIGITAL RTJ RING GROOVE CALIPER, 10-300mm/0.4-12", 0.01mm/0.0005"	715.00	A
1179-600	DIGITAL RTJ RING GROOVE CALIPER, inside diameter of RTJ ring groove .4-24"/10-600mm, outside diameter of RTJ ring groove 1-24"/25-600mm	1043.00	A
1180-6	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 45°	212.00	A
1180-61	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 15°	426.00	A
1180-61WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 15°	502.00	A
1180-62	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 20°	396.00	A
1180-62WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 20°	474.00	A

1180-63	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 30°	285.00	A
1180-63WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 30°	361.00	A
1180-66	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 60°	285.00	A
1180-66WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 60°	341.00	A
1180-6WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 45°	305.00	A
1181-M25A	DIGITAL GEAR TOOTH CALIPER, P1-P24	547.00	A
1181-M50A	DIGITAL GEAR TOOTH CALIPER, P1/2-P5	645.00	A
1183-150A	DIGITAL POINT CALIPER, 0-6"/0-150mm	173.00	A
1183-150AWL	DIGITAL POINT CALIPER, 0-6"/0-150mm, built-in wireless	249.00	A
1183-200A	DIGITAL POINT CALIPER, 0-8"/0-200mm	251.00	A
1183-200AWL	DIGITAL POINT CALIPER, 0-8"/0-200mm, built-in wireless	328.00	A
1183-300A	DIGITAL POINT CALIPER, 0-12"/0-300mm	355.00	A
1183-300AWL	DIGITAL POINT CALIPER, 0-12"/0-300mm, built-in wireless	430.00	A
1184-150	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-6"/0-	204.00	A
1184-150A	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-6"/0-	238.00	A
1184-200	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-8"/0-	268.00	A
1184-200A	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-8"/0-	329.00	A
1184-300	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-12"/0-	391.00	A
1184-300A	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-12"/0-	432.00	A
1185-150A	DIGITAL OUTSIDE POINT CALIPER, 0-6"/0-150mm	206.00	A
1185-150AWL	DIGITAL OUTSIDE POINT CALIPER, 0-6"/0-150mm, built-in wireless	305.00	A
1185-200A	DIGITAL OUTSIDE POINT CALIPER, 0-8"/0-200mm	455.00	A
1185-200AWL	DIGITAL OUTSIDE POINT CALIPER, 0-8"/0-200mm, built-in wireless	522.00	A
1185-300A	DIGITAL OUTSIDE POINT CALIPER, 0-12"/0-300mm	682.00	A
1186-150A	DIGITAL OFFSET CALIPER, 0-6"/0-150mm	317.00	A
1186-150AWL	DIGITAL OFFSET CALIPER, 0-6"/0-150mm, built-in wireless	440.00	A
1186-200A	DIGITAL OFFSET CALIPER, 0-8"/0-200mm	492.00	A
1186-200AWL	DIGITAL OFFSET CALIPER, 0-8"/0-200mm, built-in wireless	565.00	A
1186-300A	DIGITAL OFFSET CALIPER, 0-12"/0-300mm	579.00	A
1186-300AWL	DIGITAL OFFSET CALIPER, 0-12"/0-300mm, built-in wireless	714.00	A
1186-500A	DIGITAL OFFSET CALIPER, 0-20"/0-500mm	832.00	A
1187-150A	DIGITAL OUTSIDE NECK CALIPER, 0-6"/0-150mm	209.00	A
1187-150AWL	DIGITAL OUTSIDE NECK CALIPER, 0-6"/0-150mm, built-in wireless	286.00	A
1187-200A	DIGITAL OUTSIDE NECK CALIPER, 0-8"/0-200mm	470.00	A
1187-200AWL	DIGITAL OUTSIDE NECK CALIPER, 0-8"/0-200mm, built-in wireless	535.00	A
1187-300A	DIGITAL OUTSIDE NECK CALIPER, 0-12"/0-300mm	594.00	A
1188-150A	DIGITAL BLADE CALIPER, 0-6"/0-150mm	179.00	A
1188-150AWL	DIGITAL BLADE CALIPER, 0-6"/0-150mm, built-in wireless	255.00	A
1188-200A	DIGITAL BLADE CALIPER, 0-8"/0-200mm	233.00	A
1188-200AWL	DIGITAL BLADE CALIPER, 0-8"/0-200mm, built-in wireless	311.00	A
1188-300A	DIGITAL BLADE CALIPER, 0-12"/0-300mm	370.00	A
1188-300AWL	DIGITAL BLADE CALIPER, 0-12"/0-300mm, built-in wireless	444.00	A
1189-150B	DIGITAL ARC RADIUS CALIPER, .2-6"/5-150mm	460.00	A
1189-200B	DIGITAL ARC RADIUS CALIPER, .2-8"/5-200mm	566.00	A
1191-150	DIGITAL INSIDE GROOVE CALIPER, .3-6"/8-150mm	476.00	A
1191-150WL	DIGITAL INSIDE GROOVE CALIPER, .3-6"/8-150mm, built-in wireless	551.00	A
1192-1000AE	DIGITAL OFFSET CENTERLINE CALIPER, 1.2-40"/30.5-1000mm	2083.00	A
1192-1500AE	DIGITAL OFFSET CENTERLINE CALIPER, 1.2"-60"/30.5-1500mm	3548.00	A
1192-150A	ELECTRONIC OFFSET CENTERLINE CALIPER, .4"-6"/10-150mm	427.00	A
1192-150AE	DIGITAL OFFSET CENTERLINE CALIPER, .4-6"/10-150mm	434.00	A
1192-150AEWL	DIGITAL OFFSET CENTERLINE CALIPER, .4-6"/10-150mm, built-in wireless	500.00	A
1192-200A	ELECTRONIC OFFSET CENTERLINE CALIPER, .4"-8"/10-200mm	525.00	A
1192-200AE	DIGITAL OFFSET CENTERLINE CALIPER, .4-8"/10-200mm	532.00	A
1192-200AEWL	DIGITAL OFFSET CENTERLINE CALIPER, .4-8"/10-200mm, built-in wireless	608.00	A
1192-300A	ELECTRONIC OFFSET CENTERLINE CALIPER, .4"-12"/10-300mm	611.00	A

1192-300AE	DIGITAL OFFSET CENTERLINE CALIPER, .4"-12"/10.5-300mm	646.00	A
1192-300AEWL	DIGITAL OFFSET CENTERLINE CALIPER, .4-12"/10.5-300mm, built-in wireless	681.00	A
1192-500AE	DIGITAL OFFSET CENTERLINE CALIPER, .8-20"/20.5-500mm	1187.00	A
1193-150	DIGITAL CALIPER WITH CERAMIC TIPPED JAWS, 0-6"/0-150mm	161.00	A
1193-200	DIGITAL CALIPER WITH CERAMIC TIPPED JAWS, 0-8"/0-200mm	197.00	A
1193-300	DIGITAL CALIPER WITH CERAMIC TIPPED JAWS, 0-12"/0-300mm	271.00	A
1196-300	HEAVY DUTY 12" DIGITAL CALIPER, 0-12"/0-300mm	226.00	A
1205-1502E	VERNIER CALIPER, 0-6"/0-150mm	57.60	A
1205-1502S	VERNIER CALIPER, 0-150mm/0-6"	55.40	A
1205-150S	VERNIER CALIPER, 0-150mm/0-6"	50.80	A
1205-2002E	VERNIER CALIPER, 0-8"/0-200mm	96.50	A
1205-3002E	VERNIER CALIPER, 0-12"/0-300mm	170.00	A
1205-300S	VERNIER CALIPER, 0-300mm/0-12", graduation 0.05mm/1/128"	165.00	A
1211-12	VERNIER CALIPER, 0-12"/0-600mm	262.00	A
1211-24	VERNIER CALIPER, 0-24"/0-600mm	353.00	A
1211-40	VERNIER CALIPER, 0-40"/0-1000mm	922.00	A
1250-300	VERNIER HEIGHT GAGE, 0-12"/0-300mm	431.00	A
1250-450	VERNIER HEIGHT GAGE, 0-18"/0-450mm	550.00	A
1250-600	VERNIER HEIGHT GAGE, 0-24"/0-600mm	592.00	A
1251-1000E	VERNIER HEIGHT GAGE, 0-40"/0-1000mm	1493.00	A
1251-1500E	VERNIER HEIGHT GAGE, 0-60"/0-1500mm	2390.00	A
1251-2000E	VERNIER HEIGHT GAGE, 0-80"/0-2000mm	4408.00	A
1251-200E	VERNIER HEIGHT GAGE, 0-8"/0-200mm	290.00	A
1251-300E	VERNIER HEIGHT GAGE, 0-12"/0-300mm	377.00	A
1251-500E	VERNIER HEIGHT GAGE, 0-20"/0-500mm	518.00	A
1253-150	VERNIER HEIGHT GAGE, 0-6"/0-150mm	225.00	A
1253-200	VERNIER HEIGHT GAGE, 0-8"/0-200mm	327.00	A
1267-02	CHAMFER GAGE, 0 - .2"	184.00	A
1311-12	DIAL CALIPER, 0-12"	173.00	A
1311-12CAL	0-12" Dial Caliper with ISO17025 Calibration Cert	216.00	A
1311-150A	DIAL CALIPER, 0-150mm	108.00	A
1311-200A	DIAL CALIPER, 0-200mm	147.00	A
1311-300A	DIAL CALIPER, 0-300mm	223.00	A
1311-4	DIAL CALIPER, 0-4"	93.90	A
1311-6	DIAL CALIPER, 0-6"	77.70	A
1311-6CAL	0-6" Dial Caliper with ISO17025 Calibration Cert	135.00	A
1311-8	DIAL CALIPER, 0-8"	103.00	A
1311-8CAL	0-8" Dial Caliper with ISO17025 Calibration Cert	159.00	A
1312-150A	DIAL CALIPER, 0-150mm	88.10	A
1312-200A	DIAL CALIPER, 0-200mm	118.00	A
1312-300A	DIAL CALIPER, 0-300mm	197.00	A
1316-18	DIAL CALIPER, 0-18"	441.00	A
1316-24	DIAL CALIPER, 0-24"	580.00	A
1316-40	DIAL CALIPER, 0-40"	1239.00	A
1318-6	DIAL CALIPER, 0-6", graduation .001"	117.00	A
1351-12	DIAL HEIGHT GAGE, 0-12"	590.00	A
1351-18	DIAL HEIGHT GAGE, 0-18"	883.00	A
1351-24	DIAL HEIGHT GAGE, 0-24"	1145.00	A
1351-450	DIAL HEIGHT GAGE, 0-450mm, dial indicator graduation 0.01mm	958.00	A
1441-300	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-12"/0-300mm	1460.00	A
1441-400	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-16"/0-400mm	1772.00	A
1441-500	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-20"/0-500mm	2072.00	A
1441-600	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-24"/0-600mm	2251.00	A
1441-P1	Side type ball point (optional)	300.00	A
1441-P2	Ball point (optional)	300.00	A
1441-P3	Needle point (optional)	300.00	A
1501-10	DIGITAL RADIUS CALIPER, .079-0.394"/2-10mm, 0.0005"/0.01mm	297.00	A



1501-25	DIGITAL RADIUS CALIPER, .079-1 1/2-25mm, .0005"/0.01mm	297.00	A
1520-150	DIGITAL INSIDE GROOVE CALIPER, .43-6"/11-150mm	260.00	A
1520-1501P	DIGITAL INSIDE GROOVE CALIPER, .31-6"/8-150mm, IP67 dust/waterproof, no data output	692.00	A
1520-150P	DIGITAL INSIDE GROOVE CALIPER, .56-6"/14-150mm, IP67 dust/waterproof, no data output	679.00	A
1520-150WL	DIGITAL INSIDE GROOVE CALIPER, .43-6"/11-150mm, built-in wireless	343.00	A
1522-127	DIGITAL CALIPER, 0-12"/0-300mm	319.00	A
1522-127WL	WIRELESS ELECTRONIC CALIPER, 0-12"/0-300mm, .0005"/0.01mm	436.00	A
1523-127	DIGITAL CALIPER, 0-12"/0-300mm	450.00	A
1523-127WL	WIRELESS ELECTRONIC CALIPER, 0-12"/0-300mm, .0005"/0.01mm	585.00	A
1524-200	ELECTRONIC BACK-JAW EDGE TO CENTER CALIPER, .2-8"/5-200mm	563.00	A
1524-300	ELECTRONIC BACK-JAW EDGE TO CENTER CALIPER, .2-12"/5-300mm	677.00	A
1524-300E	DIGITAL BACK-JAW EDGE TO CENTER CALIPER, .2-12"/5.5-300mm	683.00	A
1524-300EWL	WIRELESS DIGITAL BACK-JAW EDGE TO CENTER CALIPER, .2-12"/5.5-300mm, .0005"/0.01mm	765.00	A
1525-1000E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .6-40"/15.5-1000mm, Range of lower jaw (center to center): 1.2-40"/30.5-1000mm	2503.00	A
1525-1500E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .6-60"/15.5-1500mm, Range of lower jaw (center to center): 1.2-60"/30.5-1500mm	4053.00	A
1525-300	ELECTRONIC CENTERLINE/EDGE TO CENTER CALIPER, upper jaw	678.00	A
1525-3001	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, 10-300mm/.4-12"	758.00	A
1525-300E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .2-12" /5.5-300mm, Range of lower jaw (center to center): .4-12"/10.5-300mm	687.00	A
1525-300EWL	WIRELESS ELECTRONIC CENTERLINE/EDGE TO CENTER CALIPER, .2-12" /5.5-300mm, .0005"/0.01mm	804.00	A
1525-500E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .4-20"/10.5-500mm, Range of lower jaw (center to center): .8-20"/20.5-500mm	1655.00	A
1525-500EWL	WIRELESS ELECTRONIC CENTERLINE/EDGE TO CENTER CALIPER, .4-20"/10.5-500mm, .0005"/0.01mm	1817.00	A
1526-200	DIGITAL CALIPER WITH INTERCHANGEABLE POINTS	518.00	A
1526-T101	POINT SLEEVE, pair	66.00	A
1527-300	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (7/8"+D)~12", (with ball 1/16", 3/16", 1/8", 1/4", 3/8", 1/2")	588.00	A
1527-3001	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (7/8"+D)~12", ball tips are optional	424.00	A
1527-T101	Ball points 1/16"DIA (supplied in pair)	32.90	A
1527-T102	Ball points 1/8"DIA (supplied in pair)	37.10	A
1527-T103	Ball points 3/16"DIA (supplied in pair)	37.10	A
1527-T104	Ball points 1/4"DIA (supplied in pair)	37.30	A
1527-T105	Ball points 3/8"DIA (supplied in pair)	37.40	A
1527-T106	Ball points 1/2"DIA (supplied in pair)	37.40	A
1528-300	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (.5"+D)~12", (with ball 1/16", 3/16", 1/8", 1/4", 3/8", 1/2")	648.00	A
1528-3001	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (.5"+D)~12", ball tips are optional	423.00	A
1529-19	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 19 flutes	1270.00	A
1529-23	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 23 flutes	1274.00	A
1529-31	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 31 flutes	1270.00	A
1529-5	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 5 flutes	1266.00	A
1530-300	DIGITAL CALIPER WITH INTERCHANGEABLE POINTS, 0-12"/0-300mm	712.00	A
1532-200	DIGITAL CALIPER WITH KNIFE EDGE LOWER JAWS, 0-8"/0-200mm	543.00	A

1532-200WL	DIGITAL CALIPER WITH KNIFE EDGE LOWER JAWS, 0-8"/0-200mm, built-in wireless	619.00	A
1533-150	DIGITAL CALIPER WITH DISK FACES, 0-6"/0-150mm	385.00	A
1533-150WL	DIGITAL CALIPER WITH DISK FACES, 0-6"/0-150mm, built-in wireless	461.00	A
1533-200	DIGITAL CALIPER WITH DISK FACES, 0-8"/0-200mm	434.00	A
1533-200WL	DIGITAL CALIPER WITH DISK FACES, 0-8"/0-200mm, built-in wireless	508.00	A
1533-500	DIGITAL CALIPER WITH DISK FACES, 0-20"/0-500mm	1597.00	A
1534-200	DIGITAL CALIPER WITH POSITIONING SURFACES, 0-8"/0-200mm	459.00	A
1535-100	DIGITAL OUTSIDE GROOVE CALIPER, 0-4"/0-100mm	323.00	A
1535-100WL	DIGITAL OUTSIDE GROOVE CALIPER, 0-4"/0-100mm, built-in wireless	405.00	A
1536-300	DIGITAL WALL THICKNESS CALIPER, 0-12"/0-300mm	775.00	A
1536-300WL	DIGITAL WALL THICKNESS CALIPER, 0-12"/0-300mm, built-in wireless	886.00	A
1537-20	DIGITAL CHAMFER GAGE, 0-20mm/0-.787"	253.00	A
1537-8	DIGITAL CHAMFER GAGE, 0-8mm/0-.315"	253.00	A
1538-300	DIGITAL DRUM BRAKE CALIPER, 1.2-12"/30-300mm	611.00	A
1540-300	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-300mm/0-12", 0.01mm/.0005"	982.00	A
1540-300E	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-12"/0-300mm, .0005"/0.01mm	956.00	A
1540-L300	EXTENSION BASE, 11.811"	170.00	A
1540-L400	EXTENSION BASE, 15.748"	236.00	A
1540-L500	EXTENSION BASE, 19.685"	290.00	A
1540-L600	EXTENSION BASE, 23.622"	373.00	A
1540-L800	EXTENSION BASE, 31.496"	453.00	A
2103-10E	DIGITAL INDICATOR (advanced model), .5"/12.7mm, lug back	460.00	A
2103-10F	ELECTRONIC INDICATOR, 12.7mm/0.5", resolution 0.001mm/0.0005"	395.00	A
2103-10FE	DIGITAL INDICATOR (advanced model), .5"/12.7mm, flat back	385.00	A
2103-25E	DIGITAL INDICATOR (advanced model), 1"/25.4mm, lug back	528.00	A
2103-25PE	DIGITAL INDICATOR (advanced model), 1"/25.4mm, flat back, with lift cap	487.00	A
2103-50E	DIGITAL INDICATOR (advanced model), 2"/50.8mm, lug back	850.00	A
2103-50PE	DIGITAL INDICATOR (advanced model), 2"/50.8mm, flat back, with lift cap	754.00	A
2104-10E	DIGITAL INDICATOR (advanced model), .5"/12.7mm, lug back	202.00	A
2104-25E	DIGITAL INDICATOR (advanced model), 1"/25.4mm, lug back	264.00	A
2104-25PE	DIGITAL INDICATOR (advanced model), 1"/25.4mm, flat back, with lift cap	267.00	A
2104-50E	DIGITAL INDICATOR (advanced model), 2"/50.8mm, lug back	581.00	A
2104-50PE	DIGITAL INDICATOR (advanced model), 2"/50.8mm, flat back, with lift cap	526.00	A
2108-101EF	DIGITAL INDICATOR FOR BORE GAGES, 0.5"/12.7mm, flat back	496.00	A
2108-101F	ELECTRONIC INDICATOR FOR BORE GAGES, resolution 0.001mm/0.0005"	527.00	A
2108-10EF	DIGITAL INDICATOR FOR BORE GAGES, 0.5"/12.7mm, flat back	258.00	A
2108-10F	ELECTRONIC INDICATOR FOR BORE GAGES, resolution 0.002mm/0.0015"	266.00	A
2109-101E	DIGITAL INDICATOR WITH LIFTING LEVER, .4"/10mm, flat back	487.00	A
2109-10E	DIGITAL INDICATOR WITH LIFTING LEVER, .4"/10mm, flat back	256.00	A
2112-10	DIGITAL INDICATOR, 12.7mm/0.5", lug back	127.00	A
2112-101	DIGITAL INDICATOR, 12.7mm/0.5", lug back	312.00	A
2112-101E	DIGITAL INDICATOR (standard model), .5"/12.7mm, lug back	383.00	A
2112-101F	DIGITAL INDICATOR, 12.7mm/0.5", flat back	300.00	A
2112-10E	DIGITAL INDICATOR (standard model), .5"/12.7mm, lug back	162.00	A
2112-10F	DIGITAL INDICATOR, 12.7mm/0.5", flat back	124.00	A
2112-25	ELECTRONIC INDICATOR, 25.4mm/1", resolution 0.01mm/0.0005"	178.00	A
2112-251E	DIGITAL INDICATOR (standard model), 1"/25.4mm, lug back	363.00	A
2112-251PE	DIGITAL INDICATOR (standard model), 1"/25.4mm, flat back, with lift cap	390.00	A
2112-25E	DIGITAL INDICATOR (standard model), 1"/25.4mm, lug back	177.00	A
2112-25PE	DIGITAL INDICATOR (standard model), 1"/25.4mm, flat back, with lift cap	205.00	A
2112-501E	DIGITAL INDICATOR (standard model), 2"/50.8mm, lug back	654.00	A

2112-501PE	DIGITAL INDICATOR (standard model), 2"/50.8mm, flat back, with lift cap	675.00	A
2112-50E	DIGITAL INDICATOR (standard model), 2"/50.8mm, lug back	439.00	A
2112-50PE	DIGITAL INDICATOR (standard model), 2"/50.8mm, flat back, with lift cap	465.00	A
2114-51FE	COMPACT DIGITAL INDICATOR, .2"/5mm, flat back	357.00	A
2114-5FE	COMPACT DIGITAL INDICATOR, .2"/5mm, flat back	141.00	A
2115-101E	WATERPROOF DIGITAL INDICATOR, .5"/12.7mm, lug back	389.00	A
2115-10E	WATERPROOF DIGITAL INDICATOR, .5"/12.7mm, lug back	174.00	A
2115-251E	WATERPROOF DIGITAL INDICATOR, 1"/25.4mm, lug back	526.00	A
2115-25E	WATERPROOF DIGITAL INDICATOR, 1"/25.4mm, lug back	240.00	A
2115-501E	WATERPROOF DIGITAL INDICATOR, 2"/50.8mm, lug back	809.00	A
2115-50E	WATERPROOF DIGITAL INDICATOR, 2"/50.8mm, lug back	590.00	A
2117-1001E	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, lug back	1847.00	A
2117-1001PE	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, flat back, with lift cap	1804.00	A
2117-100E	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, lug back	1017.00	A
2117-100PE	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, flat back, with lift cap	1005.00	A
2118-101E	BACK PLUNGER TYPE DIGITAL INDICATOR, .5"/12.7mm, flat back	478.00	A
2118-10E	BACK PLUNGER TYPE DIGITAL INDICATOR, .5"/12.7mm, flat back	255.00	A
2121-15	DIGITAL INTERNAL CALIPER GAGES, .2-.6"/5-15mm	334.00	A
2121-25	DIGITAL INTERNAL CALIPER GAGES, .2-1.0"/5-25mm	363.00	A
2121-31	DIGITAL INTERNAL CALIPER GAGES, .4-1.2"/10-30mm	396.00	A
2121-41	DIGITAL INTERNAL CALIPER GAGES, .8-1.6"/20-40mm	402.00	A
2121-51	DIGITAL INTERNAL CALIPER GAGES, 1.2-2.0"/30-50mm	397.00	A
2121-61	DIGITAL INTERNAL CALIPER GAGES, 1.6-2.4"/40-60mm	414.00	A
2123-04A	BORE GAGE FOR SMALL HOLES, .24-.4"	534.00	A
2123-07A	BORE GAGE FOR SMALL HOLES, .4-.7"	511.00	A
2123-10A	BORE GAGE, 6-10"	544.00	A
2123-15A	BORE GAGE, .7-1.5"	487.00	A
2123-16A	BORE GAGE, 10-16"	587.00	A
2123-24A	BORE GAGE, 1.4-2.4"	478.00	A
2123-6A	BORE GAGE, 2-6"	566.00	A
2124-E035	PISTOL GRIP THREE POINTS BORE GAGE, .275-.35"	682.00	A
2124-E0425	PISTOL GRIP THREE POINTS BORE GAGE, .35-.425"	667.00	A
2124-E05	PISTOL GRIP THREE POINTS BORE GAGE, .425-.5"	709.00	A
2124-E053	PISTOL GRIP THREE POINTS BORE GAGE SET, .275-.5"	1739.00	A
2124-E065	PISTOL GRIP THREE POINTS BORE GAGE, .5-.65"	715.00	A
2124-E08	PISTOL GRIP THREE POINTS BORE GAGE, .65-.8"	759.00	A
2124-E082	PISTOL GRIP THREE POINTS BORE GAGE SET, .5-.8"	1290.00	A
2124-E1	PISTOL GRIP THREE POINTS BORE GAGE, .8-1"	809.00	A
2124-E10	PISTOL GRIP THREE POINTS BORE GAGE, 9-10"	2942.00	A
2124-E11	PISTOL GRIP THREE POINTS BORE GAGE, 10-11"	3465.00	A
2124-E112	PISTOL GRIP THREE POINTS BORE GAGE, 1-1.2"	863.00	A
2124-E12	PISTOL GRIP THREE POINTS BORE GAGE, 11-12"	4102.00	A
2124-E16	PISTOL GRIP THREE POINTS BORE GAGE, 1.2-1.6"	927.00	A
2124-E2	PISTOL GRIP THREE POINTS BORE GAGE, 1.6-2"	986.00	A
2124-E24	PISTOL GRIP THREE POINTS BORE GAGE SET, .8-2"	3150.00	A
2124-E25	PISTOL GRIP THREE POINTS BORE GAGE, 2-2.5"	1070.00	A
2124-E3	PISTOL GRIP THREE POINTS BORE GAGE, 2.5-3"	1139.00	A
2124-E35	PISTOL GRIP THREE POINTS BORE GAGE, 3-3.5"	1211.00	A
2124-E4	PISTOL GRIP THREE POINTS BORE GAGE, 3.5-4"	1290.00	A
2124-E44	PISTOL GRIP THREE POINTS BORE GAGE SET, 2-4"	3931.00	A
2124-E5	PISTOL GRIP THREE POINTS BORE GAGE, 4-5"	1358.00	A
2124-E6	PISTOL GRIP THREE POINTS BORE GAGE, 5-6"	1564.00	A
2124-E7	PISTOL GRIP THREE POINTS BORE GAGE, 6-7"	1809.00	A
2124-E8	PISTOL GRIP THREE POINTS BORE GAGE, 7-8"	2125.00	A
2124-E9	PISTOL GRIP THREE POINTS BORE GAGE, 8-9"	2511.00	A
2127-10	DIGITAL BORE GAGE (setting ring is not included), 6-10"	635.00	A
2127-16	DIGITAL BORE GAGE (setting ring is not included), 10-16"	678.00	A
2127-24	DIGITAL BORE GAGE (setting ring is not included), 1.4-2.4"	666.00	A
2127-6	DIGITAL BORE GAGE (setting ring is not included), 2-6"	557.00	A

2128-32	BORE GAGE, 16-32"	666.00	A
2131-21	DIGITAL EXTERNAL CALIPER GAGES, 0-.8"/0-20mm	366.00	A
2131-31	DIGITAL EXTERNAL CALIPER GAGES, .4-1.2"/10-30mm	402.00	A
2131-41	DIGITAL EXTERNAL CALIPER GAGES, .8-1.6"/20-40mm	402.00	A
2131-51	DIGITAL EXTERNAL CALIPER GAGES, 1.2-2.0"/30-50mm	402.00	A
2131-61	DIGITAL EXTERNAL CALIPER GAGES, 1.6-2.4"/40-60mm	417.00	A
2132-100	DIGITAL EXTERNAL CALIPER GAGE, 3.2-4"/80-100mm	375.00	A
2132-20	DIGITAL EXTERNAL CALIPER GAGE, 0-.8"/0-20mm	487.00	A
2132-40	DIGITAL EXTERNAL CALIPER GAGE, .8-1.6"/20-40mm	375.00	A
2132-60	DIGITAL EXTERNAL CALIPER GAGE, 1.6-2.4"/40-60mm	375.00	A
2132-80	DIGITAL EXTERNAL CALIPER GAGE, 2.4-3.2"/60-80mm	375.00	A
2133-101E	HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	694.00	A
2133-10E	HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	436.00	A
2133-251E	HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	947.00	A
2133-25E	HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	591.00	A
2133-50E	HIGH PRECISION DIGITAL INDICATOR (flat back), 2"/50.8mm	1209.00	A
2134-101E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	761.00	A
2134-10E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	504.00	A
2134-25	WIRELESS HIGH PRECISION DIGITAL INDICATORS, 25.4mm/1",	653.00	A
2134-251E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	1016.00	A
2134-25E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	648.00	A
2134-50E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), 2"/50.8mm	1278.00	A
2134-FS	FOOT SWITCH	85.50	A
2138-10E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), .5"/12.7mm, lug back	470.00	A
2138-10FE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), .5"/12.7mm, flat back	413.00	A
2138-25E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, lug back	536.00	A
2138-25PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, flat back, with lift cap	492.00	A
2138-50E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 2"/50.8mm, lug back	842.00	A
2138-50PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 2"/50.8mm, flat back, with lift cap	757.00	A
2139-10E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), .5"/12.7mm, lug back	210.00	A
2139-25E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, lug back	273.00	A
2139-25PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, flat back, with lift cap	283.00	A
2139-50E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 2"/50.8mm, lug back	585.00	A
2139-50PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 2"/50.8mm, flat back, with lift cap	539.00	A
2140-6	HIGH PRECISION DIGITAL INDICATOR (flat back), 0-6mm/0-.24"	766.00	A
2140-6WL	HIGH PRECISION DIGITAL INDICATOR (flat back), 0-6mm/0-.24", built-in wireless	837.00	A
2141-201A	DIGITAL DEPTH GAGE, 0-12"/0-300mm	311.00	A
2141-202A	DIGITAL DEPTH GAGE, 0-12"/0-300mm	352.00	A
2141-301	DIGITAL DEPTH GAGE, 0-12"/0-300mm	412.00	A
2141-302	DIGITAL DEPTH GAGE, 0-12"/0-300mm	412.00	A
2142-101	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	212.00	A
2142-102	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	219.00	A
2142-301	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	315.00	A
2142-302	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	321.00	A
2151-115	DIGITAL INTERNAL CALIPER GAGE, 3.8-4.6"/95-115mm	483.00	A
2151-135	DIGITAL INTERNAL CALIPER GAGE, 4.6-5.4"/115-135mm	483.00	A
2151-35	DIGITAL INTERNAL CALIPER GAGE, .6-1.4"/15-35mm	487.00	A
2151-55	DIGITAL INTERNAL CALIPER GAGE, 1.4-2.2"/35-55mm	487.00	A

2151-75	DIGITAL INTERNAL CALIPER GAGE, 2.2-3"/55-75mm	379.00	A
2151-95	DIGITAL INTERNAL CALIPER GAGE, 3-3.8"/75-95mm	383.00	A
2151-AL35	DIGITAL INTERNAL CALIPER GAGE, .6-1.4"/15-35mm	853.00	A
2151-AL55	DIGITAL INTERNAL CALIPER GAGE, 1.4-2.2"/35-55mm	853.00	A
2151-AL75	DIGITAL INTERNAL CALIPER GAGE, 2.2-3"/55-75mm	853.00	A
2163-25	DIGITAL SNAP GAGE, thickness 0-1"/0-25mm, tube wall thickness .08"/0-2mm	133.00	A
2164-25A	DIGITAL 3-PURPOSE SNAP GAGE, 0-1"/0-25mm	301.00	A
2166-12	DIGITAL SNAP GAGE, 0-.5"/0-12mm	214.00	A
2167-25	DIGITAL SNAP GAGE, 0-1"/0-25mm	314.00	A
2168-12	STEP AND GAP GAGE, 0-.5"/0-12.7mm	367.00	A
2170-1	DIGITAL LEVEL AND PROTRACTOR, 4×90°	118.00	A
2171-250	DIGITAL PROTRACTOR, Size (L) 10", 0-360°	132.00	A
2172-360A	DIGITAL PROTRACTOR, 0-360°	766.00	A
2173-360	ELECTRONIC LEVEL AND PROTRACTOR, 0-360° (90°x4)	192.00	A
2174-225	WATERPROOF DIGITAL PROTRACTOR (HEAVY DUTY), Size (L) 19.29", 0 - 225°	302.00	A
2175-360	DIGITAL LEVEL AND PROTRACTOR, 0~360° (90°x4), IP67	219.00	A
2176-200	DIGITAL PROTRACTOR, Size (L) 8", 0-360°	74.70	A
2176-300	DIGITAL PROTRACTOR, Size (L) 12", 0-360°	80.60	A
2177-121	DIGITAL ANGLE METER, 0~999°	380.00	A
2179-360	DIGITAL LEVEL AND PROTRACTOR, 0-360°(90°x4), IP54	203.00	A
2182-25	DIGITAL KEYWAY DEPTH GAGE, 0-1"/0-25.4mm	363.00	A
2186-100E	DIAL SNAP GAGE, 3-4"	967.00	A
2186-125E	DIAL SNAP GAGE, 4-5"	1016.00	A
2186-150E	DIAL SNAP GAGE, 5-6"	1061.00	A
2186-175E	DIAL SNAP GAGE, 6-7"	1123.00	A
2186-200E	DIAL SNAP GAGE, 7-8"	1169.00	A
2186-225E	DIAL SNAP GAGE, 8-9"	1247.00	A
2186-250E	DIAL SNAP GAGE, 9-10"	1306.00	A
2186-25E	DIAL SNAP GAGE, 0-1"	756.00	A
2186-275E	DIAL SNAP GAGE, 10-11"	1381.00	A
2186-300E	DIAL SNAP GAGE, 11-12"	1545.00	A
2186-50E	DIAL SNAP GAGE, 1-2"	837.00	A
2186-75E	DIAL SNAP GAGE, 2-3"	883.00	A
2187-101	ADJUSTABLE SNAP GAGE, 3.74-3.98"	275.00	A
2187-108	ADJUSTABLE SNAP GAGE, 3.98-4.25"	304.00	A
2187-114	ADJUSTABLE SNAP GAGE, 4.25-4.49"	304.00	A
2187-120	ADJUSTABLE SNAP GAGE, 4.49-4.72"	321.00	A
2187-127	ADJUSTABLE SNAP GAGE, 4.72-5.00"	343.00	A
2187-13	ADJUSTABLE SNAP GAGE, .24-.51"	145.00	A
2187-133	ADJUSTABLE SNAP GAGE, 5.00-5.24"	410.00	A
2187-139	ADJUSTABLE SNAP GAGE, 5.24-5.47"	393.00	A
2187-146	ADJUSTABLE SNAP GAGE, 5.47-5.75"	461.00	A
2187-152	ADJUSTABLE SNAP GAGE, 5.75-5.98"	461.00	A
2187-163	ADJUSTABLE SNAP GAGE, 5.98-6.42"	709.00	A
2187-175	ADJUSTABLE SNAP GAGE, 6.42-6.89"	709.00	A
2187-188	ADJUSTABLE SNAP GAGE, 6.89-7.40"	793.00	A
2187-19	ADJUSTABLE SNAP GAGE, .51-.75"	162.00	A
2187-200	ADJUSTABLE SNAP GAGE, 7.40-7.87"	818.00	A
2187-213	ADJUSTABLE SNAP GAGE, 7.87-8.39"	903.00	A
2187-225	ADJUSTABLE SNAP GAGE, 8.39-8.86"	903.00	A
2187-238	ADJUSTABLE SNAP GAGE, 8.86-9.37"	1030.00	A
2187-25	ADJUSTABLE SNAP GAGE, .75-.98"	162.00	A
2187-250	ADJUSTABLE SNAP GAGE, 9.37-9.84"	1030.00	A
2187-263	ADJUSTABLE SNAP GAGE, 9.84-10.35"	1093.00	A
2187-275	ADJUSTABLE SNAP GAGE, 10.35-10.83"	1107.00	A
2187-288	ADJUSTABLE SNAP GAGE, 10.83-11.34"	1269.00	A
2187-300	ADJUSTABLE SNAP GAGE, 11.34-11.81"	1269.00	A
2187-32	ADJUSTABLE SNAP GAGE, .98-1.26"	186.00	A
2187-38	ADJUSTABLE SNAP GAGE, 1.26-1.50"	186.00	A
2187-44	ADJUSTABLE SNAP GAGE, 1.50-1.73"	192.00	A
2187-51	ADJUSTABLE SNAP GAGE, 1.73-2.01"	195.00	A
2187-57	ADJUSTABLE SNAP GAGE, 2.01-2.24"	220.00	A
2187-6	ADJUSTABLE SNAP GAGE, 0-.24"	145.00	A

2187-63	ADJUSTABLE SNAP GAGE, 2.24-2.48"	220.00	A
2187-70	ADJUSTABLE SNAP GAGE, 2.48-2.76"	237.00	A
2187-76	ADJUSTABLE SNAP GAGE, 2.76-2.99"	237.00	A
2187-82	ADJUSTABLE SNAP GAGE, 2.99-3.23"	257.00	A
2187-89	ADJUSTABLE SNAP GAGE, 3.23-3.50"	257.00	A
2187-95	ADJUSTABLE SNAP GAGE, 3.50-3.74"	275.00	A
2188-55	DIGITAL RADIUS GAGE, .16-2.09"/4-53mm	504.00	A
2198-2	BUILT-IN BLUETOOTH DIGITAL LEVEL AND SLOPE METER, range 4×90°	73.30	A
2222-E06	INTERNAL DIAL CALIPER GAGE, .2-.6"	321.00	A
2222-E10	INTERNAL DIAL CALIPER GAGE, .2-1.0"	346.00	A
2222-E121	INTERNAL DIAL CALIPER GAGE, .4-1.2"	383.00	A
2222-E161	INTERNAL DIAL CALIPER GAGE, .8-1.6"	383.00	A
2222-E201	INTERNAL DIAL CALIPER GAGE, 1.2-2.0"	383.00	A
2222-E24	INTERNAL DIAL CALIPER GAGE, 1.6-2.4"	400.00	A
2224-02	BACK PLUNGER TYPE DIAL INDICATOR SET, .2"	326.00	A
2230-10	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 0-10"/0-254mm	2186.00	A
2230-16	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 8-16"/203.2-406.4mm	2335.00	A
2230-20	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 8-20"/203.2-508mm	2697.00	A
2230-45	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 1-4 1/2"/25.4-114.3mm	2186.00	A
2231-16	INTERNAL THREAD TAPER MEASURING INSTRUMENT, 5 1/2"-16"/139.7-406.4mm	1934.00	A
2231-6	INTERNAL THREAD TAPER MEASURING INSTRUMENT, 1-6"/25.4-152.4mm	2295.00	A
2232-35	THREAD HEIGHT MEASURING INSTRUMENT, 0-3.5mm	1734.00	A
2232-35E	THREAD HEIGHT MEASURING INSTRUMENT, 0-1/4"	1698.00	A
2233-35	INTERNAL THREAD HEIGHT MEASURING INSTRUMENT, 0-3.5mm	2234.00	A
2233-35E	INTERNAL THREAD HEIGHT MEASURING INSTRUMENT, 0-1/4"	2189.00	A
2234-4	THREAD PITCH MEASURING INSTRUMENT, 12.7-101.6mm/.5-4"	2224.00	A
2234-4E	THREAD PITCH MEASURING INSTRUMENT, 0.5-4"/12.7-	2181.00	A
2235-4	INTERNAL THREAD PITCH MEASURING INSTRUMENT, 12.7-101.6mm/.5-4"	2224.00	A
2235-4E	INTERNAL THREAD PITCH MEASURING INSTRUMENT, 0.5-4"/12.7-101.6mm	2181.00	A
2236-20	EXTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-20"/60.325-508mm	5791.00	A
2236-5	EXTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	4925.00	A
2236-5E	EXTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	4829.00	A
2237-20	INTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 4 1/2"-20"/114.3-508mm	7668.00	A
2237-5	INTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	5651.00	A
2237-5E	INTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	5541.00	A
2250-4	GROOVE WIDTH MEASURING INSTRUMENT, 0.55-1.4"/14-35.5mm, 0.01mm	2623.00	A
2250-4E	GROOVE WIDTH MEASURING INSTRUMENT, 0.55-1.4"/14-35.5mm, 0.0005"	2623.00	A
2261-5	DIGITL GROOVE DIAMETER MEASURING INSTRUMENT, 2.6"-13"/66-330mm, .00005"/0.001mm	3221.00	A
2261-M24	STEM, 24"/600mm	876.00	A
2261-M30	STEM, 30"/750mm	1017.00	A
2261-M36	STEM, 36"/900mm	1189.00	A
2274-4	COMBINATION SQUARE SET, 0.5mm, 1/32" and 1mm, 1/64"	210.00	A
2276-300	COMBINATION SQUARE	22.50	A
2277-2	DOUBLE SQUARE, 6"	45.00	A
2278-180	COMBINATION SQUARE SET, 4 piece set, 12"/300mm	195.00	A
2278-180E	COMBINATION SQUARE SET, 4 piece set, 12"	193.00	A

2278-2	COMBINATION SQUARE SET, 2-piece set	74.60	A
2278-2E	COMBINATION SQUARE SET, 2-piece set	71.30	A
2278-3	COMBINATION SQUARE SET, 3-piece set	112.00	A
2278-3E	COMBINATION SQUARE SET, 3-piece set	103.00	A
2280-300	TRY SQUARE, 11.8x5.9"	46.00	A
2281-360	T-BEVEL, angle mark 15°, 30°, 45°, 60°, 90°	25.80	A
2282-180	ANGLE SQUARE, 7x7.3"	12.40	A
2301-10F	DIAL INDICATOR, 10mm, graduation 0.01mm, flat back	44.00	A
2304-01	COMPACT DIAL INDICATOR, .1", lug back	56.50	A
2304-015	COMPACT DIAL INDICATOR, .1", lug back	67.40	A
2304-02	COMPACT DIAL INDICATOR, .2", lug back	56.50	A
2304-0205	COMPACT DIAL INDICATOR, .2", lug back	67.40	A
2304-025	COMPACT DIAL INDICATOR, .25", lug back	56.50	A
2304-0255	COMPACT DIAL INDICATOR, .25", lug back	67.40	A
2304-02F	COMPACT TYPE DIAL INDICATOR, flat back	68.30	A
2307-025	DIAL INDICATOR, .25", lug back	46.60	A
2307-0255	DIAL INDICATOR, .25", lug back	52.80	A
2307-05	DIAL INDICATOR, .5", lug back	48.60	A
2307-055	DIAL INDICATOR, .5", lug back	52.80	A
2307-1	DIAL INDICATOR, 1", lug back	45.30	A
2307-105	DIAL INDICATOR, 1", lug back	54.30	A
2307-1CAL	0-1" Dial Indicator with ISO17025 Calibration Cert	102.00	A
2307-1R	REVERSE READING DIAL INDICATOR, 1", lug back	51.60	A
2307-1RF	REVERSE READING DIAL INDICATOR, 1", flat back	46.60	A
2307-2	DIAL INDICATOR, 2", lug back	108.00	A
2307-205	DIAL INDICATOR, 2", lug back	139.00	A
2308-10A	DIAL INDICATOR, 10mm, lug back	55.40	A
2308-10FA	DIAL INDICATOR, 10mm, flat back	54.40	A
2310-30A	DIAL INDICATOR, 30mm, graduation 0.01mm, lug back	127.00	A
2310-30FA	METRIC DIAL INDICATOR, 30mm, graduation 0.01mm, flat back	132.00	A
2312-15	LARGE DIAL FACE DIAL INDICATOR, 1.5", lug back	105.00	A
2312-2	LARGE DIAL FACE DIAL INDICATOR, 2", lug back	116.00	A
2315-05	PRECISION DIAL INDICATOR, .05", lug back	164.00	A
2318-25	DIAL INDICATOR, 25mm, graduation 0.1mm, lug back	118.00	A
2320-02	BACK PLUNGER TYPE DIAL INDICATOR, .2"	138.00	A
2322-160A	BORE GAGE, 50-160mm	232.00	A
2322-35A	BORE GAGE, 18-35mm	224.00	A
2322-60A	BORE GAGE, 35-60mm	234.00	A
2323-04	BORE GAGE FOR SMALL HOLES, .24-.4"	301.00	A
2323-07	BORE GAGE FOR SMALL HOLES, .4-.7"	272.00	A
2323-10	BORE GAGE, 6-10"	297.00	A
2323-15	BORE GAGE, .7-1.5"	255.00	A
2323-16	BORE GAGE, 10-16"	347.00	A
2323-24	BORE GAGE, 1.4-2.4"	233.00	A
2323-6	BORE GAGE, 2-6"	246.00	A
2324-04A	WATERPROOF DIAL INDICATOR, 0.4"X.0005", lug back	91.20	A
2324-04FA	WATERPROOF DIAL INDICATOR, 0.4"X.0005", flat back	89.60	A
2326-2	LONG STROKE DIAL INDICATOR, 2", lug back	120.00	A
2332-20	EXTERNAL DIAL CALIPER gage (arm length 60mm), 0-20mm	289.00	A
2333-E081	EXTERNAL DIAL CALIPER GAGE, 0-.8",	346.00	A
2333-E121	EXTERNAL DIAL CALIPER GAGE, .4-1.2"	383.00	A
2333-E161	EXTERNAL DIAL CALIPER GAGE, .8-1.6"	383.00	A
2333-E201	EXTERNAL DIAL CALIPER GAGE, 1.2-2.0"	383.00	A
2333-E24	EXTERNAL DIAL CALIPER GAGE, 1.6-2.4"	400.00	A
2341-2E1	DIAL DEPTH GAGE, 0-12"	195.00	A
2341-2E2	DIAL DEPTH GAGE, 0-12"	218.00	A
2341-E1	DIAL DEPTH GAGE, 0-1.2"	113.00	A
2345-E1	DIAL DEPTH GAGE WITH 60° BASE, 0-1",	276.00	A
2363-055	THICKNESS GAGE, 0-.5"	126.00	A
2364-005	THICHNESS GAGE, 0-.05"	164.00	A
2364-055	THICHNESS GAGE, 0-.05"	128.00	A
2365-055	THICKNESS GAGE, 0-.5"	288.00	A
2367-055	TUBE THICKNESS GAGE, 0-.5"	291.00	A
2372-360	UNIVERSAL PROTRACTOR, 0-360°	144.00	A
2372-CLAMP	CLAMP for height gage 2372-360 and 2373-360	24.90	A

2373-360	DIAL PROTRACTOR, 0-360°	210.00	A
2374-320	PROTRACTOR, 0-320°, without positioning block	174.00	A
2374-320D	PROTRACTOR, 0-320°, with positioning block	257.00	A
2380-08	DIAL TEST INDICATOR, 0.8mm	91.50	A
2380-301	DIAL TEST INDICATOR, .008"	146.00	A
2380-31	DIAL TEST INDICATOR, .03"	97.40	A
2380-35	DIAL TEST INDICATOR, .03"	117.00	A
2381-08	DIAL TEST INDICATOR, 0.8mm	118.00	A
2381-301	DIAL TEST INDICATOR, .008"	155.00	A
2381-31	DIAL TEST INDICATOR, .03"	110.00	A
2381-35	DIAL TEST INDICATOR, .03"	124.00	A
2383-35A	LONG STYLI DIAL TEST INDICATOR, .03"	188.00	A
2385-3	CENTERING INDICATOR	273.00	A
2386-006A	LARGE RANGE DIAL TEST INDICATOR, .06"	209.00	A
2386-16A	LARGE RANGE DIAL TEST INDICATOR, 1.6mm, graduation 0.01mm	220.00	A
2394-45A	ZERO SETTER, height 4"	518.00	A
2395-400	BORE GAGE SETTER, .7-16"	1756.00	A
2397-25A	ZERO SETTER, height 2"	396.00	A
2397-502A	ZERO SETTER, 50mm	328.00	A
2398-03	BACK PLUNGER TYPE DIAL TEST INDICATOR, .03"	127.00	A
2399-03	TILTED FACE TYPE DIAL TEST INDICATOR, .03"	130.00	A
2421-E12	SPLIT TYPE DIAL BORE GAGE SET, .303-.492"	2126.00	A
2421-E121	SPLIT TYPE DIAL BORE GAGE SET, .163-.492"	3544.00	A
2421-E1D4	SPLIT TYPE DIAL BORE GAGE SET, .037-.061"	2113.00	A
2421-E20	SPLIT TYPE DIAL BORE GAGE SET, .480-.811"	2584.00	A
2421-E4	SPLIT TYPE DIAL BORE GAGE SET, .059-.165"	2819.00	A
2421-E7D5	SPLIT TYPE DIAL BORE GAGE SET, .163-.307"	2082.00	A
2422-E150	BORE GAGE, 2.0-5.9"	934.00	A
2422-E300	BORE GAGE, 5.9-11.8"	1659.00	A
2422-E35	BORE GAGE, .7-1.4"	833.00	A
2422-E510	BORE GAGE, 11.0-20.1"	6720.00	A
2422-E60	BORE GAGE, 1.4-2.4"	810.00	A
2422-E800	BORE GAGE, 15.7-31.5"	9961.00	A
2423-ES2	BORE GAGE SET, .7 - 5.9"	1771.00	A
2424-E110	BORE GAGE FOR BLIND HOLES, 2.0-4.3"	2660.00	A
2424-E300	BORE GAGE FOR BLIND HOLES, 4.3-11.8"	3706.00	A
2424-E50	BORE GAGE FOR BLIND HOLES, .8-2.0"	2768.00	A
2424-E600	BORE GAGE FOR BLIND HOLES, 11.8-23.6"	8684.00	A
2425-12	BORE GAGE FOR SMALL HOLES, 8-12mm	2232.00	A
2425-20	BORE GAGE FOR SMALL HOLES, 12-20mm	1538.00	A
2425-E12	BORE GAGE FOR SMALL HOLES, .32"-.47"	2143.00	A
2425-E20	BORE GAGE FOR SMALL HOLES, .47"-.79"	1476.00	A
2425-E6	BORE GAGE FOR SMALL HOLES, .18-.24"	3204.00	A
2425-E8	BORE GAGE FOR SMALL HOLES, .24"-.32"	2248.00	A
2426-1	SPLIT TYPE DIAL BORE GAGE, .037-.045"	283.00	A
2426-10	SPLIT TYPE DIAL BORE GAGE, .362-.413"	303.00	A
2426-11	SPLIT TYPE DIAL BORE GAGE, .402-.453"	303.00	A
2426-12	SPLIT TYPE DIAL BORE GAGE, .441-.492"	303.00	A
2426-13	SPLIT TYPE DIAL BORE GAGE, .480-.531"	305.00	A
2426-14	SPLIT TYPE DIAL BORE GAGE, .528-.575"	305.00	A
2426-15	SPLIT TYPE DIAL BORE GAGE, .567-.614"	305.00	A
2426-16	SPLIT TYPE DIAL BORE GAGE, .606-.654"	305.00	A
2426-17	SPLIT TYPE DIAL BORE GAGE, .646-.693"	305.00	A
2426-18	SPLIT TYPE DIAL BORE GAGE, .685-.732"	305.00	A
2426-19	SPLIT TYPE DIAL BORE GAGE, .724-.772"	305.00	A
2426-1D1	SPLIT TYPE DIAL BORE GAGE, .042-.049"	283.00	A
2426-1D2	SPLIT TYPE DIAL BORE GAGE, .046-.053"	283.00	A
2426-1D3	SPLIT TYPE DIAL BORE GAGE, .050-.057"	283.00	A
2426-1D4	SPLIT TYPE DIAL BORE GAGE, .054-.061"	283.00	A
2426-1D75	SPLIT TYPE DIAL BORE GAGE, .059-.075"	215.00	A
2426-2	SPLIT TYPE DIAL BORE GAGE, .071-.087"	215.00	A



2426-20	SPLIT TYPE DIAL BORE GAGE, .764-.811"	305.00	A
2426-2D25	SPLIT TYPE DIAL BORE GAGE, .081-.096"	215.00	A
2426-2D5	SPLIT TYPE DIAL BORE GAGE, .091-.106"	215.00	A
2426-2D75	SPLIT TYPE DIAL BORE GAGE, .100-.116"	215.00	A
2426-3	SPLIT TYPE DIAL BORE GAGE, .110-.126"	215.00	A
2426-3D25	SPLIT TYPE DIAL BORE GAGE, .120-.136"	215.00	A
2426-3D5	SPLIT TYPE DIAL BORE GAGE, .130-.146"	215.00	A
2426-3D75	SPLIT TYPE DIAL BORE GAGE, .140-.156"	215.00	A
2426-4	SPLIT TYPE DIAL BORE GAGE, .150-.165"	215.00	A
2426-4D5	SPLIT TYPE DIAL BORE GAGE, .163-.189"	274.00	A
2426-5	SPLIT TYPE DIAL BORE GAGE, .185-.209"	274.00	A
2426-5D5	SPLIT TYPE DIAL BORE GAGE, .205-.228"	274.00	A
2426-6	SPLIT TYPE DIAL BORE GAGE, .224-.248"	274.00	A
2426-6D5	SPLIT TYPE DIAL BORE GAGE, .244-.268"	274.00	A
2426-7	SPLIT TYPE DIAL BORE GAGE, .264-.287"	274.00	A
2426-7D5	SPLIT TYPE DIAL BORE GAGE, .283-.307"	274.00	A
2426-8	SPLIT TYPE DIAL BORE GAGE, .303-.327"	274.00	A
2426-8D5	SPLIT TYPE DIAL BORE GAGE, .323-.346"	274.00	A
2426-9	SPLIT TYPE DIAL BORE GAGE, .343-.366"	274.00	A
2426-HOLDER1E	HOLDER FOR 2426	305.00	A
2426-HOLDER2E	HOLDER FOR 2426	632.00	A
2427-10	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .362-.413"	340.00	A
2427-11	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .402-.453"	344.00	A
2427-12	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .441-.492"	344.00	A
2427-13	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .480-.531"	345.00	A
2427-14	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .528-.575"	345.00	A
2427-15	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .567-.614"	345.00	A
2427-16	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .606-.654"	345.00	A
2427-17	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .646-.693"	345.00	A
2427-18	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .685-.732"	345.00	A
2427-19	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .724-.772"	345.00	A
2427-1D75	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .059-.075"	403.00	A
2427-2	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .071-.087"	403.00	A
2427-20	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .764-.811"	345.00	A
2427-2D25	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .081-.096"	403.00	A
2427-2D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .091-.106"	403.00	A
2427-2D75	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .100-.116"	403.00	A
2427-3	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .110-.126"	403.00	A
2427-3D25	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .120-.136"	403.00	A
2427-3D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .130-.146"	403.00	A
2427-3D75	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .140-.156"	403.00	A
2427-4	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .150-.165"	406.00	A
2427-4D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .163-.189"	322.00	A
2427-5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .185-.209"	322.00	A
2427-5D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .205-.228"	322.00	A
2427-6	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .224-.248"	322.00	A
2427-6D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .244-.268"	322.00	A
2427-7	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .264-.287"	322.00	A
2427-7D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .283-.307"	322.00	A
2427-8	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .303-.327"	322.00	A
2427-8D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .323-.346"	322.00	A
2427-9	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .343-.366"	322.00	A
2429-E12	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .303-.49	3462.00	A
2429-E20	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .480-.8	4054.00	A
2429-E4	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .059-.16	5453.00	A
2429-E7D5	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .163-.30	3549.00	A
2433-E120	INTERNAL GROOVE BORE GAGE, 2.4-4.7"	10759.00	A
2433-E180	INTERNAL GROOVE BORE GAGE, 4.7-7.1"	11118.00	A
2433-E300	INTERNAL GROOVE BORE GAGE, 7.1-11.8"	13227.00	A
2435-E121	BORE GAGES, measuring depth 10", range .32-.47"	5386.00	A
2435-E122	BORE GAGES, measuring depth 20", range .32-.47"	5806.00	A
2435-E123	BORE GAGES, measuring depth 30", range .32-.47"	6325.00	A
2435-E124	BORE GAGES, measuring depth 40", range .32-.47"	6494.00	A
2435-E1502	BORE GAGES, measuring depth 20", range 2.0-5.9"	4592.00	A

2435-E1503	BORE GAGES, measuring depth 30", range 2.0-5.9"	4760.00	A
2435-E1504	BORE GAGES, measuring depth 40", range 2.0-5.9"	6183.00	A
2435-E1505	BORE GAGES, measuring depth 60", range 2.0-5.9"	6753.00	A
2435-E1506	BORE GAGES, measuring depth 80", range 2.0-5.9"	7602.00	A
2435-E1507	BORE GAGES, measuring depth 100", range 2.0-5.9"	9219.00	A
2435-E1508	BORE GAGES, measuring depth 120", range 2.0-5.9"	11206.00	A
2435-E1602	BORE GAGES, measuring depth 20", range 4.0-6.3"	5331.00	A
2435-E1603	BORE GAGES, measuring depth 30", range 4.0-6.3"	6091.00	A
2435-E1604	BORE GAGES, measuring depth 40", range 4.0-6.3"	6863.00	A
2435-E1605	BORE GAGES, measuring depth 60", range 4.0-6.3"	8124.00	A
2435-E1606	BORE GAGES, measuring depth 80", range 4.0-6.3"	10307.00	A
2435-E1607	BORE GAGES, measuring depth 100", range 4.0-6.3"	12602.00	A
2435-E1608	BORE GAGES, measuring depth 120", range 4.0-6.3"	14685.00	A
2435-E201	BORE GAGES, measuring depth 10", range .47-.79"	3270.00	A
2435-E202	BORE GAGES, measuring depth 20", range .47-.79"	4227.00	A
2435-E203	BORE GAGES, measuring depth 30", range .47-.79"	4451.00	A
2435-E204	BORE GAGES, measuring depth 40", range .47-.79"	4988.00	A
2435-E2902	BORE GAGES, measuring depth 20", range 6.3-11.4"	7223.00	A
2435-E2903	BORE GAGES, measuring depth 30", range 6.3-11.4"	7980.00	A
2435-E2904	BORE GAGES, measuring depth 40", range 6.3-11.4"	8688.00	A
2435-E2905	BORE GAGES, measuring depth 60", range 6.3-11.4"	11529.00	A
2435-E2906	BORE GAGES, measuring depth 80", range 6.3-11.4"	12185.00	A
2435-E2907	BORE GAGES, measuring depth 100", range 6.3-11.4"	14606.00	A
2435-E2908	BORE GAGES, measuring depth 120", range 6.3-11.4"	17608.00	A
2435-E352	BORE GAGES, measuring depth 20", range .7-1.4"	3992.00	A
2435-E353	BORE GAGES, measuring depth 30", range .7-1.4"	4511.00	A
2435-E354	BORE GAGES, measuring depth 40", range .7-1.4"	5262.00	A
2435-E5102	BORE GAGES, measuring depth 20", range 11.0-20.1"	12874.00	A
2435-E5103	BORE GAGES, measuring depth 30", range 11.0-20.1"	13444.00	A
2435-E5104	BORE GAGES, measuring depth 40", range 11.0-20.1"	16082.00	A
2435-E5105	BORE GAGES, measuring depth 60", range 11.0-20.1"	17571.00	A
2435-E5106	BORE GAGES, measuring depth 80", range 11.0-20.1"	20040.00	A
2435-E5107	BORE GAGES, measuring depth 100", range 11.0-20.1"	24107.00	A
2435-E5108	BORE GAGES, measuring depth 120", range 11.0-20.1"	26042.00	A
2435-E602	BORE GAGES, measuring depth 20", range 1.4-2.4"	3931.00	A
2435-E603	BORE GAGES, measuring depth 30", range 1.4-2.4"	4432.00	A
2435-E604	BORE GAGES, measuring depth 40", range 1.4-2.4"	5617.00	A
2435-E605	BORE GAGES, measuring depth 60", range 1.4-2.4"	5913.00	A
2435-E606	BORE GAGES, measuring depth 80", range 1.4-2.4"	6702.00	A
2435-E607	BORE GAGES, measuring depth 100", range 1.4-2.4"	8387.00	A
2435-E608	BORE GAGES, measuring depth 120", range 1.4-2.4"	10336.00	A
2435-E61	BORE GAGES, measuring depth 10", range .18-.24"	7676.00	A
2435-E81	BORE GAGES, measuring depth 10", range .24-.32"	5578.00	A
2435-E82	BORE GAGES, measuring depth 20", range .24-.32"	6028.00	A
2435-E83	BORE GAGES, measuring depth 30", range .24-.32"	6467.00	A
2435-E84	BORE GAGES, measuring depth 40", range .24-.32"	6720.00	A
2436-200	PISTOL GRIP GROOVE BORE GAGES, contact points, 1.58-7.87"	1396.00	A
2436-55	PISTOL GRIP GROOVE BORE GAGES, contact points, .79-2.17"	1292.00	A
2436-R100	EXTENSION ROD, 4", suitable for type B contact points	926.00	A
2436-R250	EXTENSION ROD, 10", suitable for type B contact points	962.00	A
2443-E100	BORE GAGE, 1.969-3.937"	3059.00	A
2443-E12	BORE GAGE, .315-.427"	5272.00	A
2443-E150	BORE GAGE, 1.969-5.906"	3153.00	A
2443-E160	BORE GAGE, 3.937-6.299"	3964.00	A
2443-E20	BORE GAGE, .427-.787"	3606.00	A
2443-E230	BORE GAGE, 3.937-9.055"	4134.00	A
2443-E290	BORE GAGE, 6.299-11.417"	5725.00	A
2443-E35	BORE GAGE, .787-1.378"	2891.00	A
2443-E360	BORE GAGE, 6.299-14.173"	5888.00	A
2443-E410	BORE GAGE, 11.024-16.142"	9509.00	A
2443-E510	BORE GAGE, 11.024-20.079"	9677.00	A
2443-E6	BORE GAGE, .177-.236"	6758.00	A
2443-E60	BORE GAGE, 1.378-2.362"	2848.00	A
2443-E8	BORE GAGE, .236-.315"	5767.00	A
2443-E800	BORE GAGE, 15.748-31.496"	12831.00	A

2480-06	LARGE RANGE BACK PLUNGER TYPE DIAL TEST INDICATOR, .0	224.00	A
2491-250	STAND FOR SPLIT TYPE DIAL BORE GAGE	4727.00	A
2501-10E	ADJUSTABLE COEFFICIENT DIGITAL INDICATORS, .5/12.7mm, lug back	374.00	A
2501-10FE	ADJUSTABLE COEFFICIENT DIGITAL INDICATORS, .5/12.7mm, flat back	371.00	A
2711-165	DIGITAL INTERNAL CALIPER GAGES (ECONOMIC TYPE),.5-6.5"/12.7-165mm	139.00	A
2720-10	PRECISION BORE GAGES, 6-10", with digital indicator	930.00	A
2720-15	PRECISION BORE GAGES, .7-1.5", with digital indicator	701.00	A
2720-16	PRECISION BORE GAGES, 10-16", with digital indicator	1032.00	A
2720-24	PRECISION BORE GAGES, 1.4-2.4", with digital indicator	702.00	A
2720-4	PRECISION BORE GAGES, 2-4", with digital indicator	701.00	A
2720-6	PRECISION BORE GAGES, 2-6", with digital indicator	706.00	A
2721-04	PRECISION BORE GAGES FOR SMALL HOLES, .24-.4", with dial in	338.00	A
2721-07	PRECISION BORE GAGES FOR SMALL HOLES, .4-.7", with dial ind	333.00	A
2722-04	PRECISION BORE GAGES FOR SMALL HOLES, .24-.4", with digita	673.00	A
2722-07	PRECISION BORE GAGES FOR SMALL HOLES, .4-.7", with digital	646.00	A
2724-S2E	BORE GAGE SET, 1.4-6", digital indicator range .5"/12.7mm	486.00	A
2724-S3E	BORE GAGE SET, .7-6", digital indicator range .5"/12.7mm	716.00	A
2771-360	DIGITAL PROTRACTOR (BASIC TYPE), 0 - 360°, 1/0.01°	437.00	A
2771-S90	SQUARE (zero setting, optional)	33.20	A
2824-S2E	BORE GAGE SET, 1.4-6", dial indicator range .25"	281.00	A
2824-S3E	BORE GAGE SET, .7-6", dial indicator range .25"	619.00	A
2826-10	PRECISION BORE GAGES, 6-10", with dial indicator	559.00	A
2826-15	PRECISION BORE GAGES, .7-1.5", with dial indicator	371.00	A
2826-16	PRECISION BORE GAGES, 10-16", with dial indicator	658.00	A
2826-24	PRECISION BORE GAGES, 1.4-2.4", with dial indicator	374.00	A
2826-4	PRECISION BORE GAGES, 2-4", with dial indicator	374.00	A
2826-6	PRECISION BORE GAGES, 2-6", with dial indicator	378.00	A
2827-10	BORE GAGE, 6-10", dial indicator range .25"	481.00	A
2827-16	BORE GAGE, 10-16", dial indicator range .25"	522.00	A
2827-24	BORE GAGE, 1.4-2.4", dial indicator range .25"	405.00	A
2827-6	BORE GAGE, 2-6", dial indicator range .25"	384.00	A
2828-32	BORE GAGE, 16-32", dial indicator range .25"	459.00	A
2832-02	COMPACT DIAL INDICATOR, .2 ", lug back	297.00	A
2833-02	BACK PLUNGER TYPE DIAL INDICATOR, .2 "	436.00	A
2834-008	PRECISION DIAL TEST INDICATOR, .008 ", flat back	449.00	A
2835-03	DIAL TEST INDICATOR, .03"	377.00	A
2836-004	PRECISION DIAL INDICATOR, .04 ", lug back	525.00	A
2837-05	DIAL INDICATOR, .5", lug back	120.00	A
2837-1	DIAL INDICATOR, 1", lug back	170.00	A
2839-0004	DIAL COMPARATOR, .004"	525.00	A
2841-500	CRANKSHAFT TESTER, 60-500mm, graduation 0.01mm	662.00	A
2843-10	DIGITAL SURFACE PROFILE GAGE, 0-.5"/0-12.7mm	415.00	A
2844-10	DIGITAL SURFACE PROFILE GAGE, 0-.5"/0-12.7mm	473.00	A
2871-10	DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	216.00	A
2871-101	DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	395.00	A
2872-10	DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	256.00	A
2872-101	DIGITAL THICKNESS GAGES, 0-.4"/0-10mm	474.00	A
2873-10	DIGITAL TUBE THICKNESS GAGE, 0-.4"/0-10mm	351.00	A
2873-101	DIGITAL TUBE THICKNESS GAGE, 0-.4"/0-10mm	522.00	A
2876-10	DIGITAL TUBE THICKNESS GAGE, 0-.4"/0-10mm	316.00	A
2877-10	DIGITAL ROLLER THICKNESS GAGE, 0-.4"/0-10mm	1181.00	A
2877-101	DIGITAL ROLLER THICKNESS GAGE, 0-.4"/0-10mm	1288.00	A
2877-4	DIGITAL ROLLER THICKNESS GAGE, 0-.18"/0-4.5mm	1219.00	A
2877-41	DIGITAL ROLLER THICKNESS GAGE, 0-.18"/0-4.5mm	1303.00	A
2879-10	HIGH PRECISION DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	1152.00	A
2879-101	HIGH PRECISION DIGITAL THICKNESS GAGE, 0-.4"/0-10mm, .00005"/ 0.001mm	1554.00	A
2889-30	DIAL INDICATOR, 0-30mm, graduation: 0,01mm	291.00	A
2921-E150	ROTARY BORE GAGE, 3.2-5.9"	10156.00	A
2931-D1000AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 40", measuring depth 0-4"/0-100mm	2474.00	A

2931-D1000BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 40", measuring depth 0-8"/0-200mm	2862.00	A
2931-D1000CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 40", measuring depth 0-12"/0-300mm	3025.00	A
2931-D1500AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 60", measuring depth 0-4"/0-100mm	3115.00	A
2931-D1500BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 60", measuring depth 0-8"/0-200mm	3585.00	A
2931-D1500CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 60", measuring depth 0-12"/0-300mm	3745.00	A
2931-D2000AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 80", measuring depth 0-4"/0-100mm	3423.00	A
2931-D2000BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 80", measuring depth 0-8"/0-200mm	3897.00	A
2931-D2000CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 80", measuring depth 0-12"/0-300mm	4062.00	A
2931-D2500AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 100", measuring depth 0-4"/0-100mm	4426.00	A
2931-D2500BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 100", measuring depth 0-8"/0-200mm	5044.00	A
2931-D2500CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 100", measuring depth 0-12"/0-300mm	5014.00	A
2942-20	DIGITAL INTERNAL CHAMFER GAGE, .020-.791"	1607.00	A
2942-203	DIGITAL INTERNAL CHAMFER GAGE, .020-.791"	2992.00	A
2942-40	DIGITAL INTERNAL CHAMFER GAGE, .787-1.575"	2300.00	A
2942-403	DIGITAL INTERNAL CHAMFER GAGE, .787-1.575"	3654.00	A
2944-1	DIGITAL CHAMFER HEIGHT GAGE, .008-.197"/0.2-5mm	2555.00	A
3101-100E	DIGITAL OUTSIDE MICROMETER, IP65, 3-4"/75-100mm	360.00	A
3101-125E	DIGITAL OUTSIDE MICROMETER, IP65, 4-5"/100-125mm	414.00	A
3101-150E	DIGITAL OUTSIDE MICROMETER, IP65, 5-6"/125-150mm	445.00	A
3101-175E	DIGITAL OUTSIDE MICROMETER, IP65, 6-7"/150-175mm	475.00	A
3101-200E	DIGITAL OUTSIDE MICROMETER, IP65, 7-8"/175-200mm	533.00	A
3101-225E	DIGITAL OUTSIDE MICROMETER, IP65, 8-9"/200-225mm	639.00	A
3101-250E	DIGITAL OUTSIDE MICROMETER, IP65, 9-10"/225-250mm	598.00	A
3101-25A	ELECTRONIC OUTSIDE MICROMETER (IP65), 0-25mm/0-1", resol	313.00	A
3101-25E	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm	247.00	A
3101-25FE	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm, ratchet friction thimble	281.00	A
3101-275E	DIGITAL OUTSIDE MICROMETER, IP65, 10-11"/250-275mm	660.00	A
3101-300E	DIGITAL OUTSIDE MICROMETER, IP65, 11-12"/275-300mm	710.00	A
3101-33E	DIGITAL OUTSIDE MICROMETER, IP65, 0-3"/0-75mm	774.00	A
3101-44E	DIGITAL OUTSIDE MICROMETER, IP65, 0-4"/0-100mm	1409.00	A
3101-50A	ELECTRONIC OUTSIDE MICROMETER (IP65), 25-50mm/1-2", resol	337.00	A
3101-50E	DIGITAL OUTSIDE MICROMETER, IP65, 1-2"/25-50mm	297.00	A
3101-66E	DIGITAL OUTSIDE MICROMETER, IP65, 0-6"/0-150mm	2450.00	A
3101-75E	DIGITAL OUTSIDE MICROMETER, IP65, 2-3"/50-75mm	331.00	A
3102-100E	DIGITAL OUTSIDE MICROMETER, IP54, 3-4"/75-100mm	285.00	A
3102-125E	DIGITAL OUTSIDE MICROMETER, IP54, 4-5"/100-125mm	315.00	A
3102-150E	DIGITAL OUTSIDE MICROMETER, IP54, 5-6"/125-150mm	339.00	A
3102-175E	DIGITAL OUTSIDE MICROMETER, IP54, 6-7"/150-175mm	380.00	A
3102-200E	DIGITAL OUTSIDE MICROMETER, IP54, 7-8"/175-200mm	411.00	A
3102-25E	DIGITAL OUTSIDE MICROMETER, IP54, 0-1"/0-25mm	179.00	A
3102-33E	DIGITAL OUTSIDE MICROMETER SET, IP54, 0-3"/0-75mm	604.00	A
3102-44E	DIGITAL OUTSIDE MICROMETER SET, IP54, 0-4"/0-100mm	883.00	A

3102-50E	DIGITAL OUTSIDE MICROMETER, IP54, 1-2"/25-50mm	210.00	A
3102-66E	DIGITAL OUTSIDE MICROMETER SET, IP54, 0-6"/0-150mm	1488.00	A
3102-75E	DIGITAL OUTSIDE MICROMETER, IP54, 2-3"/50-75mm	239.00	A
3108-1	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm	185.00	A
3108-1F	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm, ratchet friction thimble	195.00	A
3108-2	DIGITAL OUTSIDE MICROMETER, IP65, 1-2"/25-50mm	236.00	A
3108-25A	DIGITAL OUTSIDE MICROMETER, IP65, 0-25mm/0-1"	192.00	A
3108-25FA	ELECTRONIC OUTSIDE MICROMETER SET (WITHOUT DATA OU	210.00	A
3108-3	DIGITAL OUTSIDE MICROMETER, IP65, 2-3"/50-75mm	271.00	A
3108-4	DIGITAL OUTSIDE MICROMETER, IP65, 3-4"/75-100mm	296.00	A
3108-5	DIGITAL OUTSIDE MICROMETER, IP65, 4-5" /100-125mm	342.00	A
3108-50A	DIGITAL OUTSIDE MICROMETER, IP65, 25-50mm/1-2"	237.00	A
3108-6	DIGITAL OUTSIDE MICROMETER, IP65, 5-6"/125-150mm	380.00	A
3108-7	DIGITAL OUTSIDE MICROMETER, IP65, 6-7"/150-175mm	432.00	A
3108-75A	ELECTRONIC OUTSIDE MICROMETER SET (WITHOUT DATA OU	274.00	A
3108-8	DIGITAL OUTSIDE MICROMETER, IP65, 7-8"/175-200mm	483.00	A
3109-100E	DIGITAL OUTSIDE MICROMETER, 3-4"/75-100mm	219.00	A
3109-125E	DIGITAL OUTSIDE MICROMETER, 4-5"/100-125mm	236.00	A
3109-150E	DIGITAL OUTSIDE MICROMETER, 5-6"/125-150mm	260.00	A
3109-175E	DIGITAL OUTSIDE MICROMETER, 6-7"/150-175mm	311.00	A
3109-200E	DIGITAL OUTSIDE MICROMETER, 7-8"/175-200mm	337.00	A
3109-25A	DIGITAL OUTSIDE MICROMETER, 0-25mm/ 0-1"	145.00	A
3109-25E	DIGITAL OUTSIDE MICROMETER, 0-1"/0-25mm	137.00	A
3109-33E	DIGITAL OUTSIDE MICROMETER SET, 0-3"/0-75mm	406.00	A
3109-44E	DIGITAL OUTSIDE MICROMETER SET, 0-4"/0-100mm	573.00	A
3109-50A	DIGITAL OUTSIDE MICROMETER, 25-50mm/ 1-2"	175.00	A
3109-50E	DIGITAL OUTSIDE MICROMETER, 1-2"/25-50mm	169.00	A
3109-66E	DIGITAL OUTSIDE MICROMETER SET, 0-6"/0-150mm	1033.00	A
3109-75A	ELECTRONIC OUTSIDE MICROMETER (BASIC TYPE, WITHOUT	209.00	A
3109-75E	DIGITAL OUTSIDE MICROMETER, 2-3"/50-75mm	202.00	A
3127-4	ELECTRONIC THREE POINTS INTERNAL MICROMETER, 3-4mm/	1102.00	A
3127-E01	DIGITAL TWO POINTS INTERNAL MICROMETER, .08-.1"/2-2.5mm	1183.00	A
3127-E012	DIGITAL TWO POINTS INTERNAL MICROMETER, .1-.12"/2.5-3mm	1183.00	A
3127-E0122	DIGITAL TWO POINTS INTERNAL MICROMETER, .08-.12"/2-3mm	2356.00	A
3127-E016	DIGITAL TWO POINTS INTERNAL MICROMETER, .12-.16"/3-4mm	1060.00	A
3127-E02	DIGITAL TWO POINTS INTERNAL MICROMETER, .16-.2"/4-5mm	1060.00	A
3127-E024	DIGITAL TWO POINTS INTERNAL MICROMETER, .2-.24"/5-6mm	1062.00	A
3127-E028	DIGITAL TWO POINTS INTERNAL MICROMETER, .24-.28/6-7mm	1060.00	A
3127-E0282	DIGITAL TWO POINTS INTERNAL MICROMETER, .12-.28"/3-7mm	4207.00	A
3127-E035	DIGITAL THREE POINTS INTERNAL MICROMETER, .275-.35"/7-9mm	920.00	A
3127-E0425	DIGITAL THREE POINTS INTERNAL MICROMETER, .35-.425"/9-11mm	920.00	A
3127-E05	DIGITAL THREE POINTS INTERNAL MICROMETER, .425-.5"/11-13mm	920.00	A
3127-E053	DIGITAL THREE POINTS INTERNAL MICROMETER, .275-.5"/7-13mm	2559.00	A
3127-E065	DIGITAL THREE POINTS INTERNAL MICROMETER, .5-.65"/13-17mm	992.00	A
3127-E08	DIGITAL THREE POINTS INTERNAL MICROMETER, .65-.8"/17-20mm	992.00	A
3127-E082	DIGITAL THREE POINTS INTERNAL MICROMETER, .5-.8"/13-20mm	1819.00	A
3127-E1	DIGITAL THREE POINTS INTERNAL MICROMETER, .8-1"/20-25mm	1032.00	A
3127-E10	DIGITAL THREE POINTS INTERNAL MICROMETER, 9-10"/228-254mm	2932.00	A
3127-E11	DIGITAL THREE POINTS INTERNAL MICROMETER, 10-11"/254-279mm	3450.00	A
3127-E112	DIGITAL THREE POINTS INTERNAL MICROMETER, 1-1.2"/25-30mm	1032.00	A

3127-E12	DIGITAL THREE POINTS INTERNAL MICROMETER, 11-12"/279-305mm	4038.00	A
3127-E16	DIGITAL THREE POINTS INTERNAL MICROMETER, 1.2-1.6"/30-40mm	1141.00	A
3127-E2	DIGITAL THREE POINTS INTERNAL MICROMETER, 1.6-2"/40-51mm	1141.00	A
3127-E24	DIGITAL THREE POINTS INTERNAL MICROMETER, .8-2"/20-51mm	3813.00	A
3127-E25	DIGITAL THREE POINTS INTERNAL MICROMETER, 2-2.5"/51-63mm	1234.00	A
3127-E3	DIGITAL THREE POINTS INTERNAL MICROMETER, 2.5-3"/63-76mm	1303.00	A
3127-E35	DIGITAL THREE POINTS INTERNAL MICROMETER, 3-3.5"/76-89mm	1356.00	A
3127-E4	DIGITAL THREE POINTS INTERNAL MICROMETER, 3.5-4"/89-101mm	1410.00	A
3127-E44	DIGITAL THREE POINTS INTERNAL MICROMETER, 2-4"/51-101mm	4492.00	A
3127-E5	DIGITAL THREE POINTS INTERNAL MICROMETER, 4-5"/101-127mm	1362.00	A
3127-E6	DIGITAL THREE POINTS INTERNAL MICROMETER, 5-6"/127-152mm	1563.00	A
3127-E7	DIGITAL THREE POINTS INTERNAL MICROMETER, 6-7"/152-178mm	1804.00	A
3127-E8	DIGITAL THREE POINTS INTERNAL MICROMETER, 7-8"/178-203mm	2105.00	A
3127-E9	DIGITAL THREE POINTS INTERNAL MICROMETER, 8-9"/203-228mm	2448.00	A
3128-10	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 6-10"/152-254mm	4838.00	A
3128-12	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 8-12"/203-305mm	6751.00	A
3128-28	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2-2.8"/51-71mm	1080.00	A
3128-4	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2.8-4"/71-101mm	1438.00	A
3128-6	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 4-6"/101-152mm	2401.00	A
3202-1	OUTSIDE MICROMETER, 0-1", graduation .0001"	55.80	A
3203-1004A	OUTSIDE MICROMETER, 0-100mm	206.00	A
3203-100A	OUTSIDE MICROMETER, 75-100mm	66.50	A
3203-10A	OUTSIDE MICROMETER, 9-10"	146.00	A
3203-11A	OUTSIDE MICROMETER, 10-11"	169.00	A
3203-1212A	OUTSIDE MICROMETER SET W/CASE, 0-12"	1093.00	A
3203-125A	OUTSIDE MICROMETER, 100-125mm	86.60	A
3203-126A	OUTSIDE MICROMETER SET W/ CASE, 6-12"	752.00	A
3203-12A	OUTSIDE MICROMETER, 11-12"	180.00	A
3203-1506A	OUTSIDE MICROMETER, 0-150mm	363.00	A
3203-150A	OUTSIDE MICROMETER, 125-150mm	98.10	A
3203-175A	OUTSIDE MICROMETER, 150-175mm	111.00	A
3203-1A	OUTSIDE MICROMETER, 0-1"	49.00	A
3203-1FA	OUTSIDE MICROMETER, 0-1", ratchet friction thimble	57.00	A
3203-200A	OUTSIDE MICROMETER, 175-200mm	125.00	A
3203-225A	OUTSIDE MICROMETER, 200-225mm	139.00	A
3203-250A	OUTSIDE MICROMETER, 225-250mm	146.00	A
3203-25A	OUTSIDE MICROMETER, 0-25mm	50.00	A
3203-275A	OUTSIDE MICROMETER, 250-275mm	169.00	A
3203-2A	OUTSIDE MICROMETER, 1-2"	54.80	A
3203-2FA	OUTSIDE MICROMETER, 1-2", ratchet friction thimble	61.80	A
3203-3006A	OUTSIDE MICROMETER, 150-300mm	750.00	A
3203-300A	OUTSIDE MICROMETER, 275-300mm	180.00	A
3203-3012A	OUTSIDE MICROMETER, 0-300mm	1094.00	A
3203-33A	OUTSIDE MICROMETER SET W/CASE, 0-3"	147.00	A
3203-3A	OUTSIDE MICROMETER, 2-3"	60.80	A
3203-3FA	OUTSIDE MICROMETER, 2-3", ratchet friction thimble	61.80	A

3203-44A	OUTSIDE MICROMETER SET W/CASE, 0-4"	212.00	A
3203-4A	OUTSIDE MICROMETER, 3-4"	68.50	A
3203-50A	OUTSIDE MICROMETER, 25-50mm	55.70	A
3203-5A	OUTSIDE MICROMETER, 4-5"	86.60	A
3203-66A	OUTSIDE MICROMETER SET W/CASE, 0-6"	375.00	A
3203-6A	OUTSIDE MICROMETER, 5-6"	98.10	A
3203-753A	OUTSIDE MICROMETER, 0-75mm	147.00	A
3203-75A	OUTSIDE MICROMETER, 50-75mm	62.00	A
3203-7A	OUTSIDE MICROMETER, 6-7"	115.00	A
3203-8A	OUTSIDE MICROMETER, 7-8"	125.00	A
3203-9A	OUTSIDE MICROMETER, 8-9"	139.00	A
3205-48	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 40-48"	2988.00	A
3205-56	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 48-56"	3203.00	A
3205-64	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 56-64"	3447.00	A
3205-72	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 64-72"	3688.00	A
3205-80	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 72-80"	3919.00	A
3206-100A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-1	292.00	A
3206-12	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 6-12"	385.00	A
3206-121	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 8-12"	463.00	A
3206-150A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-150mm	349.00	A
3206-16	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 12-16"	686.00	A
3206-2	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-2"	142.00	A
3206-20	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 16-20"	829.00	A
3206-200A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 100	441.00	A
3206-24	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 20-24"	947.00	A
3206-28	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 24-28"	1085.00	A
3206-300A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 150-300mm	486.00	A
3206-32	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 28-32"	1232.00	A
3206-36	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 32-36"	1396.00	A
3206-4	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-4"	280.00	A
3206-40	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 36-40"	1610.00	A
3206-6	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-6"	303.00	A
3206-61	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 2-6"	333.00	A
3206-8	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 4-8"	383.00	A
3208-1	QUICK FEEDING OUTSIDE MICROMETER, 0-1"	130.00	A
3208-2	QUICK FEEDING OUTSIDE MICROMETER, 1-2"	147.00	A
3208-3	QUICK FEEDING OUTSIDE MICROMETER, 2-3"	162.00	A
3208-4	QUICK FEEDING OUTSIDE MICROMETER, 3-4"	177.00	A
3208-5	QUICK FEEDING OUTSIDE MICROMETER, 4-5"	265.00	A
3208-6	QUICK FEEDING OUTSIDE MICROMETER, 5-6"	296.00	A
3208-7	QUICK FEEDING OUTSIDE MICROMETER, 6-7"	317.00	A
3208-8	QUICK FEEDING OUTSIDE MICROMETER, 7-8"	358.00	A
3220-1	INSIDE MICROMETER, .2-1.2"	135.00	A
3220-2	INSIDE MICROMETER, 1-2"	144.00	A

3220-3	INSIDE MICROMETER, 2-3"	165.00	A
3220-4	INSIDE MICROMETER, 3-4"	186.00	A
3221-12	TUBULAR INSIDE MICROMETER, 2-12"	335.00	A
3221-125	TUBULAR INSIDE MICROMETER, 1-1.25"	162.00	A
3221-2	TUBULAR INSIDE MICROMETER, 1-2"	203.00	A
3221-20	TUBULAR INSIDE MICROMETER, 8-20"	417.00	A
3221-200	TUBULAR INSIDE MICROMETER, 50-200mm, graduation 0.01mm	303.00	A
3221-25	TUBULAR INSIDE MICROMETER, 2-2.5"	167.00	A
3221-40	TUBULAR INSIDE MICROMETER, 8-40"	963.00	A
3221-8	TUBULAR INSIDE MICROMETER, 2-8"	304.00	A
3221-9	TUBULAR INSIDE MICROMETER, 8-9"	233.00	A
3222-12	TUBULAR INSIDE MICROMETER, 2-12"	275.00	A
3222-20	TUBULAR INSIDE MICROMETER, 2-20"	345.00	A
3222-24	TUBULAR INSIDE MICROMETER, 2-24"	270.00	A
3222-25	TUBULAR INSIDE MICROMETER, 2-2.5"	152.00	A
3222-40	TUBULAR INSIDE MICROMETER, 2-40"	1050.00	A
3222-6	TUBULAR INSIDE MICROMETER, 2-6"	211.00	A
3222-60	TUBULAR INSIDE MICROMETER, 2-60"	1876.00	A
3224-120	TUBULAR INSIDE MICROMETER, 40-120"	3459.00	A
3224-160	TUBULAR INSIDE MICROMETER, 40-160"	5153.00	A
3224-200	TUBULAR INSIDE MICROMETER, 40-200"	6691.00	A
3224-80	TUBULAR INSIDE MICROMETER, 40-80"	1729.00	A
3225-20	TUBULAR INSIDE MICROMETER, 4-20"	725.00	A
3225-36	TUBULAR INSIDE MICROMETER, 4-36"	930.00	A
3225-52	TUBULAR INSIDE MICROMETER, 4-52"	1120.00	A
3225-84	TUBULAR INSIDE MICROMETER, 4-84"	2066.00	A
3227-E01	TWO POINTS INTERNAL MICROMETER, .08-.1"/2-2.5mm	666.00	A
3227-E012	TWO POINTS INTERNAL MICROMETER, .1-.12"/2.5-3mm	665.00	A
3227-E0122	TWO POINTS INTERNAL MICROMETER SET, .08-.12"/2-3mm	1325.00	A
3227-E016	TWO POINTS INTERNAL MICROMETER, .12-.16"/3-4mm	587.00	A
3227-E02	TWO POINTS INTERNAL MICROMETER, .16-.2"/4-5mm	587.00	A
3227-E024	TWO POINTS INTERNAL MICROMETER, .2-.24"/5-6mm	587.00	A
3227-E028	TWO POINTS INTERNAL MICROMETER, .24-.28/6-7mm	587.00	A
3227-E0282	TWO POINTS INTERNAL MICROMETER SET, .12-.28"/3-7mm	2253.00	A
3227-E035	THREE POINTS INTERNAL MICROMETER, .275-.35"	396.00	A
3227-E0425	THREE POINTS INTERNAL MICROMETER, .35-.425"	396.00	A
3227-E05	THREE POINTS INTERNAL MICROMETER, .425-.5"	396.00	A
3227-E053	THREE POINTS INTERNAL MICROMETER, .275-.5"	1106.00	A
3227-E065	THREE POINTS INTERNAL MICROMETER, .5-.65"	455.00	A
3227-E08	THREE POINTS INTERNAL MICROMETER, .65-.8"	455.00	A
3227-E082	THREE POINTS INTERNAL MICROMETER, .5-.8"	849.00	A
3227-E1	THREE POINTS INTERNAL MICROMETER, .8-1"	639.00	A
3227-E10	THREE POINTS INTERNAL MICROMETER, 9-10"	1895.00	A
3227-E11	THREE POINTS INTERNAL MICROMETER, 10-11"	2178.00	A
3227-E112	THREE POINTS INTERNAL MICROMETER, 1-1.2"	639.00	A
3227-E12	THREE POINTS INTERNAL MICROMETER, 11-12"	2600.00	A
3227-E16	THREE POINTS INTERNAL MICROMETER, 1.2-1.6"	689.00	A
3227-E2	THREE POINTS INTERNAL MICROMETER, 1.6-2"	800.00	A
3227-E24	THREE POINTS INTERNAL MICROMETER, .8-2"	2420.00	A
3227-E25	THREE POINTS INTERNAL MICROMETER, 2-2.5"	841.00	A
3227-E3	THREE POINTS INTERNAL MICROMETER, 2.5-3"	902.00	A
3227-E35	THREE POINTS INTERNAL MICROMETER, 3-3.5"	943.00	A
3227-E4	THREE POINTS INTERNAL MICROMETER, 3.5-4"	981.00	A
3227-E44	THREE POINTS INTERNAL MICROMETER, 2-4"	3133.00	A
3227-E5	THREE POINTS INTERNAL MICROMETER, 4-5"	804.00	A
3227-E6	THREE POINTS INTERNAL MICROMETER, 5-6"	933.00	A
3227-E7	THREE POINTS INTERNAL MICROMETER, 6-7"	1155.00	A
3227-E8	THREE POINTS INTERNAL MICROMETER, 7-8"	1306.00	A
3227-E9	THREE POINTS INTERNAL MICROMETER, 8-9"	1632.00	A
3228-10	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 6-10"	3337.00	A
3228-12	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 8-12"	4268.00	A
3228-28	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2-2.8"	661.00	A
3228-4	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2.8-4"	879.00	A
3228-6	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 4-6"	1516.00	A
3229-10	TUBULAR INSIDE MICROMETER, 9-10"	201.00	A



3229-11	TUBULAR INSIDE MICROMETER, 10-11"	218.00	A
3229-12	TUBULAR INSIDE MICROMETER, 11-12"	232.00	A
3229-13	TUBULAR INSIDE MICROMETER, 12-13"	247.00	A
3229-14	TUBULAR INSIDE MICROMETER, 13-14"	220.00	A
3229-15	TUBULAR INSIDE MICROMETER, 14-15"	242.00	A
3229-16	TUBULAR INSIDE MICROMETER, 15-16"	257.00	A
3229-17	TUBULAR INSIDE MICROMETER, 16-17"	272.00	A
3229-18	TUBULAR INSIDE MICROMETER, 17-18"	284.00	A
3229-19	TUBULAR INSIDE MICROMETER, 18-19"	296.00	A
3229-20	TUBULAR INSIDE MICROMETER, 19-20"	311.00	A
3229-3	TUBULAR INSIDE MICROMETER, 2-3"	108.00	A
3229-4	TUBULAR INSIDE MICROMETER, 3-4"	121.00	A
3229-5	TUBULAR INSIDE MICROMETER, 4-5"	135.00	A
3229-6	TUBULAR INSIDE MICROMETER, 5-6"	151.00	A
3229-7	TUBULAR INSIDE MICROMETER, 6-7"	161.00	A
3229-8	TUBULAR INSIDE MICROMETER, 7-8"	172.00	A
3229-9	TUBULAR INSIDE MICROMETER, 8-9"	188.00	A
3230-1	POINT MICROMETER, 0-1", type A	144.00	A
3230-1B	POINT MICROMETER, 0-1", type B	160.00	A
3230-2	POINT MICROMETER, 1-2", type A	157.00	A
3230-3	POINT MICROMETER, 2-3", type A	170.00	A
3230-4	POINT MICROMETER, 3-4", type A	202.00	A
3231-1	NON MAGNETIC MICROMETERS, 0-1"	1208.00	A
3231-2	NON MAGNETIC MICROMETERS, 1-2"	1334.00	A
3231-3	NON MAGNETIC MICROMETERS, 2-3"	1458.00	A
3231-4	NON MAGNETIC MICROMETERS, 3-4"	1585.00	A
3232-1	BLADE MICROMETER, 0-1"	266.00	A
3232-1B	BLADE MICROMETER, 0-1", type B	385.00	A
3232-2	BLADE MICROMETER, 1-2"	288.00	A
3232-2B	BLADE MICROMETER, 1-2", type B	417.00	A
3232-3	BLADE MICROMETER, 2-3"	312.00	A
3232-4	BLADE MICROMETER, 3-4"	341.00	A
3232-5	BLADE MICROMETER, 4-5"	382.00	A
3232-6	BLADE MICROMETER, 5-6"	416.00	A
3232-7	BLADE MICROMETER, 6-7"	453.00	A
3232-75A	BLADE MICROMETER (6.5x0.75mm), 50-75mm, graduation 0.01mm	320.00	A
3233-1	SPLINE MICROMETER, 0-1", type A	132.00	A
3233-1B	SPLINE MICROMETER, 0-1", type B	154.00	A
3233-2	SPLINE MICROMETER, 1-2", type A	165.00	A
3233-2B	SPLINE MICROMETER, 1-2", type B	167.00	A
3233-3	SPLINE MICROMETER, 2-3", type A	180.00	A
3233-3B	SPLINE MICROMETER, 2-3", type B	180.00	A
3233-4	SPLINE MICROMETER, 3-4", type A	221.00	A
3233-4B	SPLINE MICROMETER, 3-4", type B	208.00	A
3233-5	SPLINE MICROMETER, 4-5", type A	253.00	A
3233-5B	SPLINE MICROMETER, 4-5", type B	258.00	A
3233-6	SPLINE MICROMETER, 5-6", type A	307.00	A
3233-6B	SPLINE MICROMETER, 5-6", type B	306.00	A
3233-7	SPLINE MICROMETER, 6-7", type A	370.00	A
3233-7B	SPLINE MICROMETER, 6-7", type B	385.00	A
3234-1	LARGE ANVIL MICROMETER, 0-1"	493.00	A
3234-2	LARGE ANVIL MICROMETER, 1-2"	638.00	A
3235-1	LIMIT MICROMETER, 0-1"	201.00	A
3235-2	LIMIT MICROMETER, 1-2"	241.00	A
3236-1B	OUTSIDE MICROMETER FOR LEFT AND RIGHT HAND, 0-1"	127.00	A
3236-2B	OUTSIDE MICROMETER FOR LEFT AND RIGHT HAND, 1-2"	140.00	A
3236-3B	OUTSIDE MICROMETER FOR LEFT AND RIGHT HAND, 2-3"	186.00	A
3236-4B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 3-4"	138.00	A
3236-5B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 4-5"	175.00	A
3236-6B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 5-6"	201.00	A
3236-7B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 6-7"	266.00	A
3236-8B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 7-8"	301.00	A
3238-1	CALIPER TYPE MICROMETER, 0-1"	253.00	A
3238-2	CALIPER TYPE MICROMETER, 1-2"	304.00	A
3238-25	CALIPER TYPE MICROMETER, 0-25mm, graduation 0.01mm	270.00	A

3238-3	CALIPER TYPE MICROMETERS, 2-3"	441.00	A
3238-4	CALIPER TYPE MICROMETERS, 3-4"	477.00	A
3238-50	CALIPER TYPE MICROMETER, 25-50mm, graduation 0.01mm	301.00	A
3239-13	SHEET METAL MICROMETER, 0-1", type A	183.00	A
3239-13F	SHEET METAL MICROMETER, 0-1", type B	280.00	A
3239-13S	SHEET METAL MICROMETER, 0-1", type C	252.00	A
3239-14F	SHEET METAL MICROMETER, 0-1", type B	251.00	A
3240-1	DEPTH MICROMETER, 0-1"	94.20	A
3240-4	DEPTH MICROMETER, 0-4"	160.00	A
3240-6	DEPTH MICROMETER, 0-6"	184.00	A
3241-1	DEPTH MICROMETER, 0-1", base 3.996×.669"	137.00	A
3241-100	DEPTH MICROMETER, 0-100mm, graduation 0.01mm, base 101.5×.669"	210.00	A
3241-12	DEPTH MICROMETER, 0-12", base 3.996×.669"	418.00	A
3241-2	DEPTH MICROMETER, 0-2", base 3.996×.669"	174.00	A
3241-3	DEPTH MICROMETER, 0-3", base 3.996×.669"	201.00	A
3241-4	DEPTH MICROMETER, 0-4", base 3.996×.669"	220.00	A
3241-6	DEPTH MICROMETER, 0-6", base 3.996×.669"	267.00	A
3241-8	DEPTH MICROMETER, 0-8", base 3.996×.669"	346.00	A
3241-B1	DEPTH MICROMETER, 0-1", base 2.480×.669"	133.00	A
3241-B4	DEPTH MICROMETER, 0-4", base 2.480×.669"	211.00	A
3260-1	SPHERICAL ANVIL TUBE MICROMETER, 0-1", type A	79.40	A
3260-1S	SPHERICAL ANVIL TUBE MICROMETER, 0-1", type B	86.00	A
3260-2	SPHERICAL ANVIL TUBE MICROMETER, 1-2", type A	101.00	A
3260-2S	SPHERICAL ANVIL TUBE MICROMETER, 1-2", type B	115.00	A
3260-3	SPHERICAL ANVIL TUBE MICROMETER, 2-3", type A	161.00	A
3260-3S	SPHERICAL ANVIL TUBE MICROMETER, 2-3", type B	186.00	A
3260-4	SPHERICAL ANVIL TUBE MICROMETER, 3-4", type A	216.00	A
3260-4S	SPHERICAL ANVIL TUBE MICROMETER, 3-4", type B	221.00	A
3261-1	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type A	92.20	A
3261-1B	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type B	112.00	A
3261-1C	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type C	112.00	A
3261-1D	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type D	112.00	A
3261-1E	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type E	112.00	A
3261-1F	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type F	112.00	A
3261-2	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type A	107.00	A
3261-2B	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type B	140.00	A
3261-2C	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type C	133.00	A
3261-2D	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type D	133.00	A
3261-2E	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type E	133.00	A
3261-2F	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type F	133.00	A
3262-1	INTERCHANGEABLE ANVIL MICROMETER, 0-1"	249.00	A
3262-2	INTERCHANGEABLE ANVIL MICROMETER, 1-2"	280.00	A
3263-06	SHEET METAL MICROMETER, 0-.6", type A	206.00	A
3263-06B	SHEET METAL MICROMETER, 0-.6", type B	206.00	A
3263-1	SHEET METAL MICROMETER, 0-1", type A	177.00	A
3263-1B	SHEET METAL MICROMETER, 0-1", type B	247.00	A
3263-2	SHEET METAL MICROMETER, 0-2", type A	819.00	A
3263-2B	SHEET METAL MICROMETER, 0-2", type B	819.00	A
3264-06	MICROMETERS FOR HOT PLATE, 0-.6"	621.00	A
3264-12	MICROMETERS FOR HOT PLATE, .6-1.2"	668.00	A
3264-18	MICROMETERS FOR HOT PLATE, 1.2-1.8"	835.00	A
3264-24	MICROMETERS FOR HOT PLATE, 1.8-2.04"	954.00	A
3264-31	MICROMETERS FOR HOT PLATE, 2.4-3.0"	1037.00	A
3264-36	MICROMETERS FOR HOT PLATE, 3.0-3.6"	1130.00	A
3264-42	MICROMETERS FOR HOT PLATE, 3.6-4.2"	1228.00	A
3266-1B	CRIMP HEIGHT MICROMETER, 0-1"	140.00	A
3280-1	NON ROTATING SPINDLE UNIVERSAL MICROMETER, 0-1"	442.00	A
3280-2	NON ROTATING SPINDLE UNIVERSAL MICROMETER, 1-2"	547.00	A
3280-SP1	55° knife-edge anvil/spindle tip	84.40	A
3280-SP2	55° point anvil/spindle tip	51.10	A
3281-1	SCREW THREAD MICROMETER, 0-1"	173.00	A
3281-2	SCREW THREAD MICROMETER, 1-2"	195.00	A
3281-25A	SCREW THREAD MICROMETER, 0-25mm, Graduation 0.01mm	178.00	A
3281-3	SCREW THREAD MICROMETER, 2-3"	224.00	A
3281-4	SCREW THREAD MICROMETER, 3-4"	248.00	A

3281-5	SCREW THREAD MICROMETER, 4-5"	283.00	A
3281-6	SCREW THREAD MICROMETER, 5-6"	317.00	A
3281-7	SCREW THREAD MICROMETER, 6-7"	440.00	A
3281-75A	SCREW THREAD MICROMETER, 50-75mm, Graduation 0.01mm	236.00	A
3281-8	SCREW THREAD MICROMETER, 7-8"	478.00	A
3281-SPE1	55° SETTING STANDARD, 1"	97.60	A
3281-SPE2	55° SETTING STANDARD, 2"	112.00	A
3281-SPE3	55° SETTING STANDARD, 3"	126.00	A
3281-SPE4	55° SETTING STANDARD, 4"	147.00	A
3281-SPE5	55° SETTING STANDARD, 5"	169.00	A
3281-SPE6	55° SETTING STANDARD, 6"	193.00	A
3281-SPE61	60° SETTING STANDARD, 1"	90.50	A
3281-SPE62	60° SETTING STANDARD, 2"	104.00	A
3281-SPE63	60° SETTING STANDARD, 3"	118.00	A
3281-SPE64	60° SETTING STANDARD, 4"	137.00	A
3281-SPE65	60° SETTING STANDARD, 5"	158.00	A
3281-SPE66	60° SETTING STANDARD, 6"	177.00	A
3281-SPE67	60° SETTING STANDARD, 7"	205.00	A
3281-SPE7	55° SETTING STANDARD, 7"	219.00	A
3282-1	DISK MICROMETER, 0-1"	151.00	A
3282-2	DISK MICROMETER, 1-2"	170.00	A
3282-3	DISK MICROMETER, 2-3"	193.00	A
3282-4	DISK MICROMETER, 3-4"	228.00	A
3283-1	JAW TYPE MICROMETER, 0-1"	386.00	A
3283-2	JAW TYPE MICROMETER, 1-2"	421.00	A
3283-3	JAW TYPE MICROMETER, 2-3"	453.00	A
3283-4	JAW TYPE MICROMETER, 3-4"	499.00	A
3283-5	JAW TYPE MICROMETER, 4-5"	566.00	A
3283-6	JAW TYPE MICROMETER, 5-6"	618.00	A
3283-7	JAW TYPE MICROMETER, 6-7"	671.00	A
3283-8	JAW TYPE MICROMETER, 7-8"	723.00	A
3285-4	WIRE MICROMETER, 0-.4"	128.00	A
3287-1AB	GROOVE MICROMETERS, outside A 0-1", inside B .06-1.05", does not have sleeve	660.00	A
3287-1B	GROOVE MICROMETERS, outside A 0-1", inside B .06-1.05"	663.00	A
3287-2B	GROOVE MICROMETERS, outside A 1-2", inside B 1.05-2.05"	765.00	A
3287-3B	GROOVE MICROMETERS, outside A 2-3", inside B 2.05-3.05"	879.00	A
3287-4B	GROOVE MICROMETERS, outside A 3-4", inside B 3.05-4.05"	1016.00	A
3288-1	DISK BRAKE MICROMETER, .3-1.3"	99.40	A
3288-2	DISK BRAKE MICROMETER, 1-2"	146.00	A
3290-063	V-ANVIL MICROMETER, .04-.6"	314.00	A
3290-083	V-ANVIL MICROMETER, .2-.8"	328.00	A
3290-105	V-ANVIL MICROMETER, .2-1"	337.00	A
3290-107	V-ANVIL MICROMETER, 7 flutes, .2-1"	351.00	A
3290-143	V-ANVIL MICROMETER, .8-1.4"	388.00	A
3290-185	V-ANVIL MICROMETER, 1-1.8"	500.00	A
3290-187	V-ANVIL MICROMETER, 7 flutes, 1"-1.8"	453.00	A
3290-203	V-ANVIL MICROMETER, 1.4-2"	579.00	A
3290-263	V-ANVIL MICROMETER, 2-2.6"	622.00	A
3290-265	V-ANVIL MICROMETER, 1.8-2.6"	579.00	A
3290-267	V-ANVIL MICROMETER, 7 flutes, 1.8-2.6"	525.00	A
3290-323	V-ANVIL MICROMETER, 2.6-3.2"	674.00	A
3290-345	V-ANVIL MICROMETER, 2.6-3.4"	677.00	A
3290-347	V-ANVIL MICROMETER, 7 flutes, 2.6-3.4"	614.00	A
3290-383	V-ANVIL MICROMETER, 3.2-3.8"	726.00	A
3292-1	HUB MICROMETER, 0-1"	137.00	A
3292-2	HUB MICROMETER, 1-2"	160.00	A
3292-3	HUB MICROMETER, 2-3"	183.00	A
3292-4	HUB MICROMETER, 3-4"	211.00	A
3293-061	CAN SEAM MICROMETER, 0-.5", for steel cans	162.00	A
3293-062	CAN SEAM MICROMETER, 0-.5", for aluminum cans	162.00	A
3293-063	CAN SEAM MICROMETER, 0-.5", for sprayer cans	162.00	A
3294-1	NON ROTATING SPINDLE DISK MICROMETER, 0-1"	305.00	A
3294-2	NON ROTATING SPINDLE DISK MICROMETER, 1-2"	330.00	A
3294-3	NON ROTATING SPINDLE DISK MICROMETER, 2-3"	351.00	A

3294-4	NON ROTATING SPINDLE DISK MICROMETER, 3-4"	425.00	A
3332-1	INDICATING MICROMETER, 0-1"	738.00	A
3332-1B	INDICATING MICROMETER, 0-1", without support	736.00	A
3332-2	INDICATING MICROMETER, 1-2"	873.00	A
3332-3	INDICATING MICROMETER, 2-3"	844.00	A
3332-4	INDICATING MICROMETER, 3-4"	970.00	A
3334-1	DIAL SNAP GAGE, 0-1"	1008.00	A
3334-2	DIAL SNAP GAGE, 1-2"	1109.00	A
3334-3	DIAL SNAP GAGE, 2-3"	1185.00	A
3334-4	DIAL SNAP GAGE, 3-4"	1275.00	A
3350-100	HIGH PRECISION DIGITAL SNAP GAGE, 3-4"/75-100mm	1503.00	A
3350-100WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 3-4"/75-100mm	1571.00	A
3350-25	HIGH PRECISION DIGITAL SNAP GAGE, 0-1"/0-25mm	1087.00	A
3350-25WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 0-1"/0-25mm	1150.00	A
3350-50	HIGH PRECISION DIGITAL SNAP GAGE, 1-2"/25-50mm	1182.00	A
3350-50WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 1-2"/25-50mm	1244.00	A
3350-75	HIGH PRECISION DIGITAL SNAP GAGE, 2-3"/50-75mm	1357.00	A
3350-75WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 2-3"/50-75mm	1425.00	A
3351-125	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 100-125mm/4-5"	1375.00	A
3351-125WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 100-125mm/4-5"	1444.00	A
3351-150	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 125-150mm/5-6"	1425.00	A
3351-150WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 125-150mm/5-6"	1495.00	A
3351-175	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 150-175mm/6-7"	1482.00	A
3351-175WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 150-175mm/6-7"	1552.00	A
3351-200	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 175-200mm/7-8"	1532.00	A
3351-200WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 175-200mm/7-8"	1600.00	A
3351-225	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 200-225mm/8-9"	1554.00	A
3351-225WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 200-225mm/8-9"	1620.00	A
3351-250	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 225-250mm/9-10"	1602.00	A
3351-250WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 225-250mm/9-10"	1672.00	A
3351-275	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 250-275mm/10-11"	1663.00	A
3351-275WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 250-275mm/10-11"	1731.00	A
3351-300	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 275-300mm/11-12"	1713.00	A
3351-300WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 275-300mm/11-12"	1782.00	A
3352-25A	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (with data interface), 0-25mm/0-1", .0002mm/.00001"	1280.00	A
3352-25AWL	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (built-in wireless), 0-25mm/0-1", .0002mm/.00001"	1345.00	A
3352-50A	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (with data interface), 25-50mm/1-2", .0002mm/.00001"	1393.00	A
3352-50AWL	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (built-in wireless), 25-50mm/1-2", .0002mm/.00001"	1458.00	A
3352-75A	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (with data interface), 50-75mm/2-3, .0002mm/.00001"	1456.00	A

3352-75AWL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 50-75mm/2-3", .0002mm/.00001"	1521.00	A
3400-1	OUTSIDE MICROMETER WITH COUNTER, 0-1"	89.50	A
3400-2	OUTSIDE MICROMETER WITH COUNTER, 1-2"	100.00	A
3400-25	OUTSIDE MICROMETER WITH COUNTER, 0-25mm, graduation 0.0	128.00	A
3400-3	OUTSIDE MICROMETER WITH COUNTER, 2-3"	113.00	A
3400-4	OUTSIDE MICROMETER WITH COUNTER, 3-4"	125.00	A
3506-1000E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 36-40"/900-1000mm	1705.00	A
3506-100A	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 36-40"/900-1000mm	599.00	A
3506-100E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-4"/0-100mm	594.00	A
3506-150E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-6"/0-150mm	662.00	A
3506-300E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 6-12"/150-300mm	763.00	A
3506-301E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 8-12"/200-300mm	728.00	A
3506-400E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 12-16"/300-400mm	914.00	A
3506-500E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 16-20"/400-500mm	999.00	A
3506-600E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 20-24"/500-600mm	1142.00	A
3506-700E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 24-28"/600-700mm	1199.00	A
3506-800E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 28-32"/700-800mm	1404.00	A
3506-900E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 32-36"/800-900mm	1555.00	A
3520-100E	DIGITAL INSIDE MICROMETER, 3-4"/75-100mm	539.00	A
3520-30E	DIGITAL INSIDE MICROMETER, .2-1.2"/5-30mm	527.00	A
3520-50E	DIGITAL INSIDE MICROMETER, 1-2"/25-50mm	471.00	A
3520-75E	DIGITAL INSIDE MICROMETER, 2-3"/50-75mm	519.00	A
3521-40	DIGITAL TUBULAR INSIDE MICROMETERS, 6-40"	1325.00	A
3521-60	DIGITAL TUBULAR INSIDE MICROMETERS, 6-60"	1923.00	A
3521-7	DIGITAL TUBULAR INSIDE MICROMETERS, 6-7"	618.00	A
3521-80	DIGITAL TUBULAR INSIDE MICROMETERS, 6-80"	2264.00	A
3530-25BE	DIGITAL POINT MICROMETER, 0-1"/0-25mm, type B	515.00	A
3530-25E	DIGITAL POINT MICROMETER, 0-1"/0-25mm, type A	513.00	A
3530-50BE	DIGITAL POINT MICROMETER, 1-2"/25-50mm, type B	557.00	A
3532-100E	DIGITAL BLADE MICROMETER, 3-4"/75-100mm	776.00	A
3532-150A	ELECTRONIC BLADE MICROMETER, 125-150mm/5-6", 0.001mm/.	754.00	A
3532-175A	ELECTRONIC BLADE MICROMETER, 150-175mm/6-7", 0.001mm/.	794.00	A
3532-175BA	ELECTRONIC BLADE MICROMETER, 150-175mm/6-7", 0.001mm/.	879.00	A
3532-25A	DIGITAL BLADE MICROMETER (6.5x0.75mm), 0-25mm/0-1"	553.00	A
3532-25BE	DIGITAL BLADE MICROMETER, 0-1"/0-25mm, type B	632.00	A
3532-25E	DIGITAL BLADE MICROMETER, 0-1"/0-25mm	622.00	A
3532-50E	DIGITAL BLADE MICROMETER, 1-2"/25-50mm	661.00	A
3532-75E	DIGITAL BLADE MICROMETER, 2-3"/50-75mm	701.00	A
3533-25BE	DIGITAL SPLINE MICROMETER, 0-1"/0-25mm, type B	532.00	A
3533-25E	DIGITAL SPLINE MICROMETER, 0-1"/0-25mm, type A	532.00	A
3533-50BE	DIGITAL SPLINE MICROMETER, 1-2"/25-50mm, type B	572.00	A
3534-25AE	DIGITAL LARGE ANVIL MICROMETER, 0-1"/0-25mm	613.00	A
3534-50AE	DIGITAL LARGE ANVIL MICROMETER, 1-2"/25-50mm	700.00	A
3539-253SE	DIGITAL SHEET METAL MICROMETER, 0-1"/0-25mm	630.00	A
3540-150E	DIGITAL DEPTH MICROMETER, IP65, 0-6"/0-150mm	644.00	A
3540-300E	DIGITAL DEPTH MICROMETER, IP65, 0-12"/0-300mm	806.00	A
3540-50E	DIGITAL DEPTH MICROMETER, IP65, 0-2"/0-50mm	502.00	A
3560-25E	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type A	464.00	A
3560-25SE	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type B	558.00	A
3560-50E	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 1-2"/25-50mm, type A	518.00	A

3560-50SE	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 1-2"/25-50mm, type B	614.00	A
3561-25DE	DIGITAL CYLINDRICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type D	565.00	A
3561-25E	DIGITAL CYLINDRICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type A	536.00	A
3562-25E	DIGITAL INTERCHANGEABLE ANVIL MICROMETER, 0-1"/0-25mm	566.00	A
3562-50E	DIGITAL INTERCHANGEABLE ANVIL MICROMETER, 1-2"/25-50mm	627.00	A
3565-25AE	DIGITAL VERTICAL MICROMETER, 0-1"/0-25mm	437.00	A
3565-25BAE	DIGITAL VERTICAL MICROMETER, 0-1"/0-25mm	437.00	A
3565-50AE	DIGITAL VERTICAL MICROMETER, 1-2"/25-50mm	510.00	A
3565-50BAE	DIGITAL VERTICAL MICROMETER, 1-2"/25-50mm	510.00	A
3566-100CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 75-100mm/3-4", 0.0	682.00	A
3566-25BE	DIGITAL CRIMP HEIGHT MICROMETER, 0-1"/0-25mm	533.00	A
3566-25CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 0-25mm/0-1", 0.001	509.00	A
3566-25DA	ELECTRONIC CRIMP HEIGHT MICROMETER, 0-25mm/0-1", 0.001	509.00	A
3566-50CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 25-50mm/1-2", 0.00	597.00	A
3566-75CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 50-75mm/2-3", 0.00	641.00	A
3580-25E	DIGITAL UNIVERSAL MICROMETER, 0-1"/0-25mm	848.00	A
3580-50E	DIGITAL UNIVERSAL MICROMETER, 1-2"/25-50mm	882.00	A
3581-100E	DIGITAL SCREW THREAD MICROMETER, 3-4"/75-100mm	566.00	A
3581-25E	DIGITAL SCREW THREAD MICROMETER, 0-1"/0-25mm	433.00	A
3581-50E	DIGITAL SCREW THREAD MICROMETER, 1-2"/25-50mm	474.00	A
3581-75E	DIGITAL SCREW THREAD MICROMETER, 2-3"/50-75mm	519.00	A
3583-100AE	DIGITAL JAW TYPE MICROMETERS, 3-4"/75-100mm	636.00	A
3583-125AE	DIGITAL JAW TYPE MICROMETERS, 4-5"/100-125mm	705.00	A
3583-150AE	DIGITAL JAW TYPE MICROMETERS, 5-6"/125-150mm	781.00	A
3583-175AE	DIGITAL JAW TYPE MICROMETERS, 6-7"/150-175mm	854.00	A
3583-200AE	DIGITAL JAW TYPE MICROMETERS, 7-8"/175-200mm	921.00	A
3583-25AE	DIGITAL JAW TYPE MICROMETERS, 0-1"/0-25mm	505.00	A
3583-50AE	DIGITAL JAW TYPE MICROMETERS, 1-2"/25-50mm	533.00	A
3583-75AE	DIGITAL JAW TYPE MICROMETERS, 2-3"/50-75mm	567.00	A
3588-33E	DIGITAL DISK BRAKE MICROMETER, .3-1.3"/7.6-33mm	493.00	A
3588-50E	DIGITAL DISK BRAKE MICROMETER, 1-2"/25-50mm	515.00	A
3590-1055E	DIGITAL V-ANVIL MICROMETER, 3.4-4.2"/85-105mm, 5 flutes	1088.00	A
3590-153E	DIGITAL V-ANVIL MICROMETER, .04-.6"/1-15mm, 3 flutes	741.00	A
3590-203E	DIGITAL V-ANVIL MICROMETER, .2-.8"/5-20mm, 3 flutes	757.00	A
3590-255E	DIGITAL V-ANVIL MICROMETER, .2-1.0"/5-25mm, 5 flutes	725.00	A
3590-257E	DIGITAL V-ANVIL MICROMETER, .2-1"/5-25mm, 7 flutes	747.00	A
3590-353E	DIGITAL V-ANVIL MICROMETER, .8-1.4"/20-35mm, 3 flutes	833.00	A
3590-455E	DIGITAL V-ANVIL MICROMETER, .1.0-1.8"/25-45mm, 5 flutes	836.00	A
3590-457E	DIGITAL V-ANVIL MICROMETER, 1"-1.8"/25-45mm, 7 flutes	851.00	A
3590-503E	DIGITAL V-ANVIL MICROMETER, 1.4-2"/35-50mm, 3 flutes	947.00	A
3590-653E	DIGITAL V-ANVIL MICROMETER, 1.4-2"/35-50mm, 3 flutes	899.00	A
3590-655E	DIGITAL V-ANVIL MICROMETER, .1.8-2.6"/45-65mm, 5 flutes	904.00	A
3590-657E	DIGITAL V-ANVIL MICROMETER, 1.8-2.6"/45-65mm, 7 flutes	922.00	A
3590-803E	DIGITAL V-ANVIL MICROMETER, 2.6-3.2"/65-80mm, 3 flutes	955.00	A
3590-855E	DIGITAL V-ANVIL MICROMETER, 2.6-3.4"/65-85mm, 5 flutes	985.00	A
3590-857E	DIGITAL V-ANVIL MICROMETER, 2.6-3.4"/65-85mm, 7 flutes	1009.00	A
3590-953E	DIGITAL V-ANVIL MICROMETER, 3.2-3.6"/80-95mm, 3 flutes	1028.00	A
3594-1	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 0-1"/0-25mm	567.00	A
3594-2	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 1-2"/25-50mm	619.00	A
3594-3	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 2-3"/50-75mm	678.00	A
3594-4	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 3-4"/75-100mm	746.00	A
3661-105	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICR	1652.00	A
3661-130	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICR	1785.00	A
3661-155	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICR	1923.00	A
3661-30	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICR	1194.00	A
3661-55	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICR	1361.00	A

3661-80	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICR	1459.00	A
4001-12E	CYLINDER GAGE BLOCK, 12"	1197.00	A
4001-16E	CYLINDER GAGE BLOCK, 16"	1658.00	A
4001-1E	CYLINDER GAGE BLOCK, 1"	130.00	A
4001-20E	CYLINDER GAGE BLOCK, 20"	2354.00	A
4001-2E	CYLINDER GAGE BLOCK, 2"	172.00	A
4001-3E	CYLINDER GAGE BLOCK, 3"	220.00	A
4001-4E	CYLINDER GAGE BLOCK, 4"	364.00	A
4001-8E	CYLINDER GAGE BLOCK, 8"	634.00	A
4001-A	INTERNAL BLOCKS FOR CYLINDER GAGE BLOCK	535.00	A
4001-B	BASE FOR CYLINDER GAGE BLOCK, supplied in pair	360.00	A
4002-13	ANGLE GAGE BLOCK, 13pcs/set	5939.00	A
4002-15	ANGLE GAGE BLOCK, 15pcs/set	6672.00	A
4002-A1	ANGLE GAGE BLOCK, 1°	478.00	A
4002-A15	ANGLE GAGE BLOCK, 15°	478.00	A
4002-A27	ANGLE GAGE BLOCK, 27°	492.00	A
4002-A3	ANGLE GAGE BLOCK, 3°	478.00	A
4002-A30	ANGLE GAGE BLOCK, 30°	492.00	A
4002-A41	ANGLE GAGE BLOCK, 41°	492.00	A
4002-A45	ANGLE GAGE BLOCK, 45°	492.00	A
4002-A5	ANGLE GAGE BLOCK, 5°	478.00	A
4002-A9	ANGLE GAGE BLOCK, 9°	478.00	A
4002-B1	ANGLE GAGE BLOCK, 1'	478.00	A
4002-B20	ANGLE GAGE BLOCK, 20'	478.00	A
4002-B27	ANGLE GAGE BLOCK, 27'	478.00	A
4002-B3	ANGLE GAGE BLOCK, 3'	478.00	A
4002-B30	ANGLE GAGE BLOCK, 30'	478.00	A
4002-B5	ANGLE GAGE BLOCK, 5'	478.00	A
4002-B9	ANGLE GAGE BLOCK, 9'	478.00	A
4002-C12	ANGLE GAGE BLOCK, 12"	478.00	A
4002-C18	ANGLE GAGE BLOCK, 18"	478.00	A
4002-C30	ANGLE GAGE BLOCK, 30"	478.00	A
4002-C6	ANGLE GAGE BLOCK, 6"	478.00	A
4002-D	ANGLE GAGE BLOCK, 90°/90°/90°/90°	492.00	A
4003-10	ANGLE PLATE SET, 10pcs/set	289.00	A
4003-12	ANGLE PLATE SET, 12pcs/set	338.00	A
4004-9	UNIVERSAL ANGLE PLATE SET, 9pcs/set	432.00	A
4005-136	CERAMIC GAGE BLOCK SET, 36pcs, grade AS-1	2764.00	B
4005-181	CERAMIC GAGE BLOCK SET, 81pcs, grade AS-1	4122.00	B
4005-36	CERAMIC GAGE BLOCK SET, 36pcs, grade 0	3251.00	B
4005-81	CERAMIC GAGE BLOCK SET, 81pcs, grade 0	4848.00	B
4006-10	ANGLE PLATE SET, 10PCS	158.00	A
4006-12	ANGLE PLATE SET, 12PCS	200.00	A
4102-136	STEEL GAGE BLOCK SET, 36pcs, grade AS-1	481.00	A
4102-181	STEEL GAGE BLOCK SET, 81pcs, grade AS-1	803.00	A
4102-236	STEEL GAGE BLOCK SET, 36pcs, grade AS-2	363.00	A
4102-281	STEEL GAGE BLOCK SET, 81pcs, grade AS-2	565.00	A
4102-36	STEEL GAGE BLOCK SET, 36pcs, grade 0	649.00	A
4102-81	STEEL GAGE BLOCK SET, 81pcs, grade 0	1127.00	A
4107-E10	MICROMETER INSPECTION GAGE BLOCK SET, .105", .210", .315 .420 .500 .605 .710. .815", .920", .1.000"	681.00	A
4110-1D03	INDIVIDUAL PIN GAGE, φ1.03mm	10.20	A
4112-A1	INDIVIDUAL STEEL GAGE BLOCK, 1", grade 0	45.20	A
4112-A10	INDIVIDUAL STEEL GAGE BLOCK, 10", grade 0	624.00	A
4112-A12	INDIVIDUAL STEEL GAGE BLOCK, 12", grade 0	752.00	A
4112-A16	INDIVIDUAL STEEL GAGE BLOCK, 16", grade 0	998.00	A
4112-A2	INDIVIDUAL STEEL GAGE BLOCK, 2", grade 0	80.30	A
4112-A20	INDIVIDUAL STEEL GAGE BLOCK, 20", grade 0	1247.00	A
4112-A3	INDIVIDUAL STEEL GAGE BLOCK, 3", grade 0	93.80	A
4112-A4	INDIVIDUAL STEEL GAGE BLOCK, 4", grade 0	115.00	A
4112-A5	INDIVIDUAL STEEL GAGE BLOCK, 5", grade 0	307.00	A
4112-A6	INDIVIDUAL STEEL GAGE BLOCK, 6", grade 0	422.00	A
4112-A7	INDIVIDUAL STEEL GAGE BLOCK, 7", grade 0	471.00	A
4112-A8	INDIVIDUAL STEEL GAGE BLOCK, 8", grade 0	548.00	A
4112-AD1	INDIVIDUAL STEEL GAGE BLOCK, .1", grade 0	40.60	A











4120-16N	METRIC THREAD RING GAGE, NO GO, M16x2	60.20	A
4120-18	METRIC THREAD RING GAGE, GO, M18x2.5	81.60	A
4120-18N	METRIC THREAD RING GAGE, NO GO, M18x2.5	66.50	A
4120-2	METRIC THREAD RING GAGE, GO, M2x0.4	84.20	A
4120-20	METRIC THREAD RING GAGE, GO, M20x2.5	82.90	A
4120-20N	METRIC THREAD RING GAGE, NO GO, M20x2.5	68.30	A
4120-22	METRIC THREAD RING GAGE, GO, M22x2.5	82.90	A
4120-22N	METRIC THREAD RING GAGE, NO GO, M22x2.5	68.40	A
4120-24	METRIC THREAD RING GAGE, GO, M24x3	107.00	A
4120-24N	METRIC THREAD RING GAGE, NO GO, M24x3	74.10	A
4120-27	METRIC THREAD RING GAGE, GO, M27x3	105.00	A
4120-27N	METRIC THREAD RING GAGE, NO GO, M27x3	74.10	A
4120-2D2	METRIC THREAD RING GAGE, GO, M2.2x0.45	78.40	A
4120-2D2N	METRIC THREAD RING GAGE, NO GO, M2.2x0.45	70.90	A
4120-2D5	METRIC THREAD RING GAGE, GO, M2.5x0.45	73.70	A
4120-2D5N	METRIC THREAD RING GAGE, NO GO, M2.5x0.45	73.70	A
4120-2N	METRIC THREAD RING GAGE, NO GO, M2x0.4	84.20	A
4120-3	METRIC THREAD RING GAGE, GO, M3x0.5	70.90	A
4120-30	METRIC THREAD RING GAGE, GO, M30x3.5	145.00	A
4120-30N	METRIC THREAD RING GAGE, NO GO, M30x3.5	90.70	A
4120-33	METRIC THREAD RING GAGE, GO, M33x3.5	158.00	A
4120-33N	METRIC THREAD RING GAGE, NO GO, M33x3.5	102.00	A
4120-36	METRIC THREAD RING GAGE, GO, M36x4	180.00	A
4120-36N	METRIC THREAD RING GAGE, NO GO, M36x4	143.00	A
4120-39	METRIC THREAD RING GAGE, GO, M39x4	179.00	A
4120-39N	METRIC THREAD RING GAGE, NO GO, M39x4	143.00	A
4120-3D5	METRIC THREAD RING GAGE, GO, M3.5x0.6	70.90	A
4120-3D5N	METRIC THREAD RING GAGE, NO GO, M3.5x0.6	68.70	A
4120-3N	METRIC THREAD RING GAGE, NO GO, M3x0.5	70.90	A
4120-4	METRIC THREAD RING GAGE, GO, M4x0.7	70.90	A
4120-42	METRIC THREAD RING GAGE, GO, M42x4.5	255.00	A
4120-42N	METRIC THREAD RING GAGE, NO GO, M42x4.5	191.00	A
4120-45	METRIC THREAD RING GAGE, GO, M45x4.5	255.00	A
4120-45N	METRIC THREAD RING GAGE, NO GO, M45x4.5	186.00	A
4120-48	METRIC THREAD RING GAGE, GO, M48x5	291.00	A
4120-48N	METRIC THREAD RING GAGE, NO GO, M48x5	225.00	A
4120-4N	METRIC THREAD RING GAGE, NO GO, M4x0.7	68.70	A
4120-5	METRIC THREAD RING GAGE, GO, M5x0.8	70.90	A
4120-52	METRIC THREAD RING GAGE, GO, M52x5	319.00	A
4120-52N	METRIC THREAD RING GAGE, NO GO, M52x5	248.00	A
4120-56	METRIC THREAD RING GAGE, GO, M56x5.5	350.00	A
4120-56N	METRIC THREAD RING GAGE, NO GO, M56x5.5	279.00	A
4120-5N	METRIC THREAD RING GAGE, NO GO, M5x0.8	68.70	A
4120-6	METRIC THREAD RING GAGE, GO, M6x1	63.20	A
4120-60	METRIC THREAD RING GAGE, GO, M60x5.5	391.00	A
4120-60N	METRIC THREAD RING GAGE, NO GO, M60x5.5	315.00	A
4120-6N	METRIC THREAD RING GAGE, NO GO, M6x1	56.70	A
4120-7	METRIC THREAD RING GAGE, GO, M7x1	63.20	A
4120-7N	METRIC THREAD RING GAGE, NO GO, M7x1	57.00	A
4120-8	METRIC THREAD RING GAGE, GO, M8x1.25	63.20	A
4120-8N	METRIC THREAD RING GAGE, NO GO, M8x1.25	63.20	A
4120-9	METRIC THREAD RING GAGE, GO, M9x1.25	63.20	A
4120-9N	METRIC THREAD RING GAGE, NO GO, M9x1.25	63.20	A
4120-S7	THREAD RING GAGE, Go RING GAGE SET, 6g, ISO 1502, 7pcs	386.00	A
4120-S7N	THREAD RING GAGE, No Go RING GAGE SET, 6g, ISO 1502, 7pc	355.00	A
4121-102	AMERICAN STANDARD THREAD RING GAGE, GO, 10-32UNF	99.20	A
4121-102N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 10-	72.10	A
4121-1A1	AMERICAN STANDARD THREAD RING GAGE, GO, 1/2-13UNC	109.00	A
4121-1A1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/2-13UNC	76.90	A
4121-1A2	AMERICAN STANDARD THREAD RING GAGE, GO, 1/2-20UNF	101.00	A
4121-1A2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/2-20UNF	74.10	A
4121-1B1	AMERICAN STANDARD THREAD RING GAGE, GO, 1/4-20UNC	99.60	A

4121-1B1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/4-20UNC	72.70	A
4121-1B2	AMERICAN STANDARD THREAD RING GAGE, GO, 1/4-28UNF	109.00	A
4121-1B2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/4-28UNF	76.60	A
4121-3B1	AMERICAN STANDARD THREAD RING GAGE, GO, 3/4-10UNC	151.00	A
4121-3B1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/4-10UNC	103.00	A
4121-3B2	AMERICAN STANDARD THREAD RING GAGE, GO, 3/4-16UNF	151.00	A
4121-3B2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/4-16UNF	103.00	A
4121-3C1	AMERICAN STANDARD THREAD RING GAGE, GO, 3/8-16UNC	90.10	A
4121-3C1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/8-16UNC	65.80	A
4121-3C2	AMERICAN STANDARD THREAD RING GAGE, GO, 3/8-24UNF	101.00	A
4121-3C2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/8-24UNF	83.30	A
4121-41	AMERICAN STANDARD THREAD RING GAGE, GO, 4-40UNC	111.00	A
4121-41N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 4-40UNC	77.50	A
4121-5C1	AMERICAN STANDARD THREAD RING GAGE, GO, 5/8-11UNC	147.00	A
4121-5C1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/8-11UNC	101.00	A
4121-5C2	AMERICAN STANDARD THREAD RING GAGE, GO, 5/8-18UNF	109.00	A
4121-5C2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/8-18UNF	76.90	A
4121-5D1	AMERICAN STANDARD THREAD RING GAGE, GO, 5/16-18UNC	90.10	A
4121-5D1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/16-18UNC	67.70	A
4121-5D2	AMERICAN STANDARD THREAD RING GAGE, GO, 5/16-24UNF	90.10	A
4121-5D2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/16-24UNF	65.80	A
4121-61	AMERICAN STANDARD THREAD RING GAGE, GO, 6-32UNC	99.20	A
4121-61N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 6-32UNC	72.10	A
4121-7D2	AMERICAN STANDARD THREAD RING GAGE, GO, 7/16-20UNF	94.40	A
4121-7D2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 7/16-20UNF	67.90	A
4121-81	AMERICAN STANDARD THREAD RING GAGE, GO, 8-32UNC	99.20	A
4121-81N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 8-32UNC	72.10	A
4121-9D2	AMERICAN STANDARD THREAD RING GAGE, GO, 9/16-18UNF	101.00	A
4121-9D2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 9/16-18UNF	74.10	A
4124-20	PLAIN PLUG GAGE, H7, $\phi$ 20mm	55.30	A
4129-14Q	FINE THREAD RING GAGE, 6g, Go, ISO 1502, M14x1.25	64.70	A
4129-14QN	FINE THREAD RING GAGE, 6g, No Go, ISO 1502, M14x1.25	52.70	A
4130-10	METRIC THREAD PLUG GAGE, M10x1.5	54.70	A
4130-11	METRIC THREAD PLUG GAGE, M11x1.5	55.00	A
4130-12	METRIC THREAD PLUG GAGE, M12x1.75	62.70	A
4130-14	METRIC THREAD PLUG GAGE, M14x2	65.50	A
4130-16	METRIC THREAD PLUG GAGE, M16x2	66.00	A
4130-18	METRIC THREAD PLUG GAGE, M18x2.5	71.50	A
4130-2	METRIC THREAD PLUG GAGE, M2x0.4	63.80	A
4130-20	METRIC THREAD PLUG GAGE, M20x2.5	71.60	A
4130-22	METRIC THREAD PLUG GAGE, M22x2.5	73.30	A
4130-24	METRIC THREAD PLUG GAGE, M24x3	84.90	A
4130-27	METRIC THREAD PLUG GAGE, M27x3	84.90	A
4130-2D2	METRIC THREAD PLUG GAGE, M2.2x0.45	68.40	A
4130-2D5	METRIC THREAD PLUG GAGE, M2.5x0.45	62.90	A
4130-3	METRIC THREAD PLUG GAGE, M3x0.5	62.90	A
4130-30	METRIC THREAD PLUG GAGE, M30x3.5	98.10	A
4130-33	METRIC THREAD PLUG GAGE, M33x3.5	102.00	A
4130-36	METRIC THREAD PLUG GAGE, M36x4	137.00	A
4130-39	METRIC THREAD PLUG GAGE, M39x4	137.00	A
4130-3D5	METRIC THREAD PLUG GAGE, M3.5x0.6	67.40	A
4130-4	METRIC THREAD PLUG GAGE, M4x0.7	45.60	A

4130-42	METRIC THREAD PLUG GAGE, M42x4.5	183.00	A
4130-45	METRIC THREAD PLUG GAGE, M45x4.5	186.00	A
4130-48	METRIC THREAD PLUG GAGE, M48x5	197.00	A
4130-5	METRIC THREAD PLUG GAGE, M5x0.8	45.60	A
4130-52	METRIC THREAD PLUG GAGE, M52x5	208.00	A
4130-56	METRIC THREAD PLUG GAGE, M56x5.5	222.00	A
4130-6	METRIC THREAD PLUG GAGE, M6x1	45.60	A
4130-60	METRIC THREAD PLUG GAGE, M60x5.5	249.00	A
4130-7	METRIC THREAD PLUG GAGE, M7x1	45.60	A
4130-8	METRIC THREAD PLUG GAGE, M8x1.25	45.60	A
4130-9	METRIC THREAD PLUG GAGE, M9x1.25	45.60	A
4130-S7	THREAD PLUG GAGE SET, Go and No Go, 6H, ISO 1502, 7pcs	310.00	A
4131-102	AMERICAN STANDARD THREAD PLUG GAGE, 10-32UNF	112.00	A
4131-1A1	AMERICAN STANDARD THREAD PLUG GAGE, 1/2-13UNC	121.00	A
4131-1A2	AMERICAN STANDARD THREAD PLUG GAGE, 1/2-20UNF	117.00	A
4131-1B1	AMERICAN STANDARD THREAD PLUG GAGE, 1/4-20UNC	101.00	A
4131-1B2	AMERICAN STANDARD THREAD PLUG GAGE, 1/4-28UNF	106.00	A
4131-3B1	AMERICAN STANDARD THREAD PLUG GAGE, 3/4-10UNC	163.00	A
4131-3B2	AMERICAN STANDARD THREAD PLUG GAGE, 3/4-16UNF	135.00	A
4131-3C1	AMERICAN STANDARD THREAD PLUG GAGE, 3/8-16UNC	112.00	A
4131-3C2	AMERICAN STANDARD THREAD PLUG GAGE, 3/8-24UNF	112.00	A
4131-41	AMERICAN STANDARD THREAD PLUG GAGE, 4-40UNC	112.00	A
4131-5C1	AMERICAN STANDARD THREAD PLUG GAGE, 5/8-11UNC	161.00	A
4131-5C2	AMERICAN STANDARD THREAD PLUG GAGE, 5/8-18UNF	122.00	A
4131-5D1	AMERICAN STANDARD THREAD PLUG GAGE, 5/16-18UNC	101.00	A
4131-5D2	AMERICAN STANDARD THREAD PLUG GAGE, 5/16-24UNF	101.00	A
4131-61	AMERICAN STANDARD THREAD PLUG GAGE, 6-32UNC	102.00	A
4131-7D2	AMERICAN STANDARD THREAD PLUG GAGE, 7/16-20UNF	111.00	A
4131-81	AMERICAN STANDARD THREAD PLUG GAGE, 8-32UNC	102.00	A
4131-9D2	AMERICAN STANDARD THREAD PLUG GAGE, 9/16-18UNF	117.00	A
4139-14Q	FINE THREAD PLUG GAGE, 6H, Go and No Go, ISO 1502, M14x1.	66.70	A
4141-250	GRANITE SQUARE, 9.8x6.3"	572.00	A
4141-400	GRANITE SQUARE, 15.7x9.8"	827.00	A
4141-630	GRANITE SQUARE, 24.8x15.7"	1744.00	A
4142-200	GRANITE SQUARE WITH V GROOVE, 7.9x7.9x7.9"	3300.00	A
4144-315	GRANITE SQUARE, 12.4x12.4"	1518.00	A
4147-1000A	GRANITE STRAIGHT EDGE, length 40"	1623.00	A
4147-500A	GRANITE STRAIGHT EDGE, length 20"	800.00	A
4160-E09	MICROMETER INSPECTION GAGE BLOCK SET, .0625",.100",.125",.200",.250",.300",.500",1.00",2.00"	858.00	A
4162-111	PIN GAGE SET, 50pcs, .011~.060	62.30	A
4162-1161	PIN GAGE SET, 190pcs, .061~.250"	265.00	A
4162-1251	PIN GAGE SET. 250pcs, .251" ~.500"	394.00	A
4162-1501	PIN GAGE SET, 125pcs, .501~.625"	344.00	A
4162-1626	PIN GAGE SET, 125pcs, .626~.750"	390.00	A
4162-1751	PIN GAGE SET, 82pcs, .751~.832"	323.00	A
4162-1833	PIN GAGE SET, 84pcs, .833~.916"	386.00	A
4162-1917	PIN GAGE SET, 84pcs, .917~1.000"	401.00	A
4162-211	PIN GAGE SET, 50pcs, .011~.060	62.30	A
4162-2161	PIN GAGE SET, 190pcs, .061~.250"	254.00	A
4162-2251	PIN GAGE SET. 250pcs, .251" ~.500"	394.00	A
4162-2501	PIN GAGE SET, 125pcs, .501~.625"	344.00	A
4162-2626	PIN GAGE SET, 125pcs, .626~.750"	390.00	A
4162-2751	PIN GAGE SET, 82pcs, .751~.832"	323.00	A
4162-2833	PIN GAGE SET, 84pcs, .833~.916"	386.00	A
4162-2917	PIN GAGE SET, 84pcs, .917~1.000"	401.00	A
4168-10E	STEEL STANDARD BALLS, 3/8"	16.40	A
4168-11E	STEEL STANDARD BALLS, 13/32"	19.50	A
4168-12E	STEEL STANDARD BALLS, 7/16"	20.00	A
4168-13E	STEEL STANDARD BALLS, 15/32"	20.10	A
4168-14E	STEEL STANDARD BALLS, 1/2"	23.30	A
4168-15E	STEEL STANDARD BALLS, 17/32"	23.40	A
4168-16E	STEEL STANDARD BALLS, 9/16"	23.40	A
4168-17E	STEEL STANDARD BALLS, 19/32"	22.80	A
4168-18E	STEEL STANDARD BALLS, 5/8"	23.00	A

4168-19E	STEEL STANDARD BALLS, 21/32"	23.10	A
4168-1E	STEEL STANDARD BALLS, 1/8"	12.10	A
4168-20E	STEEL STANDARD BALLS, 11/16"	23.10	A
4168-21E	STEEL STANDARD BALLS, 23/32"	23.20	A
4168-22E	STEEL STANDARD BALLS, 3/4"	23.30	A
4168-23E	STEEL STANDARD BALLS, 13/16"	25.50	A
4168-24E	STEEL STANDARD BALLS, 7/8"	26.30	A
4168-25E	STEEL STANDARD BALLS, 15/16"	26.40	A
4168-26E	STEEL STANDARD BALLS, 1"	27.90	A
4168-2E	STEEL STANDARD BALLS, 9/64"	12.20	A
4168-3E	STEEL STANDARD BALLS, 5/32"	13.80	A
4168-4E	STEEL STANDARD BALLS, 3/16"	13.90	A
4168-5E	STEEL STANDARD BALLS, 7/32"	14.00	A
4168-6E	STEEL STANDARD BALLS, 1/4"	14.10	A
4168-7E	STEEL STANDARD BALLS, 9/32"	15.50	A
4168-8E	STEEL STANDARD BALLS, 5/16"	15.60	A
4168-9E	STEEL STANDARD BALLS, 11/32"	16.30	A
4168-S1E	STEEL STANDARD BALLS	453.00	A
4176-301	CALIPER INSPECTION GAGE BLOCK (grade 1) AND SETTING RIF	392.00	A
4179-1	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 1"	191.00	A
4179-10	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 10"	1278.00	A
4179-11	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 11"	1490.00	A
4179-2	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 2"	251.00	A
4179-3	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 3"	310.00	A
4179-4	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 4"	505.00	A
4179-5	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 5"	606.00	A
4179-6	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 6"	691.00	A
4179-7	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 7"	792.00	A
4179-8	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 8"	885.00	A
4179-9	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 9"	1066.00	A
4180-1000	MAGNALIUM STRAIGHT EDGE, length 40"	1000.00	A
4180-1500	MAGNALIUM STRAIGHT EDGE, length 60"	1477.00	A
4180-2000	MAGNALIUM STRAIGHT EDGE, length 80"	1979.00	A
4180-2500	MAGNALIUM STRAIGHT EDGE, length 100"	3096.00	A
4180-3000	MAGNALIUM STRAIGHT EDGE, length 120"	3588.00	A
4180-500	MAGNALIUM STRAIGHT EDGE, length 20"	477.00	A
4190-11H16	CERAMIC STANDARD BALLS, 11/16"	38.40	A
4190-11H32	CERAMIC STANDARD BALLS, 11/32"	11.80	A
4190-13H32	CERAMIC STANDARD BALLS, 13/32"	14.90	A
4190-15H16	CERAMIC STANDARD BALLS, 15/16"	86.80	A
4190-15H32	CERAMIC STANDARD BALLS, 15/32"	16.30	A
4190-15H64	CERAMIC STANDARD BALLS, 15/64"	9.42	A
4190-17H32	CERAMIC STANDARD BALLS, 17/32"	20.20	A
4190-17H64	CERAMIC STANDARD BALLS, 17/64"	9.42	A
4190-19H32	CERAMIC STANDARD BALLS, 19/32"	26.20	A
4190-1H16	CERAMIC STANDARD BALLS, 1/16"	6.73	A
4190-1H2	CERAMIC STANDARD BALLS, 1/2"	17.80	A
4190-1H4	CERAMIC STANDARD BALLS, 1/4"	8.97	A
4190-1H8	CERAMIC STANDARD BALLS, 1/8"	7.29	A
4190-21H32	CERAMIC STANDARD BALLS, 21/32"	34.60	A
4190-23H32	CERAMIC STANDARD BALLS, 23/32"	42.90	A
4190-25H32	CERAMIC STANDARD BALLS, 25/32"	53.50	A
4190-29H64	CERAMIC STANDARD BALLS, 29/64"	15.90	A
4190-31H64	CERAMIC STANDARD BALLS, 31/64"	17.50	A
4190-3H16	CERAMIC STANDARD BALLS, 3/16"	8.41	A
4190-3H32	CERAMIC STANDARD BALLS, 3/32"	6.73	A
4190-3H4	CERAMIC STANDARD BALLS, 3/4"	48.10	A
4190-3H8	CERAMIC STANDARD BALLS, 3/8"	12.10	A
4190-5H16	CERAMIC STANDARD BALLS, 5/16"	11.10	A
4190-5H32	CERAMIC STANDARD BALLS, 5/32"	7.85	A
4190-5H8	CERAMIC STANDARD BALLS, 5/8"	29.20	A
4190-7H16	CERAMIC STANDARD BALLS, 7/16"	15.40	A
4190-7H32	CERAMIC STANDARD BALLS, 7/32"	9.31	A
4190-7H64	CERAMIC STANDARD BALLS, 7/64"	7.07	A

4190-7H8	CERAMIC STANDARD BALLS, 7/8"	72.10	A
4190-9H16	CERAMIC STANDARD BALLS, 9/16"	23.00	A
4190-9H32	CERAMIC STANDARD BALLS, 9/32"	10.30	A
4190-S25E	CERAMIC STANDARD BALLS SET, 31 pairs	974.00	A
4206-1	TELESCOPING GAGE SET, 5/16 ~ 6"	57.20	A
4208-1	SMALL HOLE GAGE SET, .125 ~ .5"	36.80	A
4209-1	LONG HANDLE TELESCOPING GAGE, 5/16 ~ 1/2"	16.50	A
4209-2	LONG HANDLE TELESCOPING GAGE, 1/2 ~ 3/4"	16.50	A
4209-3	LONG HANDLE TELESCOPING GAGE, 3/4 ~ 1-1/4"	16.50	A
4209-4	LONG HANDLE TELESCOPING GAGE, 1-1/4 ~ 2-1/8"	19.10	A
4209-5	LONG HANDLE TELESCOPING GAGE, 2-1/8 ~ 3-1/2"	19.10	A
4209-6	LONG HANDLE TELESCOPING GAGE, 3-1/2 ~ 6"	19.10	A
4602-20	FEELER GAGE (length 100mm), 0.05-1.00mm, 20 leaves	12.90	A
4602-32	FEELER GAGE (length 100mm), 0.03-1.00mm, 32leaves	15.90	A
4608-31	FEELER GAGE, .0015"~.035"	13.20	A
4630-1	TAPER GAGE, 0.5-10mm, graduation 0.05mm	66.40	A
4630-1E	TAPER GAGE, .01"-.15"	82.70	A
4630-3	TAPER GAGE, 0.4 - 6mm, graduation 0.05mm	85.50	A
4634-112	NPT THREAD RING GAGE, 1x11.5NPT	736.00	A
4634-1A14	NPT THREAD RING GAGE, 1/2x14NPT	555.00	A
4634-1B18	NPT THREAD RING GAGE, 1/4x18NPT	581.00	A
4634-1C27	NPT THREAD RING GAGE, 1/8x27NPT	637.00	A
4634-1D27	NPT THREAD RING GAGE, 1/16x27NPT	637.00	A
4634-1G12	NPT THREAD RING GAGE, 1-1/4x11.5NPT	739.00	A
4634-1H12	NPT THREAD RING GAGE, 1-1/2x11.5NPT	738.00	A
4634-1J8	NPT THREAD RING GAGE, 2-1/2x8NPT	948.00	A
4634-1N8	NPT THREAD RING GAGE, 3-1/2x8NPT	968.00	A
4634-212	NPT THREAD RING GAGE, 2x11.5NPT	917.00	A
4634-38	NPT THREAD RING GAGE, 3x8NPT	958.00	A
4634-3B14	NPT THREAD RING GAGE, 3/4x14NPT	556.00	A
4634-3C18	NPT THREAD RING GAGE, 3/8x18NPT	581.00	A
4634-48	NPT THREAD RING GAGE, 4x8NPT	1419.00	A
4635-111	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1 - 11, GO	508.00	A
4635-111N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1 - 11, NOGO	508.00	A
4635-1A14	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/2 - 14, GO	308.00	A
4635-1A14N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/2 - 14, NOGO	308.00	A
4635-1B19	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/4 - 19, GO	306.00	A
4635-1B19N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/4 - 19, NOGO	306.00	A
4635-1C28	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/8 - 28, GO	305.00	A
4635-1C28N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/8 - 28, NOGO	305.00	A
4635-1G11	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/4 - 11, GO	510.00	A
4635-1G11N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/4 - 11, NOGO	510.00	A
4635-1H11	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/2 - 11, GO	514.00	A
4635-1H11N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/2 - 11, NOGO	514.00	A
4635-211	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 2 - 11, GO	654.00	A
4635-211N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 2 - 11, NOGO	654.00	A
4635-3B14	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/4 - 14, GO	368.00	A
4635-3B14N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/4 - 14, NOGO	368.00	A



4635-3C19	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/8 - 19, GO	306.00	A
4635-3C19N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/8 - 19, NOGO	306.00	A
4636-111	BSPT TAPER THREAD RING GAGE, 1 - 11 BSPT	2214.00	A
4636-1A14	BSPT TAPER THREAD RING GAGE, 1/2 - 14 BSPT	1394.00	A
4636-1B19	BSPT TAPER THREAD RING GAGE, 1/4 - 19 BSPT	1757.00	A
4636-1C28	BSPT TAPER THREAD RING GAGE, 1/8 - 28 BSPT	2203.00	A
4636-1G11	BSPT TAPER THREAD RING GAGE, 1.1/4 - 11 BSPT	2216.00	A
4636-1H11	BSPT TAPER THREAD RING GAGE, 1.1/2 - 11 BSPT	2215.00	A
4636-211	BSPT TAPER THREAD RING GAGE, 2 - 11 BSPT	2769.00	A
4636-2H11	BSPT TAPER THREAD RING GAGE, 2.1/2-11 BSPT	2786.00	A
4636-311	BSPT TAPER THREAD RING GAGE, 3-11 BSPT	2792.00	A
4636-3B14	BSPT TAPER THREAD RING GAGE, 3/4 - 14 BSPT	1395.00	A
4636-3C19	BSPT TAPER THREAD RING GAGE, 3/8 - 19 BSPT	1757.00	A
4636-411	BSPT TAPER THREAD RING GAGE, 4-11 BSPT	4178.00	A
4636-511	BSPT TAPER THREAD RING GAGE, 5-11 BSPT	4819.00	A
4636-611	BSPT TAPER THREAD RING GAGE, 6-11 BSPT	4837.00	A
4644-112	NPT THREAD PLUG GAGE, 1x11.5NPT	402.00	A
4644-1A14	NPT THREAD PLUG GAGE, 1/2x14NPT	320.00	A
4644-1B18	NPT THREAD PLUG GAGE, 1/4x18NPT	317.00	A
4644-1C27	NPT THREAD PLUG GAGE, 1/8x27NPT	364.00	A
4644-1D27	NPT THREAD PLUG GAGE, 1/16x27NPT	364.00	A
4644-1G12	NPT THREAD PLUG GAGE, 1-1/4x11.5NPT	405.00	A
4644-1H12	NPT THREAD PLUG GAGE, 1-1/2x11.5NPT	408.00	A
4644-1J8	NPT THREAD PLUG GAGE, 2-1/2x8NPT	667.00	A
4644-1N8	NPT THREAD PLUG GAGE, 3-1/2x8NPT	774.00	A
4644-212	NPT THREAD PLUG GAGE, 2x11.5NPT	468.00	A
4644-38	NPT THREAD PLUG GAGE, 3x8NPT	684.00	A
4644-3B14	NPT THREAD PLUG GAGE, 3/4x14NPT	321.00	A
4644-3C18	NPT THREAD PLUG GAGE, 3/8x18NPT	318.00	A
4644-48	NPT THREAD PLUG GAGE, 4x8NPT	1010.00	A
4645-111	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1 - 11, GO and NOGO	434.00	A
4645-1A14	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1/2 - 14, GO and NOGO	259.00	A
4645-1B19	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1/4 - 19, GO and NOGO	257.00	A
4645-1C28	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1/8 - 28, GO and NOGO	256.00	A
4645-1G11	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1.1/4 - 11, GO and NOGO	454.00	A
4645-1H11	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1.1/2 - 11, GO and NOGO	439.00	A
4645-211	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 2 - 11, GO and NOGO	542.00	A
4645-3B14	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 3/4 - 14, GO and NOGO	315.00	A
4645-3C19	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 3/8 - 19, GO and NOGO	257.00	A
4646-111	BSPT TAPER THREAD PLUG GAGE, 1 - 11 BSPT	1110.00	A
4646-1A14	BSPT TAPER THREAD PLUG GAGE, 1/2 - 14 BSPT	859.00	A
4646-1B19	BSPT TAPER THREAD PLUG GAGE, 1/4 - 19 BSPT	855.00	A
4646-1C28	BSPT TAPER THREAD PLUG GAGE, 1/8 - 28 BSPT	1057.00	A
4646-1G11	BSPT TAPER THREAD PLUG GAGE, 1.1/4 - 11 BSPT	1112.00	A
4646-1H11	BSPT TAPER THREAD PLUG GAGE, 1.1/2 - 11 BSPT	1114.00	A
4646-211	BSPT TAPER THREAD PLUG GAGE, 2 - 11 BSPT	1655.00	A
4646-2H11	BSPT TAPER THREAD PLUG GAGE, 2.1/2-11 BSPT	1675.00	A
4646-311	BSPT TAPER THREAD PLUG GAGE, 3-11 BSPT	1705.00	A
4646-3B14	BSPT TAPER THREAD PLUG GAGE, 3/4 - 14 BSPT	859.00	A
4646-3C19	BSPT TAPER THREAD PLUG GAGE, 3/8 - 19 BSPT	856.00	A
4646-411	BSPT TAPER THREAD PLUG GAGE, 4-11 BSPT	2544.00	A
4646-511	BSPT TAPER THREAD PLUG GAGE, 5-11 BSPT	3199.00	A
4646-611	BSPT TAPER THREAD PLUG GAGE, 6-11 BSPT	3219.00	A
4700-100	STRAIGHT EDGE, 3.9"	46.90	A

4700-125	STRAIGHT EDGE, 4.9"	51.90	A
4700-150	STRAIGHT EDGE, 5.9"	70.60	A
4700-200	STRAIGHT EDGE, 7.9"	82.50	A
4700-250	STRAIGHT EDGE, 9.8"	122.00	A
4700-300	STRAIGHT EDGE, 11.8"	159.00	A
4700-400	STRAIGHT EDGE, 15.7"	262.00	A
4700-50	STRAIGHT EDGE, 2.0"	37.30	A
4700-500	STRAIGHT EDGE, 19.7"	367.00	A
4700-75	STRAIGHT EDGE, 3.0"	40.10	A
4701-1	ADJUSTABLE SQUARE	176.00	A
4702-1	SQUARE SET, includes 4794-025, 4794-040, 4790-075 and 4700-100	224.00	A
4706-1100	120° SQUARE, 3.9x3.9"	45.30	A
4706-1150	120° SQUARE, 5.9x5.9"	59.10	A
4706-1200	120° SQUARE, 7.9x7.9"	75.80	A
4706-150	120° SQUARE, 2.0x2.0"	27.10	A
4706-175	120° SQUARE, 3.0x3.0"	34.60	A
4707-100	MACHINIST SQUARE WITH WIDE BASE, 3.9x2.8"	28.00	A
4707-1000	MACHINIST SQUARE WITH WIDE BASE, 39x22"	723.00	A
4707-150	MACHINIST SQUARE WITH WIDE BASE, 6x4"	39.00	A
4707-200	MACHINIST SQUARE WITH WIDE BASE, 8x5"	66.80	A
4707-250	MACHINIST SQUARE WITH WIDE BASE, 10x6"	77.50	A
4707-300	MACHINIST SQUARE WITH WIDE BASE, 12x8"	102.00	A
4707-400	MACHINIST SQUARE WITH WIDE BASE, 16x10"	145.00	A
4707-50	MACHINIST SQUARE WITH WIDE BASE, 2.0x1.6"	22.80	A
4707-500	MACHINIST SQUARE WITH WIDE BASE, 20x12"	247.00	A
4707-600	MACHINIST SQUARE WITH WIDE BASE, 24x14"	359.00	A
4707-75	MACHINIST SQUARE WITH WIDE BASE, 3.0x2.0"	24.00	A
4707-750	MACHINIST SQUARE WITH WIDE BASE, 30x16"	418.00	A
4707-900	MACHINIST SQUARE WITH WIDE BASE, 35x20"	544.00	A
4710-200	CYLINDER SQUARE, length 8"	2664.00	A
4710-300	CYLINDER SQUARE, length 12"	3442.00	A
4720-300E	BENCH CENTER WITH ROLLER TAILSTOCKS, 11.811"	5862.00	B
4721-75AE	MINI BENCH CENTER	2576.00	B
4722-200	VERTICAL AND HORIZONTAL BENCH CENTER	6274.00	B
4723-300E	BENCH CENTER WITH STRAIGHTNESS MEASUREMENT, 11.811"	11469.00	B
4725-45E	CONCENTRICITY GAGE, Diameter range .118 -1.772", Center height .0005"	2076.00	B
4725-60E	CONCENTRICITY GAGE, Diameter range .197 -2.362", Center height .0005"	5604.00	B
4725-80E	CONCENTRICITY GAGE, Diameter range .315 -3.150", Center height .0005"	6779.00	B
4726-1E	CONCENTRICITY GAGE, .118"DIA-1.575"DIA	6750.00	B
4726-2E	CONCENTRICITY GAGE, .039"DIA-1.575"DIA	6906.00	B
4728-360	VERTICAL BENCH CENTER	14224.00	B
4733-300AE	BENCH CENTERS, with handwheel	12957.00	B
4733-300BE	BENCH CENTERS, without handwheel	12173.00	B
4745-1120	45° SQUARE, 4.7x3.1"	45.50	A
4745-1150	45° SQUARE, 5.9x3.9"	57.80	A
4745-1200	45° SQUARE, 7.9x5.1"	85.60	A
4747-120	45° SQUARE WITH WIDE BASE, 4.7x3.1"	66.70	A
4747-150	45° SQUARE WITH WIDE BASE, 5.9x3.9"	72.90	A
4747-200	45° SQUARE WITH WIDE BASE, 7.9x5.1"	115.00	A
4754-3120	135° SQUARE WITH WIDE BASE, 4.7x3.1"	51.10	A
4754-3150	135° SQUARE WITH WIDE BASE, 5.9x3.9"	64.50	A
4754-3200	135° SQUARE WITH WIDE BASE, 7.9x5.1"	99.00	A
4760-1120	60° SQUARE, 4.7x3.1"	46.40	A
4760-1150	60° SQUARE, 5.9x3.9"	63.20	A
4760-1200	60° SQUARE, 7.9x5.1"	87.20	A
4762-120	60° SQUARE WITH WIDE BASE, 4.7x3.1"	66.70	A
4762-150	60° SQUARE WITH WIDE BASE, 5.9x3.9"	75.80	A
4762-200	60° SQUARE WITH WIDE BASE, 7.9x5.1"	112.00	A
4770-300E	PERPENDICULARITY TESTER, 0-12"	4855.00	B
4770-600E	PERPENDICULARITY TESTER, 0-24"	9950.00	B
4771-30	SHANK RUNOUT TESTER, taper CAT30	7684.00	A
4771-40	SHANK RUNOUT TESTER, taper CAT40	8698.00	A
4771-50	SHANK RUNOUT TESTER, taper CAT50	10812.00	A
4780-85A	PROTRACTOR(ECONOMIC TYPE), 0-180°	18.50	A

4781-85A	PROTRACTOR, 0-180°	38.30	A
4782-300E	BENCH CENTER(BASCI TYPE)	3295.00	B
4786-1E	CONCENTRICITY GAGE	5509.00	B
4788-1000E	BENCH CENTER	24082.00	B
4788-1000H2E	BENCH CENTER	27025.00	B
4788-1000H3E	BENCH CENTER	24892.00	B
4788-300E	BENCH CENTER	6216.00	B
4788-400E	BENCH CENTER	8554.00	B
4788-600E	BENCH CENTER	12813.00	B
4788-600H2E	BENCH CENTER	17414.00	B
4788-D10E	BENCH CENTER, Distance between two centers 39.370", Low accuracy	14130.00	B
4788-D2E	BENCH CENTER, Distance between two centers 7.874", Low accuracy	3913.00	B
4788-D3E	BENCH CENTER, Distance between two centers 11.811", Low accuracy	4524.00	B
4788-D4E	BENCH CENTER, Distance between two centers 15.748", Low accuracy	6746.00	B
4788-D6E	BENCH CENTER, Distance between two centers 23.622", Low accuracy	9634.00	B
4788-D8E	BENCH CENTER, Distance between two centers 31.496", Low accuracy	12662.00	B
4789-1E	CONCENTRICITY GAGE	1880.00	B
4789-2E	CONCENTRICITY GAGE	2077.00	B
4789-3E	CONCENTRICITY GAGE	1950.00	B
4790-0100	90° BEVELED EDGE SQUARE, 3.9x2.8", grade 00	79.00	A
4790-0150	90° BEVELED EDGE SQUARE, 5.9x3.9", grade 00	138.00	A
4790-0200	90° BEVELED EDGE SQUARE, 7.9x5.1", grade 00	177.00	A
4790-0250	90° BEVELED EDGE SQUARE, 9.8x6.5", grade 00	257.00	A
4790-0300	90° BEVELED EDGE SQUARE, 11.8x7.9", grade 00	325.00	A
4790-050	90° BEVELED EDGE SQUARE, 2.0x1.6", grade 00	60.70	A
4790-075	90° BEVELED EDGE SQUARE, 3.0x2.0", grade 00	70.10	A
4790-1000	90° BEVELED EDGE SQUARE, 3.9x2.8", grade 0	71.00	A
4790-1500	90° BEVELED EDGE SQUARE, 5.9x3.9", grade 0	128.00	A
4790-2000	90° BEVELED EDGE SQUARE, 7.9x5.1", grade 0	164.00	A
4790-2500	90° BEVELED EDGE SQUARE, 9.8x6.5", grade 0	234.00	A
4790-3000	90° BEVELED EDGE SQUARE, 11.8x7.9", grade 0	307.00	A
4790-500	90° BEVELED EDGE SQUARE, 2.0x1.6", grade 0	58.60	A
4790-750	90° BEVELED EDGE SQUARE, 3.0x2.0", grade 0	61.70	A
4791-100	90° FLAT EDGE SQUARE (DIN875 grade 0), 3.9x2.8"	68.30	A
4791-1001	90° FLAT EDGE SQUARE (DIN875 grade 1), 3.9x2.8"	30.00	A
4791-150	90° FLAT EDGE SQUARE (DIN875 grade 0), 5.9x3.9"	106.00	A
4791-1501	90° FLAT EDGE SQUARE (DIN875 grade 1), 5.9x3.9"	44.90	A
4791-200	90° FLAT EDGE SQUARE (DIN875 grade 0), 7.9x5.1"	142.00	A
4791-2001	90° FLAT EDGE SQUARE (DIN875 grade 1), 7.9x5.1"	73.90	A
4791-250	90° FLAT EDGE SQUARE (DIN875 grade 0), 9.8x6.5"	187.00	A
4791-300	90° FLAT EDGE SQUARE(DIN875 grade 0), 11.8x7.9"	203.00	A
4791-50	90° FLAT EDGE SQUARE (DIN875 grade 0), 2.0x1.6"	52.00	A
4791-501	90° FLAT EDGE SQUARE (DIN875 grade 1), 2.0x1.6"	18.50	A
4791-75	90° FLAT EDGE SQUARE (DIN875 grade 0), 3.0x2.0"	59.00	A
4791-751	90° FLAT EDGE SQUARE (DIN875 grade 1), 3.0x2.0"	25.10	A
4792-100	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.9x2.8"	89.30	A
4792-150	90° FLAT EDGE SQUARE WITH WIDE BASE, 5.9x3.9"	163.00	A
4792-200	90° FLAT EDGE SQUARE WITH WIDE BASE, 7.9x5.1"	192.00	A
4792-50	90° FLAT EDGE SQUARE WITH WIDE BASE, 2.0x1.6"	57.90	A
4792-75	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.0x2.0"	110.00	A
4793-100	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.9x2.8"	93.40	A
4793-150	90° FLAT EDGE SQUARE WITH WIDE BASE, 5.9x3.9"	160.00	A
4793-200	90° FLAT EDGE SQUARE WITH WIDE BASE, 7.9x5.1"	218.00	A
4793-250	90° FLAT EDGE SQUARE WITH WIDE BASE, 9.8x6.5"	257.00	A
4793-300	90° FLAT EDGE SQUARE WITH WIDE BASE, 11.8x7.9"	321.00	A
4793-50	90° FLAT EDGE SQUARE WITH WIDE BASE, 2.0x1.6"	76.00	A
4793-75	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.0x2.0"	82.10	A
4794-025	90° TOOL MAKER SQUARE, 1.0x.8"	56.00	A
4794-040	90° TOOL MAKER SQUARE, 1.6x1.1"	58.40	A
4795-100	90° BEVELED EDGE SQUARE WITH WIDE BASE, 3.9x2.8"	116.00	A
4795-150	90° BEVELED EDGE SQUARE WITH WIDE BASE, 5.9x3.9"	178.00	A
4795-200	90° BEVELED EDGE SQUARE WITH WIDE BASE, 7.9x5.1"	249.00	A
4795-50	90° BEVELED EDGE SQUARE WITH WIDE BASE, 2.0x1.6"	66.10	A
4795-75	90° BEVELED EDGE SQUARE WITH WIDE BASE, 3.0x2.0"	82.80	A

4797-100	PROTRACTOR, 3.9x5.9", 10-170°	60.80	A
4797-150	PROTRACTOR, 5.9x11.8", 10-170°	71.20	A
4797-200	PROTRACTOR, 7.9x15.7", 10-170°	88.80	A
4797-250	PROTRACTOR, 9.8x19.7", 10-170°	138.00	A
4797-300	PROTRACTOR, 11.8x23.6", 10-170°	170.00	A
4799-1120	PROTRACTOR, 4.7x5.9", 0-180°	44.80	A
4799-1150	PROTRACTOR, 5.9x7.9", 0-180°	61.60	A
4799-1200	PROTRACTOR, 7.9x11.8" 0-180°	79.10	A
4799-1300	PROTRACTOR, 11.8x19.7", 0-180°	124.00	A
4799-180	PROTRACTOR, 3.1x4.7", 0-180°	39.90	A
4801-15E	RADIUS GAGE, 1/32"-1/4"	30.30	A
4801-16	RADIUS GAGE, 1-7mm	23.40	A
4801-16E	RADIUS GAGE, 17/64"-1/2"	30.30	A
4801-16E1	RADIUS GAGE, 17/32"-1"	30.30	A
4804-25E	RADIUS GAGE SET, 1/64"-1/2"	77.20	A
4804-26	RADIUS GAGE SET, 0.5-13mm	79.10	A
4804-26E	RADIUS GAGE SET, .010"-.5"	85.30	A
4804-8E	RADIUS GAGE SET, 9/16"-1"	111.00	A
4804-8E1	RADIUS GAGE SET, 1-1/16"-1-1/2"	216.00	A
4806-20	ANGLE GAGE, 1°-45°	66.30	A
4810-55	CENTER GAGE, 55°	8.48	A
4810-601	CENTER GAGE, 60°	8.48	A
4810-602	CENTER GAGE, 60°	10.20	A
4812-12	THREAD GAGE, 2-12mm	33.80	A
4812-E	THREAD GAGE, 1-10TPI	33.70	A
4820-122	PITCH GAGE, 0.4-7.0mm	14.60	A
4820-124	PITCH GAGE, 0.25-7.0mm	14.30	A
4820-230	PITCH GAGE, 4-42TPI	17.50	A
4820-328	PITCH GAGE, 4-62TPI	16.20	A
4820-330	PITCH GAGE, 4-42TPI	17.40	A
4824-12	PITCH GAGE, 2-20mm	69.70	A
4824-16	PITCH GAGE, 1-12TPI	77.70	A
4825-351	PITCH GAGE, 4-84TPI	159.00	A
4829-1E	TAPER GAGE AND STEEL RULER SET, 1/32-5/8", 6"/150mm	16.30	A
4830-E	WELDING GAGE	47.30	A
4831-20A	DIGITAL WELDING GAGE	243.00	A
4832-1	FILLET WELDING GAGE	21.90	A
4833-1	TAPER GAGE, 1/32"-5/8", graduation 1/64"	27.40	A
4833-1E	TAPER GAGE, 1/32"-5/8"	20.70	A
4833-2	TAPER GAGE, 5/8"-1-3/16", graduation 1/64"	22.40	A
4833-2E	TAPER GAGE, 5/8 - 1-3/16"	22.80	A
4833-3	TAPER GAGE, 1-3/16"-1-3/4", graduation 1/64"	28.60	A
4833-3E	TAPER GAGE, 1-3/16 - 1-3/4"	29.10	A
4833-4	TAPER GAGE, 1-13/16"-2-3/8", graduation 1/64"	34.80	A
4833-4E	TAPER GAGE, 1-3/4 - 2-3/8"	35.70	A
4834-1E	WELDING GAUGE	43.00	A
4835-1	WELDING GAGE	79.50	A
4836-1	FILLET WELD GAGE	48.70	A
4836-2	FILLET WELD GAGE	53.30	A
4837-1E	TAPER GAGE SET, 1/16 - 1-1/16"	79.00	A
4839-1	PIPE WELDING GAGE	117.00	A
4842-1	DRILL ANGLE GAGE	17.40	A
4843-1E	DRILL POINT GAGE	12.90	A
4844-1	CHAMFER GAGE, graduation 0.5mm	13.00	A
4844-1E	CHAMFER GAGE	13.30	A
4846-1	FILLET WELDING GAGE	91.80	A
4849-1	WELDING UNDERCUT GAGE	205.00	A
4852-E15	TAPER BORE GAGE, range .6-1.2"	162.00	A
4852-E30	TAPER BORE GAGE, range 1.2-1.8"	212.00	A
4853-1	SHEET METAL THICKNESS GAGE	50.60	A
4854-1	ANGLE GAGE	50.60	A
4860-15	GEAR TOOTH PITCH GAGE, Range 2-5, Pressure angle 14.5°	108.00	A
4860-180	GEAR TOOTH PITCH GAGE, Range 6-80, Pressure angle 14.5°	169.00	A
4860-25	GEAR TOOTH PITCH GAGE, Range 2-5, Pressure angle 20°	108.00	A
4860-280	GEAR TOOTH PITCH GAGE, Range 6-80, Pressure angle 20°	169.00	A

4901-12	BLOCK LEVEL, 12"	366.00	A
4901-6	BLOCK LEVEL, 6"	272.00	A
4901-8	BLOCK LEVEL, 8"	302.00	A
4902-12	FRAME LEVELS, 12x12"	566.00	A
4902-6	FRAME LEVELS, 6x6"	298.00	A
4902-8	FRAME LEVEL, 8x8"	448.00	A
4905-160	BLOCK LEVEL, 6"	853.00	A
4905-200	BLOCK LEVEL, 8"	1012.00	A
4905-300	BLOCK LEVEL, 12"	1380.00	A
4905-500	BLOCK LEVEL, 20"	2111.00	A
4905-B160	FRAME LEVEL, 6"	565.00	A
4905-B200	FRAME LEVEL, 8"	669.00	A
4905-B300	FRAME LEVEL, 12"	895.00	A
4905-B500	FRAME LEVEL, 20"	1811.00	A
4906-150	FRAME LEVEL, 6x6"	1624.00	A
4906-200	FRAME LEVEL, 8x8"	1975.00	A
4906-300	FRAME LEVEL, 12x12"	2837.00	A
4906-B150	BLOCK LEVEL, 6x6"	1206.00	A
4906-B200	BLOCK LEVEL, 8x8"	1516.00	A
4906-B300	BLOCK LEVEL, 12x12"	2777.00	A
4907-90	SHORT LEVEL, 3.5"	740.00	A
4908-100	MINI LEVEL, 3.9"	467.00	A
4909-60	DISC LEVEL	709.00	A
4909-80	DISC LEVEL	2430.00	A
4910-400	DIGITAL LEVELS AND SLOPE METERS, 0-360°(90 °x4)	80.30	A
4910-600	DIGITAL LEVELS AND SLOPE METERS, 0-360°(90 °x4)	174.00	A
4911-600	ALUMINUM ALLOY LEVEL, 24"	65.40	A
4911-800	ALUMINUM ALLOY LEVEL, 32"	72.70	A
4912-100	HANDLY LEVEL, 4"	15.70	A
4913-250	CAST ALUMINUM LEVEL, 10"	28.30	A
4914-1000	ALUMINUM LEVELS, 40"	56.50	A
4914-1200	ALUMINUM LEVELS 48"	62.40	A
4914-2000	ALUMINUM LEVELS 80"	86.70	A
4914-300	ALUMINUM LEVELS, 12"	30.20	A
4914-600	ALUMINUM LEVELS, 24"	38.50	A
4914-800	ALUMINUM LEVELS, 32"	48.60	A
4917-30	CROSS-LINE LASER LEVEL	236.00	A
4917-DETECTOR	OUTDOOR DETECTOR	139.00	A
4918-1000	ALUMINUM ALLOY LEVELS, 40"	44.20	A
4918-1200	ALUMINUM ALLOY LEVELS, 48"	49.50	A
4918-2000	ALUMINUM ALLOY LEVELS, 80"	69.00	A
4918-300	ALUMINUM ALLOY LEVELS, 12"	26.60	A
4918-600	ALUMINUM ALLOY LEVELS, 24"	33.60	A
4918-800	ALUMINUM ALLOY LEVELS, 32"	40.00	A
4921-230	ALUMINUM LEVEL, 9"	33.70	A
4922-100	HANDY LEVEL, 4"	22.50	A
4922-150	HANDY LEVEL, 6"	28.50	A
4922-200	HANDY LEVEL, 8"	30.40	A
4923-600	ALUMINUM LEVEL WITH RULER, 24"	55.00	A
5002-4E	2-PIECE MEASURING TOOL SET	103.00	A
5003-1	3-PIECE MEASURING TOOL SET	141.00	A
5003-1E	3-PIECE MEASURING TOOL SET	136.00	A
5013-E	13-PIECE MEASURING TOOL SET	433.00	A
5014-E	13-PIECE MEASURING TOOL SET	441.00	A
5015-E	15-PIECE MEASURING TOOL SET	824.00	A
5022-E	2-PIECE MEASURING TOOL SET	216.00	A
5023-E	2-PIECE MEASURING TOOL SET	197.00	A
5031-E	3-PIECE MEASURING TOOL SET	249.00	A
5042-E	4-PIECE MEASURING TOOL SET	222.00	A
5051-E	5-PIECE MEASURING TOOL SET	298.00	A
5052-E	5-PIECE MEASURING TOOL SET	493.00	A
5062-E	6-PIECE MEASURING TOOL SET	292.00	A
5091-E	9-PIECE MEASURING TOOL SET	314.00	A
5101-M500-U	INDUSTRIAL MICROSCOPE, bright field objectives	4513.00	B
5102-M600BD-U	METALLURGICAL MICROSCOPE, bright & dark field objectives	10268.00	B

5102-M600-U	METALLURGICAL MICROSCOPE, bright field objectives	4236.00	B
5103-M1000-U	METALLURGICAL MICROSCOPE, bright field objectives	5557.00	B
5104-M700	INDUSTRIAL INSPECTION MICROSCOPE (LARGE STAGE)	5801.00	B
5106-M50	ZOOM STEREO MICROSCOPE (with universal stand, binocular)	2476.00	B
5106-M50T	ZOOM STEREO MICROSCOPE (with universal stand, trinocular)	2786.00	B
5108-M3000	METALLURGICAL MICROSCOPE (PROFESSIONAL TYPE)	16535.00	B
5108-M3000H	METALLURGICAL MICROSCOPE (PROFESSIONAL TYPE)	18430.00	B
5108-M-APO100X	INFINITE LONG WORKING DISTANCE BRIGHT AND DARK FIELD ACHROMATIC OBJECTIVE	2220.00	B
5108-M-APO50X	INFINITE LONG WORKING DISTANCE BRIGHT AND DARK FIELD ACHROMATIC OBJECTIVE	1587.00	B
5108-M-BD100X	INFINITE LONG WORKING DISTANCE BRIGHT AND DARK FIELD SEMI ACHROMATIC OBJECTIVE	2851.00	B
5108-M-DIC	DIFFERENTIAL INTERFERENCE MODULE (DIC)	4747.00	B
5108-M-OB2D5X	INFINITE LONG WORKING DISTANCE BRIGHT FIELD SEMI ACHROMATIC OBJECTIVE, 2.5X	950.00	B
5201-63B2Y10	BOURDON TUBE PRESSURE GAGE (LIQUID FILLED), PROCESS CONNECTION 1/4BSP	26.80	B
5201-63N2Y10	BOURDON TUBE PRESSURE GAGE (LIQUID FILLED), PROCESS CONNECTION 1/4NPT	26.80	B
5201-63Z2Y10	BOURDON TUBE PRESSURE GAGE (LIQUID FILLED), PROCESS CONNECTION 1/4ZG	26.80	B
5301-D400	3D MOTORIZED ROTATION MICROSCOPE (WITH DISPLAY)	9919.00	B
5302-AF105	DIGITAL AUTO FOCUS MICROSCOPE	4002.00	B
5303-AF103	DIGITAL AUTO FOCUS MICROSCOPE (WITH DISPLAY)	4023.00	B
5305-ZS80	LONG WORKING DISTANCE STEREO MICROSCOPE (LOW MAGNIFICATION)	452.00	B
5307-ID100A	DIGITAL MEASURING MICROSCOPE	4248.00	B
5307-ID100-OB2X	2X auxiliary objective	76.00	B
5309-DM50	DIGITAL MICROSCOPE, arm type straight	1539.00	B
5309-DM51	DIGITAL MICROSCOPE, arm type universal	1889.00	B
5310-DL401-U	4K DIGITAL MEASURING MICROSCOPE (WITH DISPLAY)	5188.00	B
5311-M710	MINI DIGITAL MICROSCOPE (ELECTRO TYPE)	785.00	B
5313-S407	3D MANUAL ROTATION MICROSCOPE (WITH DISPLAY)	4760.00	B
5316-HM810	HORIZONTAL MICROSCOPE	5943.00	B
5317-AF109	FLEXIBLE ARM AUTO FOCUS DIGITAL MICROSCOPE (WITH DISPLAY, with magnetic stand), 20X~123X	5189.00	B
5317-AF110	FLEXIBLE ARM AUTO FOCUS DIGITAL MICROSCOPE (WITH DISPLAY, with desktop clamp), 20X~123X	5838.00	B
5318-MD60	DIGITAL MEASURING MICROSCOPE (BASIC TYPE)	1344.00	B
5318-OB05X	AUXILIARY OBJECTIVE, 0.5X	82.70	B
5318-OB2X	AUXILIARY OBJECTIVE, 2X	82.70	B
5700-LS35	COLORIMETER (BASIC TYPE)	563.00	B
5701-D40	SPECTROPHOTOMETER	3012.00	B
5702-DG6	60° GLOSS METER (BASIC TYPE)	504.00	B
5704-CP01	STANDARD COLOR PLATES	6121.00	B
5801-A55	MINI DIGITAL REFRACTOMETER, 0~50% (1.3330~1.4200RI)	279.00	B
6140-16B	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .630"	43.40	A
6140-300A	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .787"	74.10	A
6140-300B	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .787"	94.60	A
6141-180	EXTENSION BASE, length 7.087"	41.60	A
6141-260	EXTENSION BASE, length 10.236"	59.50	A
6141-320	EXTENSION BASE, length 12.598"	77.40	A
6141-600	EXTENSION BASE, length 23.622"	502.00	A
6145-500	ACCESSORY SET FOR LARGE DIGITAL CALIPER	270.00	A
6146-500B	ACCESSORY SET FOR LARGE DIGITAL CALIPERS (WITH SIDE POINTS)	303.00	A
6200-60	MAGNETIC STAND	41.00	A
6201-60	MAGNETIC STAND	38.00	A
6202-100	MAGNETIC STAND	99.50	A
6202-80	MAGNETIC STAND	68.60	A
6207-80A	FLEX ARM MAGNETIC STAND	74.90	A

6210-100E	UNIVERSAL MAGNETIC STAND	249.00	A
6210-80	UNIVERSAL MAGNETIC STAND, 80kgf	194.00	A
6210-80E	UNIVERSAL MAGNETIC STAND	203.00	A
6210-81E	UNIVERSAL MAGNETIC STAND	163.00	A
6211-10E	MINI MAGNETIC STAND	65.50	A
6212-100	MAGNETIC BASE, 220lbf	82.00	A
6212-80	MAGNETIC BASE, 176lbf	57.10	A
6214-A	UNIVERSAL STAND	130.00	A
6215-60	MAGNETIC STAND FOR UNEVEN SURFACE	70.10	A
6216-80E	MAGNETIC STAND, 176lbf	130.00	A
6217-BE	VACUUM STAND	173.00	A
6221-80E	MAGNETIC STAND (FOR .00005" DIAL AND DIAL TEST INDICATORS), 176lbf	148.00	A
6224-40E	MINI MAGNETIC STAND	147.00	A
6225-100E	UNIVERSAL DIAL INDICATOR STANDS (NON-MAGNETIC)	302.00	A
6225-80E	UNIVERSAL DIAL INDICATOR STANDS (NON-MAGNETIC)	273.00	A
6226-60	DIAL INDICATOR STANDS (NON-MAGNETIC)	180.00	A
6226-80	DIAL INDICATOR STANDS (NON-MAGNETIC)	187.00	A
6227-80E	DIAL INDICATOR STAND(NON-MAGNETIC)	233.00	A
6228-40E	HYDRAULIC MINI MAGNETIC STAND	200.00	A
6229-100E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 220lbf	421.00	A
6229-101E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 220lbf	526.00	A
6229-60E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 132lbf	265.00	A
6229-80E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 176lbf	292.00	A
6230-60E	DIAL INDICATOR STAND (FOR .00005" DIAL AND DIAL TEST INDICATORS)	176.00	A
6250-4	STANDARD BLOCK, taper 1:4	1171.00	A
6250-5	STANDARD BLOCK, taper 1:4	1171.00	A
6250-51	STANDARD BLOCK, taper 1:16	1171.00	A
6250-8	STANDARD BLOCK, taper 1:16	1171.00	A
6251-S4	STANDARD PITCH BLOCK, taper 1:6	1504.00	A
6251-S5	STANDARD PITCH BLOCK, taper 1:16	1504.00	A
6251-S8	STANDARD PITCH BLOCK, taper 1:16	1504.00	A
6252-B10	BALL POINT (round thread, line pipe), 10 threads per inch	102.00	A
6252-B115	BALL POINT (line pipe), 11.5 threads per inch	102.00	A
6252-B14	BALL POINT (line pipe), 14 threads per inch	102.00	A
6252-B18	BALL POINT (line pipe), 18 threads per inch	102.00	A
6252-B27	BALL POINT (line pipe), 27 threads per inch	102.00	A
6252-B5	BALL POINT (buttress thread), 5 threads per inch	102.00	A
6252-B51	BALL POINT (buttress thread), 5 threads per inch	102.00	A
6252-B52	BALL POINT (extreme line thread), 5,6 threads per inch	102.00	A
6252-B53	BALL POINT (extreme line thread), 5 threads per inch	102.00	A
6252-B6	BALL POINT (extreme line thread), 6 threads per inch	102.00	A
6252-B8	BALL POINT (round thread, line pipe), 8 threads per inch	102.00	A
6272-80E	MAGNETIC STAND WITH FINE ADJUSTMENT	165.00	A
6282-0102	BALL POINT	8.05	A
6282-0201	SHELL TYPE POINT	8.72	A
6282-0402	SPHERICAL POINT	17.50	A
6282-0702	CONICAL POINT	19.40	A
6282-1207	FLAT POINT	33.00	A
6282-1902	ROLLER POINT	174.00	A
6282-2011	EXTENSION ROD	6.73	A
6282-2018	EXTENSION ROD, 1"	6.64	A
6282-2019	EXTENSION ROD, 2"	8.05	A
6282-2020	EXTENSION ROD, 4"	11.70	A
6282-S6	POINT SET (steel), 6pcs	93.00	A
6284-10	STYLI FOR DIAL TEST INDICATORS	8.80	A
6284-11	STYLI FOR DIAL TEST INDICATORS	12.60	A
6284-12	STYLI FOR DIAL TEST INDICATORS	12.60	A
6284-13	STYLI FOR DIAL TEST INDICATORS	9.76	A
6284-14	STYLI FOR DIAL TEST INDICATORS	9.76	A
6284-15	STYLI FOR DIAL TEST INDICATORS	14.00	A
6284-16	STYLI FOR DIAL TEST INDICATORS	14.00	A
6284-17	STYLI FOR DIAL TEST INDICATORS	8.82	A
6284-18	STYLI FOR DIAL TEST INDICATORS	8.82	A

6284-19	STYLI FOR DIAL TEST INDICATORS	10.90	A
6284-20	STYLI FOR DIAL TEST INDICATORS	10.90	A
6284-65	STYLI FOR DIAL TEST INDICATORS	8.56	A
6284-66	STYLI FOR DIAL TEST INDICATORS	8.56	A
6284-67	STYLI FOR DIAL TEST INDICATORS	12.10	A
6284-68	STYLI FOR DIAL TEST INDICATORS	12.10	A
6284-81	STYLI FOR DIAL TESTER INDICATORS	7.69	A
6284-9	STYLI FOR DIAL TEST INDICATORS	8.37	A
6284-91	STYLI FOR DIAL TEST INDICATORS	76.80	A
6284-92	STYLI FOR DIAL TEST INDICATORS	76.80	A
6284-93	STYLI FOR DIAL TEST INDICATORS	76.80	A
6284-94	STYLI FOR DIAL TEST INDICATORS	76.80	A
6284-95	STYLI FOR DIAL TEST INDICATORS	75.30	A
6284-96	STYLI FOR DIAL TEST INDICATORS	76.80	A
6289-150	LIFTING LEVER	54.80	A
6291-1	DIAL TEST INDICATOR CENTERING HOLDER	24.60	A
6291-2	DIAL TEST INDICATOR CENTERING HOLDER	27.10	A
6293-1	DIAL TEST INDICATOR HOLDER	32.90	A
6293-2	DIAL TEST INDICATOR HOLDER, $\Phi 8 \times 115 \text{mm}$	27.60	A
6293-3	DIAL TEST INDICATOR HOLDER	31.50	A
6293-5	DIAL TEST INDICATOR UNIVERSAL HOLDER	37.00	A
6293-6	DIAL TEST INDICATOR HOLDER	26.60	A
6293-7	DIAL TEST INDICATOR HOLDER	24.70	A
6294-1AE	INDICATOR CENTERING HOLDER	68.50	A
6295-1AE	DIAL TEST INDICATOR CENTERING HOLDER	58.60	A
6296-2	DIAL TEST INDICATOR HOLDER	33.20	A
6297-1	DIAL TEST INDICATOR UNIVERSAL HOLDER	26.90	A
6301-1	Clamp for inside micrometers, suitable for inside micrometers	48.10	A
6301-2	Clamp for three points internal micrometers, Suitable for three points internal micrometers	120.00	A
6311-1	MICROMETER SETTING STANDARD, 1"	7.76	A
6311-10	MICROMETER SETTING STANDARD, 10"	31.10	A
6311-11	MICROMETER SETTING STANDARD, 11"	33.70	A
6311-12	MICROMETER SETTING STANDARD, 12"	75.90	A
6311-13	MICROMETER SETTING STANDARD, 13"	77.30	A
6311-14	MICROMETER SETTING STANDARD, 14"	91.00	A
6311-15	MICROMETER SETTING STANDARD, 15"	77.30	A
6311-16	MICROMETER SETTING STANDARD, 16"	92.70	A
6311-17	MICROMETER SETTING STANDARD, 17"	81.90	A
6311-18	MICROMETER SETTING STANDARD, 18"	98.30	A
6311-19	MICROMETER SETTING STANDARD, 19"	81.90	A
6311-2	MICROMETER SETTING STANDARD, 2"	8.92	A
6311-20	MICROMETER SETTING STANDARD, 20"	98.20	A
6311-21	MICROMETER SETTING STANDARD, 21"	101.00	A
6311-23	MICROMETER SETTING STANDARD, 23"	101.00	A
6311-25	MICROMETER SETTING STANDARD, 25"	120.00	A
6311-27	MICROMETER SETTING STANDARD, 27"	120.00	A
6311-29	MICROMETER SETTING STANDARD, 29"	133.00	A
6311-3	MICROMETER SETTING STANDARD, 3"	10.80	A
6311-31	MICROMETER SETTING STANDARD, 31"	133.00	A
6311-33	MICROMETER SETTING STANDARD, 33"	157.00	A
6311-35	MICROMETER SETTING STANDARD, 35"	157.00	A
6311-37	MICROMETER SETTING STANDARD, 37"	188.00	A
6311-39	MICROMETER SETTING STANDARD, 39"	183.00	A
6311-4	MICROMETER SETTING STANDARD, 4"	13.90	A
6311-5	MICROMETER SETTING STANDARD, 5"	16.80	A
6311-6	MICROMETER SETTING STANDARD, 6"	18.60	A
6311-7	MICROMETER SETTING STANDARD, 7"	21.50	A
6311-8	MICROMETER SETTING STANDARD, 8"	24.70	A
6311-9	MICROMETER SETTING STANDARD, 9"	27.20	A
6313-0D1	SETTING RING, .1" dia	363.00	A
6313-0D16	SETTING RING, .16" dia	80.50	A
6313-0D24	SETTING RING, .24" dia	80.50	A
6313-0D275	SETTING RING, .275" dia	80.50	A
6313-0D35	SETTING RING, .35" dia	80.50	A



6313-0D425	SETTING RING, .425" dia	87.20	A
6313-0D6	SETTING RING, .6" dia	87.20	A
6313-0D65	SETTING RING, .65" dia	87.20	A
6313-0D7	SETTING RING, .7" dia	87.20	A
6313-0D8	SETTING RING, .8" dia	93.80	A
6313-1	SETTING RING, 1.0" dia.	107.00	A
6313-10	SETTING RING, 10.0" dia.	3731.00	A
6313-11	SETTING RING, 11.0" dia.	5076.00	A
6313-11H16	SETTING RING, 11/16" dia	170.00	A
6313-11H32	SETTING RING, 11/32" dia	155.00	A
6313-12	SETTING RING, 12.0" dia	6438.00	A
6313-13H16	SETTING RING, 13/16" dia	183.00	A
6313-13H32	SETTING RING, 13/32" dia	155.00	A
6313-15H16	SETTING RING, 15/16" dia	183.00	A
6313-15H32	SETTING RING, 15/32" dia	170.00	A
6313-17H32	SETTING RING, 17/32" dia	170.00	A
6313-19H32	SETTING RING, 19/32" dia	170.00	A
6313-1D2	SETTING RING, 1.2" dia	111.00	A
6313-1D4	SETTING RING, 1.4" dia	116.00	A
6313-1D6	SETTING RING, 1.6" dia	140.00	A
6313-1D8	SETTING RING, 1.8" dia	143.00	A
6313-1H16	SETTING RING, 1/16" dia	578.00	A
6313-1H2	SETTING RING, 1/2" dia.	142.00	A
6313-1H4	SETTING RING, 1/4" dia.	129.00	A
6313-1H8	SETTING RING, 1/8" dia.	133.00	A
6313-2	SETTING RING, 2.0" dia.	170.00	A
6313-21H32	SETTING RING, 21/32" dia	170.00	A
6313-23H32	SETTING RING, 23/32" dia	170.00	A
6313-25H32	SETTING RING, 25/32" dia	183.00	A
6313-27H32	SETTING RING, 27/32" dia	183.00	A
6313-29H32	SETTING RING, 29/32" dia	183.00	A
6313-2D4	SETTING RING, 2.4" dia	211.00	A
6313-2D5	SETTING RING, 2.5" dia	238.00	A
6313-2D8	SETTING RING, 2.8" dia	244.00	A
6313-3	SETTING RING, 3.0" dia.	281.00	A
6313-31H32	SETTING RING, 31/32" dia	183.00	A
6313-3D2	SETTING RING, 3.2" dia	288.00	A
6313-3D5	SETTING RING, 3.5" dia	320.00	A
6313-3D6	SETTING RING, 3.6" dia	344.00	A
6313-3H16	SETTING RING, 3/16" dia	155.00	A
6313-3H32	SETTING RING, 3/32" dia	484.00	A
6313-3H4	SETTING RING, 3/4" dia	183.00	A
6313-3H8	SETTING RING, 3/8" dia	155.00	A
6313-4	SETTING RING, 4.0" dia.	592.00	A
6313-5	SETTING RING, 5.0" dia.	805.00	A
6313-5H16	SETTING RING, 5/16" dia	155.00	A
6313-5H32	SETTING RING, 5/32" dia	155.00	A
6313-5H8	SETTING RING, 5/8" dia	170.00	A
6313-6	SETTING RING, 6.0" dia	1449.00	A
6313-7	SETTING RING, 7.0" dia.	1789.00	A
6313-7H16	SETTING RING, 7/16" dia	170.00	A
6313-7H32	SETTING RING, 7/32" dia	155.00	A
6313-7H8	SETTING RING, 7/8" dia	183.00	A
6313-8	SETTING RING, 8.0" dia.	2447.00	A
6313-9	SETTING RING, 9.0" dia.	3370.00	A
6313-9H16	SETTING RING, 9/16" dia	170.00	A
6313-9H32	SETTING RING, 9/32" dia	155.00	A
6329-BT30	TAPER PLUG GAGE	223.00	A
6329-BT40	TAPER PLUG GAGE	243.00	A
6329-BT45	TAPER PLUG GAGE	298.00	A
6329-BT50	TAPER PLUG GAGE	329.00	A
6329-BT55	TAPER PLUG GAGE	461.00	A
6329-BT60	TAPER PLUG GAGE	512.00	A
6329-BT65	TAPER PLUG GAGE	882.00	A
6329-BT70	TAPER PLUG GAGE	1535.00	A

6329-BT75	TAPER PLUG GAGE	5400.00	A
6329-BT80	TAPER PLUG GAGE	5996.00	A
6353-25	DIGITAL MICROMETER HEAD, 0-1"/0-25mm, stem with clamp nut	368.00	A
6353-25W	DIGITAL MICROMETER HEAD, 0-1"/0-25mm, plain stem	374.00	A
6354-25W	DIGITAL MICROMETER HEAD, 0-1"/0-25mm, plain stem	382.00	A
6377-1	NON ROTATING SPINDLE MICROMETER HEAD, 0-1"	84.80	A
6377-25W	NON ROTATING SPINDLE MICROMETER HEAD, 0-25mm	104.00	A
6381-1W	MICROMETER HEAD, 0-1"	47.30	A
6381-25W	MICROMETER HEAD, 0-25mm	48.50	A
6521-80	PRECISION UNIVERSAL VISE, 2.756"	3863.00	A
6526-100	PRECISION VISE, 2.874"	395.00	A
6527-5	SINE TABLE, 6x6"	1907.00	A
6528-85	PRECISION UNIVERSAL VISE WITH CHUCK	4760.00	A
6529-5	SINE TABLE	1451.00	A
6531-5	1-2-3 BLOCKS, 3x2x1"	86.10	A
6531-8	2-4-6 BLCOKS, 6x4x2"	276.00	A
6532-10	PARALLEL SET, 10 pairs, 1/2, 5/8, 3/4, 7/8, 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8"	125.00	A
6532-9	PARALLEL SET, 9 pairs, 3/4, 7/8, 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4"	188.00	A
6535-25	ADJUSTABLE ANGLE BLOCK, 3.0x1.0x1.4"	392.00	A
6535-30	ADJUSTABLE ANGLE BLOCK, 4.0x1.2x1.9"	442.00	A
6536-5	COMPOUND SINE TABLE, 6x6"	2656.00	A
6537-400	PERMANENT MAGNETIC CHUCK, 16x8"	5071.00	A
6539-100	MAGNETIC SQUARE WITH V GROOVE, 4x4x4"	2087.00	A
6547-E1	RIGHT ANGLE PLATE, 3.9x3.9x4.5"	856.00	A
6557-50E	DIGITAL ZERO SETTER, height 2"	169.00	A
6566-2	ELECTRONIC EDGE FINDER, shank 20mm, without Beeper	146.00	A
6566-2E	DIGITAL EDGE FINDER, Shank (A) 3/4" DIA, without Beeper	167.00	A
6566-3	ELECTRONIC EDGE FINDER, shank 20mm, with Beeper	188.00	A
6566-3E	DIGITAL EDGE FINDER, Shank (A) 3/4" DIA, with Beeper	210.00	A
6567-1	EDGE FINDER, shank 10mm	40.20	A
6567-1E	EDGE FINDER, Shank (A) 3/8" DIA, Contact point (B) .2" DIA	60.20	A
6568-1	CERAMIC EDGE FINDER, shank 10mm	133.00	A
6801-1201	MAGNETIC V-BLOCK, 3.1x2.8x3.7"	259.00	A
6801-1202	MAGNETIC V-BLOCK, 3.9x2.8x3.7"	278.00	A
6801-1203	MAGNETIC V-BLOCK, 4.7x2.8x3.7"	290.00	A
6802-1	V-BLOCK SET, 2.6x2.8x2.0", pair	527.00	A
6803-1	V-BLOCK SET, 1.0x.8x.8", pair	396.00	A
6803-2	V-BLOCK SET, 2.0x1.6x1.6", pair	589.00	A
6804-1	V-BLOCK, 3.5"x1.9"x1.9"	673.00	A
6805-1	V-BLOCK SETS, 5.906x5.118x2.953"	1204.00	A
6805-2	V-BLOCK SETS, 7.874x6.693x3.543"	1381.00	A
6841-170DE	GRANITE DIAL INDICATOR STAND (BASIC TYPE), with fine adjustment, fine adjustment range .118"	612.00	A
6841-170E	GRANITE DIAL INDICATOR STAND (BASIC TYPE), without fine ad	641.00	A
6842-150	DIAL INDICATOR STAND, range of tip movement .157"	2223.00	A
6862-1001E	DIAL INDICATOR STAND	709.00	A
6862-1002E	DIAL INDICATOR STAND	659.00	A
6863-150E	DIAL INDICATOR STAND	904.00	A
6864-250E	DIAL INDICATOR STAND	1173.00	A
6864-250TE	DIAL INDICATOR STAND	1649.00	A
6865-300E	TRANSFER STAND	1080.00	A
6865-300TE	TRANSFER STAND	1513.00	A
6866-150E	GRANITE DIAL INDICATOR STAND	817.00	A
6867-250E	GRANITE DIAL INDICATOR STAND	1628.00	A
6875-320	PRECISION AIR FLOATING ROTARY TABLE, stage size 12.6"	22492.00	B
6875-400	PRECISION AIR FLOATING ROTARY TABLE, stage size 15.7"	24241.00	B
6875-500	PRECISION AIR FLOATING ROTARY TABLE, stage size 19.7"	25867.00	B
6876-150DE	DIAL INDICATOR STAND, with fine adjustment, fine adjustment range .118"	716.00	A
6876-150E	DIAL INDICATOR STAND, without fine adjustment	578.00	A
6881-A1	GAGE BLOCK ACCESSORY, holder, 0-1"	126.00	A
6881-A2	GAGE BLOCK ACCESSORY, holder, 1-2"	177.00	A
6881-A3	GAGE BLOCK ACCESSORY, holder, 2-4"	267.00	A

6881-A4	GAGE BLOCK ACCESSORY, holder, 4-8"	412.00	A
6881-A5	GAGE BLOCK ACCESSORY, holder, 8-12"	507.00	A
6881-A6	GAGE BLOCK ACCESSORY, holder, 12-20"	787.00	A
6881-A7	GAGE BLOCK ACCESSORY, holder, 20-30"	1152.00	A
6881-A8	GAGE BLOCK ACCESSORY, holder, 30-40"	1444.00	A
6881-BE	GAGE BLOCK ACCESSORY, base	444.00	A
6881-C	GAGE BLOCK ACCESSORY, plain jaw, pair	986.00	A
6881-D	GAGE BLOCK ACCESSORY, parallel jaw	393.00	A
6881-E1E	GAGE BLOCK ACCESSORY, .1", half round jaw, supplied in pair	225.00	A
6881-E2E	GAGE BLOCK ACCESSORY, .2", half round jaw, supplied in pair	257.00	A
6881-E3E	GAGE BLOCK ACCESSORY, .25", half round jaw, supplied in pair	292.00	A
6881-F	GAGE BLOCK ACCESSORY, scribe	249.00	A
6881-G	GAGE BLOCK ACCESSORY, centre point	249.00	A
6881-H	BASE FOR HOLDER, supplied in pair	436.00	A
6881-S17E	GAGE BLOCK ACCESSORY SET, 17pcs	4681.00	A
6883-1	GAGE BLOCK HOLDER, .06-.2"	26.60	A
6883-2	GAGE BLOCK HOLDER, .2-.4"	26.60	A
6883-3	GAGE BLOCK HOLDER, .4-.6"	26.60	A
6883-4	GAGE BLOCK HOLDER, .6-.8"	26.60	A
6883-5	GAGE BLOCK HOLDER, .8-1"	26.60	A
6884-E12	CALIPER/HEIGHT GAGE CHECKER, 0-12"	2837.00	B
6884-E24	CALIPER/HEIGHT GAGE CHECKER, 0-24"	4557.00	B
6884-E40	CALIPER/HEIGHT GAGE CHECKER, 0-40"	9758.00	B
6886-1	GAGE BLOCK HOLDER	141.00	A
6886-A	GAGE BLOCK HOLDER ACCESSORY, supplied in pair	199.00	A
6887-1	V-BLOCK SET, 2.0x.7x.9", pair	190.00	A
6887-2	V-BLOCK SET, 3.0x.9x1.4", pair	266.00	A
6887-3	V-BLOCK SET, 3.9x1.3x2.0", pair	363.00	A
6887-4	V-BLOCK SET, 4.9x1.7x2.7", pair	579.00	A
6888-1	ROLLER BEARING V-BLOCK SET, 5.9x2.4x3.9", pair	963.00	A
6888-2	ROLLER BEARING V-BLOCK SET, 5.9x3.1x3.9", pair	881.00	A
6888-3	ROLLER BEARING V-BLOCK SET, 9.1x3.9x5.9", pair	1439.00	A
6889-1	MAGNETIC V-BLOCKS, 3.0x2.2x3.0", pair	805.00	A
6889-11	MAGNETIC V-BLOCK, individual, 3.0x2.2x3.0", individual	365.00	A
6889-2	MAGNETIC V-BLOCKS, 3.9x2.8x3.7", pair	1164.00	A
6889-22	MAGNETIC V-BLOCK, individual, 3.9x2.8x3.7", individual	610.00	A
6889-3	MAGNETIC V-BLOCKS, 5.9x3.0x3.9", pair	2052.00	A
6889-33	MAGNETIC V-BLOCK, individual, 5.9x3.0x3.9", individual	1058.00	A
6889-4	MAGNETIC V-BLOCKS, 7.9x4.9x5.9", pair	3580.00	A
6889-44	MAGNETIC V-BLOCK, individual, 7.9x4.9x5.9", individual	1681.00	A
6889-5	MAGNETIC V-BLOCKS, 6.3x4.9x5.1", pair	3786.00	A
6889-55	MAGNETIC V-BLOCKS, 6.3x4.9x5.1", individual	1913.00	A
6890-702	MAGNETIC V-BLOCK, 2.8x2.4x2.9"	137.00	A
6891-1	MAGNETIC V-BLOCK SET, 2.8x1.6x2.0", pair	337.00	A
6891-3	MAGNETIC V-BLOCK SET, 5.9x2.0x3.9", pair	580.00	A
6896-10	V-BLOCK SET, 1.0x.8x.8", pair	195.00	A
6896-11	V-BLOCK SET, 2.0x1.6x1.6", pair	376.00	A
6896-12	V-BLOCK SET, 3.1x2.5x2.5", pair	574.00	A
6896-13	V-BLOCK SET, 3.9x3.1x3.1", pair	839.00	A
6896-14	V-BLOCK SET, 5.5x2.8x5.5", pair	1389.00	A
6897-1	GRANITE V-BLOCK SET, 2.8x2.0x2.8", pair	662.00	B
6897-2	GRANITE V-BLOCK SET, 3.9x2.0x2.8", pair	933.00	B
6898-100	MAGNETIC RECTANGULAR BLOCKS, 3.9x2.8x2.8", pair	1001.00	A
6898-150	MAGNETIC RECTANGULAR BLOCKS, 5.9x2.8x3.3", pair	1765.00	A
6900-A11	GRANITE SURFACE PLATE, 12x18x3", grade A	418.00	B
6900-A12	GRANITE SURFACE PLATE, 18x24x3", grade A	750.00	B
6900-A23	GRANITE SURFACE PLATE, 24x36x4", grade A	1615.00	B
6900-A34	GRANITE SURFACE PLATE, 36x48x6, grade A	3843.00	B
6902-106A	STAND FOR GRANITE SURFACE PLATE 6900-A23	1065.00	B
6902-106H	STAND FOR GRANITE SURFACE PLATE 6900-A23	1080.00	B
6902-161A	STAND FOR GRANITE SURFACE PLATE 6900-A34	1830.00	B
6902-161H	STAND FOR GRANITE SURFACE PLATE 6900-A34	1887.00	B
6902-64A	STAND FOR GRANITE SURFACE PLATE 6900-A11	964.00	B
6902-64H	STAND FOR GRANITE SURFACE PLATE 6900-A11	1027.00	B

6902-85A	STAND FOR GRANITE SURFACE PLATE 6900-A12	1030.00	B
6902-85H	STAND FOR GRANITE SURFACE PLATE 6900-A12	1079.00	B
6903-B	JACK SET FOR GRANITE SURFACE PLATE	2611.00	B
6990-300A	HEIGHT SCRIBER	76.80	A
7101-1000A	DIGITAL HORIZONTAL SCALE, 40"/1000mm	1137.00	A
7101-100A	DIGITAL HORIZONTAL SCALE, 4"/100mm	117.00	A
7101-150A	DIGITAL HORIZONTAL SCALE, 6"/150mm	139.00	A
7101-200A	DIGITAL HORIZONTAL SCALE, 8"/200mm	181.00	A
7101-300A	DIGITAL HORIZONTAL SCALE, 12"/300mm	270.00	A
7101-400A	DIGITAL HORIZONTAL SCALE, 16"/400mm	339.00	A
7101-500A	DIGITAL HORIZONTAL SCALE, 20"/500mm	433.00	A
7101-600A	DIGITAL HORIZONTAL SCALE, 24"/600mm	536.00	A
7101-800A	DIGITAL HORIZONTAL SCALE, 32"/800mm	802.00	A
7102-100	DIGITAL VERTICAL SCALE, 4"/100mm	159.00	A
7102-1000	DIGITAL VERTICAL SCALE, 40"/1000mm	1237.00	A
7102-150	DIGITAL VERTICAL SCALE, 6"/150mm	193.00	A
7102-200	DIGITAL VERTICAL SCALE, 8"/200mm	209.00	A
7102-300	DIGITAL VERTICAL SCALE, 12"/300mm	297.00	A
7102-400	DIGITAL VERTICAL SCALE, 16"/400mm	392.00	A
7102-500	DIGITAL VERTICAL SCALE, 20"/500mm	490.00	A
7102-600	DIGITAL VERTICAL SCALE, 24"/600mm	608.00	A
7102-800	DIGITAL VERTICAL SCALE, 32"/800mm	872.00	A
7107-3	CONNECTION BOX	285.00	A
7110-1000	STEEL RULE, 40"/1000mm	40.10	A
7110-1200	STEEL RULE, 48"/1200mm	55.80	A
7110-150	STEEL RULE, 6"/150mm	5.18	A
7110-1500	STEEL RULE, 60"/1500mm	78.60	A
7110-200	STEEL RULE, 8"/200mm	6.35	A
7110-2000	STEEL RULE, 80"/2000mm	118.00	A
7110-300	STEEL RULE, 12"/300mm	7.27	A
7110-3001	STEEL RULE, 12"/300mm	6.98	A
7110-500	STEEL RULE, 20"/500mm	17.20	A
7110-600	STEEL RULE, 24"/600mm	21.40	A
7113-300A	RIGID RULE, 12"/300mm	28.40	A
7117-300	PRECISION STRAIGHT EDGE, 12"	228.00	A
7117-600	PRECISION STRAIGHT EDGE, 24"	782.00	A
7117-900	PRECISION STRAIGHT EDGE, 36"	1685.00	A
7118-300	PRECISION STRAIGHT EDGE WITH BEVELED EDGE, 12"	233.00	A
7118-600	PRECISION STRAIGHT EDGE WITH BEVELED EDGE, 24"	802.00	A
7118-900	PRECISION STRAIGHT EDGE WITH BEVELED EDGE, 36"	1726.00	A
7119-150	POCKET RULE WITH SLIDING CLIP, 6"/150mm	3.85	A
7126-12	RIGID RULE 12"	5.32	A
7126-24	RIGID RULE, 24"	11.30	A
7126-6	RIGID RULE, 6"	3.05	A
7130-14L	HIGH PRECISION DIGITAL LINEAR GAGE, 0-12.7mm	662.00	A
7142-5	MEASURING TAPE, 0-16ft/0-5m	14.70	A
7143-50	LONG MEASURING TAPE, 0-165ft/0-50m	104.00	A
7146-10	DIGITAL MEASURING WHEEL, 0-32.8ft/0-10m	55.80	A
7150-SC1	SCRIBER FOR HEIGHT GAGE 1150-300E	47.10	A
7150-SC10	SCRIBER FOR HEIGHT GAGE 1156-1000	104.00	A
7150-SC2	SCRIBER FOR HEIGHT GAGE 1150-500E, 1150-600E	53.40	A
7150-SC3	SCRIBER FOR HEIGHT GAGE 1150-1000E, 1150-1500E, 1150-2000E	104.00	A
7150-SC4	SCRIBER FOR HEIGHT GAGE 1351-12, 1351-18, 1351-24	34.30	A
7150-SC6	SCRIBER FOR HEIGHT GAGE 1250-300, 1156-300, 1156-600	47.10	A
7150-SC7	SCRIBER FOR HEIGHT GAGE 1250-450, 1250-600	47.30	A
7150-SC9	SCRIBER FOR HEIGHT GAGE 1253-150, 1253-200, 1154-150	29.00	A
7160-1	TELESCOPING INSPECTION MIRRORS, 1.260" DIA	15.90	A
7160-2	TELESCOPING INSPECTION MIRRORS, 1.969"x3.543"	38.90	A
7161-1	TELESCOPING MAGNETIC PICK-UP, .236" DIA	16.90	A
7162-1	TELESCOPING INSPECTION MIRROR(WITH ILLUMINATION)	16.10	A
7163-1	TELESCOPING MAGNETIC PICK-UP AND FLASHLIGHT	20.80	A
7164-1	FLEXIBLE PICK-UP AND FLASHLIGHT	19.00	A
7202-200A	SCRIBER CALIPER, 0-8"/0-200mm	97.00	A
7210-2	MULTIPLEX INTERFACE BOXES	805.00	A

7240-150	INSIDE CALIPER, 6"	12.90	A
7240-200	INSIDE CALIPER, 8"	14.50	A
7240-300	INSIDE CALIPER, 12"	21.20	A
7241-150	OUTSIDE CALIPER, 6"	14.10	A
7241-200	OUTSIDE CALIPER, 8"	15.90	A
7241-300	OUTSIDE CALIPER, 12"	23.30	A
7247-150	DIVIDER, 0-5.51"	14.40	A
7247-200	DIVIDER, 0-7.48"	17.30	A
7247-300	DIVIDER, 0-11.42"	25.00	A
7260-150	SPRING DIVIDER, 6"	17.60	A
7260-200	SPRING DIVIDER, 8"	20.30	A
7260-250	SPRING DIVIDER, 10"	27.90	A
7260-300	SPRING DIVIDER, 12"	31.30	A
7261-150	INSIDE SPRING CALIPER, 6"	17.60	A
7261-200	INSIDE SPRING CALIPER, 8"	20.30	A
7261-250	INSIDE SPRING CALIPER, 10"	27.90	A
7261-300	INSIDE SPRING CALIPER, 12"	31.30	A
7262-150	OUTSIDE SPRING CALIPER, 6"	17.60	A
7262-200	OUTSIDE SPRING CALIPER, 8"	20.30	A
7262-250	OUTSIDE SPRING CALIPER, 10"	29.70	A
7262-300	OUTSIDE SPRING CALIPER, 12"	33.50	A
7302-21	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for digital calipers and digital depth gages)	153.00	A
7302-22	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for large digital calipers(range ≤40") and digital height gages)	146.00	A
7302-30	DATA OUTPUT CABLES (KEYBOARD FORMAT) (digital micrometers)	153.00	A
7302-40M	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for digital indicators)	158.00	A
7302-50M	DATA OUTPUT CABLE (KEYBOARD FORMAT) (for digital thickness gage, digital internal/external caliper gage)	158.00	A
7302-60	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for 2140-6 and 2133 series high precision digital indicators and 3350 series high precision digital snap gages)	152.00	A
7302-SPC3A	DATA OUTPUT CABLE, for DIGITAL indicator and DIGITAL protractor	158.00	A
7302-SPC3B	DATA OUTPUT CABLE, for digital indicators	165.00	A
7304-2	DATA TRANSMISSION FOOT SWITCH WITH CABLE (length 80")	114.00	A
7305-C01	DATA OUTPUT CABLE, length 100"	160.00	A
7305-G3350	DATA OUTPUT CABLE (SERIAL PORT FORMAT)	102.00	A
7305-SPC1A	DATA OUTPUT CABLE, length 100"	232.00	A
7306-1	WIRELESS DATA RECEIVER	571.00	B
7306-2	WIRELESS DATA TRANSFER SYSTEM, RECEIVER (with USB cable)	576.00	B
7306-20	WIRELESS TRANSMITTER FOR DIGITAL CALIPER	494.00	B
7306-30A	MULTI CHANNEL WIRELESS SYSTEM, TRANSMITTER (for digital micrometers, except 3631, 3632, 3108, 3109 and 3635)	494.00	B
7306-40	WIRELESS DATA TRANSMITTER FOR DIGITAL INDICATOR	494.00	B
7306-40CM	CONTROLLABLE TRANSMITTER	2006.00	B
7306-CAP	PROTECTING CAP	7.25	B
7309-C01M	CABLE OF DIGITAL INDICATOR	129.00	A
7315-2	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (USB port)	528.00	A
7315-21	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	143.00	A
7315-22	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	146.00	A
7315-3	WIRELESS DATA TRANSFER SYSTEM, SINGLE CHANNEL RECEIVER (USB port)	283.00	A
7315-30	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	143.00	A
7315-50	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	143.00	A
7315-50M	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	147.00	A
7315-6	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (USB port)	365.00	A
7315-60	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	147.00	A
7315-7	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (Type-C port)	365.00	A

7315-8	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (Micro USB port)	365.00	A
7315-9	WIRELESS DATA TRANSFER SYSTEM, RECEIVER (Lightning port)	397.00	A
7319-DE1	TRAINING PARTS AND SCORING SYSTEM	337.00	A
7319-DE2	TRAINING PARTS AND SCORING SYSTEM	284.00	A
7319-DE3	TRAINING PARTS AND SCORING SYSTEM	284.00	A
7321-T11	SCREW THREAD POINT, 64-48TPI/0.4-0.5mm, pair	42.30	A
7321-T12	SCREW THREAD POINT, 44-28TPI/0.6-0.9mm, pair	42.30	A
7321-T13	SCREW THREAD POINT, 24-14TPI/1-1.75mm, pair	42.30	A
7321-T14	SCREW THREAD POINT, 13-9TPI/2-3mm, pair	42.30	A
7321-T15	SCREW THREAD POINT, 8-5TPI/3.5-5mm, pair	42.30	A
7321-T16	SCREW THREAD POINT, 4.5-3.5TPI/5.5-7mm, pair	42.30	A
7321-T1S	SCREW THREAD POINT, 6 pairs/set	249.00	A
7323-OTGC	ADAPTER FOR DATA OUTPUT CABLE, Type-C, one to one	20.50	A
7323-OTGC4	ADAPTER FOR DATA OUTPUT CABLE, Type-C, one to four	52.70	A
7323-OTGM	ADAPTER FOR DATA OUTPUT CABLE, Micro-USB	14.60	A
7324-HUB4	4-CHANNEL HUB (length 0.3m, USB computer plug)	39.00	A
7324-HUB7	7-CHANNEL HUB (length 1m, USB computer plug)	85.30	A
7325-ADD10	EXTENSION CABLE, 10m, USB plug	65.90	A
7325-ADD5	EXTENSION CABLE, 5m, USB plug	46.30	A
7330-F2	FLAT BACK	4.26	A
7330-F3	FLAT BACK	4.17	A
7330-F4	FLAT BACK	3.07	A
7330-F5	FLAT BACK	4.88	A
7330-F6	FLAT BACK	3.77	A
7330-F7	FLAT BACK	2.79	A
7330-F8	FLAT BACK	2.91	A
7330-L2	LUG BACK	4.47	A
7330-L3	LUG BACK	6.13	A
7330-L4	LUG BACK	6.13	A
7330-L5	LUG BACK	5.01	A
7330-L6	LUG BACK	4.04	A
7330-L7	LUG BACK	11.50	A
7330-L8	LUG BACK	11.20	A
7331-M1	MAGNETIC BACK FOR DIGITAL/DIAL INDICATORS, 2.028" DIA	29.80	A
7331-M2	MAGNETIC BACK FOR DIGITAL/DIAL INDICATORS, 2.126" DIA	30.90	A
7341-0S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes), .008-.040"	38.50	A
7341-10S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes), .510-.579"	64.40	A
7341-11S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes), .579-.635"	64.40	A
7341-12S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes), .635-.704"	74.70	A
7341-13S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes), .704-.760"	74.70	A
7341-15S	PIN GAGE HANDLE (with 1pc handle and 8 pairs of collecting bushes), .760-1.010"	145.00	A
7341-1S	PIN GAGE HANDLE (with 1pc handle and 7 pairs of collecting bushes), .040-.075"	41.40	A
7341-2S	PIN GAGE HANDLE (with 1pc handle and 8 pairs of collecting bushes), .075-.131"	46.00	A
7341-3S	PIN GAGE HANDLE (with 1pc handle and 7 pairs of collecting bushes), .131-.180"	42.60	A
7341-4S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes), .180-.228"	45.30	A
7341-5S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes), .228-.281"	45.90	A
7341-6S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes), .281-.341"	53.90	A
7341-7S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes), .341-.406"	53.90	A
7341-8S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes), .406-.465"	50.80	A

7341-9S	PIN GAGE HANDLE (with 1pc handle and 3 pairs of collecting bushes), .456-.510"	44.40	A
7342-M0	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH),0.3-1.5mm	63.70	A
7342-M1	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)1.51-6.35mm	64.40	A
7342-M2	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)6.36-12.70mm	76.30	A
7342-M3	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)12.71-15.88mm	88.40	A
7342-M4	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)15.89-19.05mm	104.00	A
7342-M5	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)19.01-21.14mm	118.00	A
7342-M6	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)21.14-23.22mm	129.00	A
7342-M7	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)23.28-25.4mm	139.00	A
7350-E04	ANVIL FOR BORE GAGES	57.30	A
7350-E07	ANVIL FOR BORE GAGES	48.10	A
7350-E10	ANVIL FOR BORE GAGES	42.10	A
7350-E15	ANVIL FOR BORE GAGES	37.50	A
7350-E16	ANVIL FOR BORE GAGES	42.10	A
7350-E24	ANVIL FOR BORE GAGES	20.70	A
7350-E6	ANVIL FOR BORE GAGES	42.10	A
7351-1EX11	LONG HANDLE, length 18.7"	226.00	A
7351-1EX12	LONG HANDLE, length 38.5"	276.00	A
7351-1EX13	LONG HANDLE, length 58.2"	251.00	A
7351-1EX14	LONG HANDLE, length 77.8"	269.00	A
7351-1EX21	LONG HANDLE, length 18.7"	239.00	A
7351-1EX22	LONG HANDLE, length 38.5"	295.00	A
7351-1EX23	LONG HANDLE, length 58.2"	262.00	A
7351-1EX24	LONG HANDLE, length 77.8"	281.00	A
7352-E1000	LONG HANDLE	1548.00	A
7352-E500	LONG HANDLE	1024.00	A
7353-160W	BORE GAGE SETTER, 0-6", WITHOUT GAGE BLOCK SET	702.00	A
7353-6	BORE GAGE SETTER, 0-6"	938.00	A
7360-1	ZEROING FOOT SWITCH	90.80	A
7360-1M	ZEROING FOOT SWITCH, for digital indicators with micro USB interface	122.00	A
7370-A451	STORAGE BOX, 480×500×110mm	209.00	A
7381-T11	MEASURING TIPS FOR SCREW THREAD MICROMETER, 64-48TPI/0.4-0.5mm	31.50	A
7381-T12	MEASURING TIPS FOR SCREW THREAD MICROMETER, 44-28TPI/0.6-0.9mm	31.50	A
7381-T13	MEASURING TIPS FOR SCREW THREAD MICROMETER, 24-14TPI/1-1.75mm	31.50	A
7381-T14	MEASURING TIPS FOR SCREW THREAD MICROMETER, 13-9TPI/ 2-3mm	31.50	A
7381-T15	MEASURING TIPS FOR SCREW THREAD MICROMETER, 8-5TPI/ 3.5-5mm	31.50	A
7381-T16	MEASURING TIPS FOR SCREW THREAD MICROMETER, 4.5-3.5TPI/ 5.5-7mm	31.50	A
7381-T21	MEASURING TIPS FOR SCREW THREAD MICROMETER, 60-48TPI	31.50	A
7381-T210	MEASURING TIPS FOR SCREW THREAD MICROMETER, 4.5-3.5TPI	31.50	A
7381-T22	MEASURING TIPS FOR SCREW THREAD MICROMETER, 48-40TPI	31.50	A
7381-T23	MEASURING TIPS FOR SCREW THREAD MICROMETER, 40-32TPI	31.50	A
7381-T24	MEASURING TIPS FOR SCREW THREAD MICROMETER, 32-24TPI	31.50	A
7381-T25	MEASURING TIPS FOR SCREW THREAD MICROMETER, 24-18TPI	31.50	A
7381-T26	MEASURING TIPS FOR SCREW THREAD MICROMETER, 18-14TPI	31.50	A
7381-T27	MEASURING TIPS FOR SCREW THREAD MICROMETER, 14-10TPI	31.50	A
7381-T28	MEASURING TIPS FOR SCREW THREAD MICROMETER, 10-7.5TPI	31.50	A
7381-T29	MEASURING TIPS FOR SCREW THREAD MICROMETER, 7-4.5TPI	31.50	A

7381-T2S	MEASURING TIPS FOR SCREW THREAD MICROMETER, 10 pairs/set	309.00	A
7381-TS	MEASURING TIPS FOR SCREW THREAD MICROMETER, 6 pairs/set	199.00	A
7382-11	3-WIRES, .0067"/0.170mm	371.00	A
7382-110	3-WIRES, .0244"/0.620mm	371.00	A
7382-111	3-WIRES, .0285"/0.725mm	371.00	A
7382-112	3-WIRES, .0352"/0.895mm	371.00	A
7382-113	3-WIRES, .0433"/1.100mm	371.00	A
7382-114	3-WIRES, .0531"/1.350mm	371.00	A
7382-115	3-WIRES, .0650"/1.650mm	371.00	A
7382-116	3-WIRES, .0807"/2.050mm	371.00	A
7382-117	3-WIRES, .1004"/2.550mm	371.00	A
7382-118	3-WIRES, .1260"/3.200mm	371.00	A
7382-12	3-WIRES, .0077"/0.195mm	371.00	A
7382-13	3-WIRES, .0087"/0.220mm	371.00	A
7382-14	3-WIRES, .0098"/0.250mm	371.00	A
7382-15	3-WIRES, .0114"/0.290mm	371.00	A
7382-16	3-WIRES, .0132"/0.335mm	371.00	A
7382-17	3-WIRES, .0154"/0.390mm	371.00	A
7382-18	3-WIRES, .0179"/0.455mm	371.00	A
7382-19	3-WIRES, .0209"/0.530mm	371.00	A
7382-1S	3-WIRES, 18 pairs/set	4680.00	A
7382-21	3-WIRES, .0067"/0.170mm	371.00	A
7382-210	3-WIRES, .0244"/0.620mm	371.00	A
7382-211	3-WIRES, .0285"/0.725mm	371.00	A
7382-212	3-WIRES, .0352"/0.895mm	371.00	A
7382-213	3-WIRES, .0433"/1.100mm	371.00	A
7382-214	3-WIRES, .0531"/1.350mm	371.00	A
7382-215	3-WIRES, .0650"/1.650mm	371.00	A
7382-216	3-WIRES, .0807"/2.050mm	371.00	A
7382-217	3-WIRES, .1004"/2.550mm	371.00	A
7382-218	3-WIRES, .1260"/3.200mm	371.00	A
7382-22	3-WIRES, .0077"/0.195mm	371.00	A
7382-23	3-WIRES, .0087"/0.220mm	371.00	A
7382-24	3-WIRES, .0098"/0.250mm	371.00	A
7382-25	3-WIRES, .0114"/0.290mm	371.00	A
7382-26	3-WIRES, .0132"/0.335mm	371.00	A
7382-27	3-WIRES, .0154"/0.390mm	371.00	A
7382-28	3-WIRES, .0179"/0.455mm	371.00	A
7382-29	3-WIRES, .0209"/0.530mm	371.00	A
7382-2S	3-WIRES, 18 pairs/set	4680.00	A
7391-T10	BALL POINT, .236" dia, pair	143.00	A
7391-T2	BALL TIPS FOR GEAR TOOTH MICROMETER, SØ1.5mm	142.00	A
7391-T3	BALL POINT, .079" dia, pair	143.00	A
7391-T4	BALL POINT, .098" dia, pair	143.00	A
7391-T5	BALL POINT, .118" dia, pair	143.00	A
7391-T6	BALL POINT, .138" dia, pair	143.00	A
7391-T7	BALL POINT, .157" dia, pair	143.00	A
7391-T8	BALL POINT, .177" dia, pair	143.00	A
7391-T9	BALL POINT, .197" dia, pair	143.00	A
7392-T1	MULTIFUNCTIONAL POINTS, flat, pair	37.90	A
7392-T2	MULTIFUNCTIONAL POINTS, spherical, pair	45.70	A
7392-T3	MULTIFUNCTIONAL POINTS, spline, pair	66.30	A
7392-T4	MULTIFUNCTIONAL POINTS, disk, pair	66.30	A
7392-T5	MULTIFUNCTIONAL POINTS, blade, pair	88.60	A
7392-T6	MULTIFUNCTIONAL POINTS, knife-edge, pair	111.00	A
7392-T7	MULTIFUNCTIONAL POINTS, point, pair	66.30	A
7392-T8	MULTIFUNCTIONAL POINTS, knife-edge, pair	111.00	A
7392-T9	MULTIFUNCTIONAL POINTS, point, pair	67.10	A
7511-8	FOLDING MAGNIFIER, 8X, .827" DIA	5.82	A
7512-1	THREE WAYS MAGNIFIER WITH ILLUMINATION, Magnification 2X/4X	42.50	A
7513-2	MAGNIFIER WITH ILLUMINATION, Magnification 2X	15.60	A
7513-4	MAGNIFIER WITH ILLUMINATION, Magnification 4X	13.70	A



7514-1	FOLDING MAGNIFIER WITH ILLUMINATION, Magnification 2.5X	12.10	A
7515-10	FOLDING MAGNIFIER WITH ILLUMINATION, Magnification 10X	16.50	A
7516-5D-U	TABLE MAGNIFIER WITH ILLUMINATION, 2.25X	212.00	A
7517-3D	TABLE MAGNIFIER WITH ILLUMINATION, 1.75X	132.00	A
7520-320D	TABLE MAGNIFIERS WITH ILLUMINATION, 1.75X/6X	257.00	A
7521-3D	TABLE MAGNIFIERS WITH ILLUMINATION, 1.75X	237.00	A
7522-610	MAGNIFIER WITH TWO LENSES, 6X/10X	25.50	A
7523-3D5	MAGNIFICATION GLASSES, 1X/1.5X/2X/2.5X/3.5X	36.20	A
7524-10	MAGNIFIER WITH ILLUMINATION, 10X	41.30	A
7525-D4	DIGITAL MAGNIFIER	692.00	A
7526-D5	DIGITAL MAGNIFIER	985.00	B
7600-6	STROKE COUNTER, 0-999999	17.30	B
7901-10	TABLE, 1084×474×1515mm	3561.00	B
7911-18	TABLE, 1800×750×1736mm	2754.00	B
7911-BP18	BOARD	291.00	B
7921-15	WORKBENCH, 1500×750×1736cm	4279.00	B
7921-18	WORKBENCH, 1800×750×1736cm	4964.00	B
7921-21	WORKBENCH, 2100×750×1736cm	5718.00	B
7931-90	TOOL CABINET	3618.00	B
7932-58A	TOOL CABINET, 690×525×665mm	1829.00	B
7939-S100	STAND	221.00	B
8001-15	WEIGHING SCALES( HIGH PRECISION ), .022lb/10g~30lb/15kg	478.00	B
8001-15D	WEIGHING SCALES( HIGH PRECISION ), 10g~15kg	484.00	B
8001-30	WEIGHING SCALES( HIGH PRECISION ), .044lb/20g~60lb/30kg	478.00	B
8001-30D	WEIGHING SCALES( HIGH PRECISION ), 20g~30kg	484.00	B
8001-6	WEIGHING SCALES( HIGH PRECISION ), .0090lb/4g~12lb/6kg	478.00	B
8001-6D	WEIGHING SCALES( HIGH PRECISION ), 4g~6kg	484.00	B
8002-15M	WEIGHING SCALES( OIML CERTIFICATE), 40g~6/15kg	478.00	B
8002-15MD	WEIGHING SCALES( OIML CERTIFICATE), 40g~6/15kg	484.00	B
8002-30M	WEIGHING SCALES( OIML CERTIFICATE), 100g~15/30kg	478.00	B
8002-30MD	WEIGHING SCALES( OIML CERTIFICATE), 100g~15/30kg	484.00	B
8002-6M	WEIGHING SCALES( OIML CERTIFICATE), 20g~3/6kg	478.00	B
8002-6MD	WEIGHING SCALES( OIML CERTIFICATE), 20g~3/6kg	484.00	B
8003-10	WEIGHING SCALE (ECONOMIC TYPE),22.05lb~0.04lb	54.20	B
8003-3	WEIGHING SCALE (ECONOMIC TYPE),6.61lb~0.02lb	54.20	B
8003-6	WEIGHING SCALE (ECONOMIC TYPE),13.23lb~0.02lb	54.20	B
8101-15	COUNTING SCALES, .022lb/10g~30lb/15kg	478.00	B
8101-15D	COUNTING SCALES, 10g~15kg	484.00	B
8101-30	COUNTING SCALES, .044lb/20g~60lb/30kg	478.00	B
8101-30D	COUNTING SCALES, 20g~30kg	484.00	B
8101-6	COUNTING SCALES, .0090lb/4g~12lb/6kg	478.00	B
8101-6D	COUNTING SCALES, 4g~6kg	484.00	B
8201-150KG	DIGITAL CRANE SCALE, 2lb~330lb	428.00	B
8201-300KG	DIGITAL CRANE SCALE, 4lb~660lb	429.00	B
8201-50KG	DIGITAL CRANE SCALE, 1lb~110lb	427.00	B
8202-150KG	DIGITAL CRANE SCALE (ECONOMIC TYPE), 330lb~2lb	238.00	B
8202-300KG	DIGITAL CRANE SCALE (ECONOMIC TYPE), 660lb~4lb	238.00	B
8202-50KG	DIGITAL CRANE SCALE (ECONOMIC TYPE), 110lb~1lb	237.00	B
8501-AL150	PLATFORM SCALE, .40lb~330lb	1432.00	B
8501-AL300	PLATFORM SCALE, .80lb~660lb	1432.00	B
8501-AL60	PLATFORM SCALE, .20lb~130lb	1404.00	B
8601-100	ELECTRONIC POCKET SCALE (ECONOMIC TYPE), 3.5oz~0.005oz	26.00	B
8602-200	ELECTRONIC POCKET SCALE (ECONOMIC TYPE), 7oz~0.01oz	26.80	B
8701-RM20-U	MOISTURE ANALYZER, 120g	1443.00	B
8701-RM30-U	MOISTURE ANALYZER, 120g	2510.00	B
8701-RM40-U	MOISTURE ANALYZER, 120g	3399.00	B
8910-100GE2	WEIGHT SETS, 1mg~100g	1454.00	B
8910-100GF1	WEIGHT SETS, 1mg~100g	773.00	B
8910-100GF1S	WEIGHT SETS, 1mg~100g	331.00	B
8910-100GF2	WEIGHT SETS, 1mg~100g	243.00	B
8910-100GM1	WEIGHT SETS, 1mg~100g	195.00	B
8910-1KGE2	WEIGHT SETS, 1mg~1kg	2888.00	B

8910-1KGF1	WEIGHT SETS, 1mg~1kg	1619.00	B
8910-1KGF1S	WEIGHT SETS, 1mg~1kg	807.00	B
8910-1KGF2	WEIGHT SETS, 1mg~1kg	589.00	B
8910-1KGM1	WEIGHT SETS, 1mg~1kg	500.00	B
8910-200GE2	WEIGHT SETS, 1mg~200g	1822.00	B
8910-200GF1	WEIGHT SETS, 1mg~200g	1054.00	B
8910-200GF1S	WEIGHT SETS, 1mg~200g	485.00	B
8910-200GF2	WEIGHT SETS, 1mg~200g	334.00	B
8910-200GM1	WEIGHT SETS, 1mg~200g	287.00	B
8910-2KGE2	WEIGHT SETS, 1mg~2kg	4882.00	B
8910-2KGF1	WEIGHT SETS, 1mg~2kg	2564.00	B
8910-2KGF1S	WEIGHT SETS, 1mg~2kg	1316.00	B
8910-2KGF2	WEIGHT SETS, 1mg~2kg	1011.00	B
8910-2KGM1	WEIGHT SETS, 1mg~2kg	857.00	B
8910-5KGE2	WEIGHT SETS, 1mg~5kg	6728.00	B
8910-5KGF1	WEIGHT SETS, 1mg~5kg	3537.00	B
8910-5KGF1S	WEIGHT SETS, 1mg~5kg	1898.00	B
8910-5KGF2	WEIGHT SETS, 1mg~5kg	1460.00	B
8910-5KGM1	WEIGHT SETS, 1mg~5kg	1286.00	B
8911-100GE2	WEIGHT, 100g	158.00	B
8911-100GF1	WEIGHT, 100g	113.00	B
8911-100GF1S	WEIGHT, 100g	48.40	B
8911-100GF2	WEIGHT, 100g	37.40	B
8911-100GM1	WEIGHT, 100g	33.30	B
8911-100GM1C	WEIGHT, 100g	10.70	B
8911-100MGE2	WEIGHT, 100mg	45.70	B
8911-100MGF1	WEIGHT, 100mg	27.30	B
8911-100MGF1S	WEIGHT, 100mg	11.80	B
8911-100MGF2	WEIGHT, 100mg	9.55	B
8911-100MGM1	WEIGHT, 100mg	7.15	B
8911-10GE2	WEIGHT, 10g	89.90	B
8911-10GF1	WEIGHT, 10g	46.10	B
8911-10GF1S	WEIGHT, 10g	26.60	B
8911-10GF2	WEIGHT, 10g	21.70	B
8911-10GM1	WEIGHT, 10g	17.00	B
8911-10GM1C	WEIGHT, 10g	5.72	B
8911-10KGE2	WEIGHT, 10kg	5897.00	B
8911-10KGF1	WEIGHT, 10kg	1971.00	B
8911-10KGF1S	WEIGHT, 10kg	1010.00	B
8911-10KGF2	WEIGHT, 10kg	922.00	B
8911-10KGM1	WEIGHT, 10kg	836.00	B
8911-10KGM1C	WEIGHT, 10kg	401.00	B
8911-10MGE2	WEIGHT, 10mg	45.70	B
8911-10MGF1	WEIGHT, 10mg	27.30	B
8911-10MGF1S	WEIGHT, 10mg	11.80	B
8911-10MGF2	WEIGHT, 10mg	9.55	B
8911-10MGM1	WEIGHT, 10mg	7.15	B
8911-1GE2	WEIGHT, 1g	80.90	B
8911-1GF1	WEIGHT, 1g	37.30	B
8911-1GF1S	WEIGHT, 1g	19.30	B
8911-1GF2	WEIGHT, 1g	14.40	B
8911-1GM1	WEIGHT, 1g	12.00	B
8911-1KGE2	WEIGHT, 1kg	682.00	B
8911-1KGF1	WEIGHT, 1kg	377.00	B
8911-1KGF1S	WEIGHT, 1kg	203.00	B
8911-1KGF2	WEIGHT, 1kg	159.00	B
8911-1KGM1	WEIGHT, 1kg	123.00	B
8911-1KGM1C	WEIGHT, 1kg	58.70	B
8911-1MGE2	WEIGHT, 1mg	45.70	B
8911-1MGF1	WEIGHT, 1mg	27.30	B
8911-1MGF1S	WEIGHT, 1mg	11.80	B
8911-1MGF2	WEIGHT, 1mg	9.55	B
8911-1MGM1	WEIGHT, 1mg	7.15	B
8911-200GE2	WEIGHT, 200g	183.00	B

8911-200GF1	WEIGHT , 200g	139.00	B
8911-200GF1S	WEIGHT , 200g	60.70	B
8911-200GF2	WEIGHT , 200g	44.40	B
8911-200GM1	WEIGHT , 200g	37.80	B
8911-200GM1C	WEIGHT , 200g	15.80	B
8911-200MGE2	WEIGHT , 200mg	45.70	B
8911-200MGF1	WEIGHT , 200mg	27.30	B
8911-200MGF1S	WEIGHT , 200mg	11.80	B
8911-200MGF2	WEIGHT , 200mg	9.55	B
8911-200MGM1	WEIGHT , 200mg	7.15	B
8911-20GE2	WEIGHT , 20g	112.00	B
8911-20GF1	WEIGHT , 20g	68.20	B
8911-20GF1S	WEIGHT , 20g	31.10	B
8911-20GF2	WEIGHT , 20g	24.30	B
8911-20GM1	WEIGHT , 20g	18.30	B
8911-20GM1C	WEIGHT , 20g	6.51	B
8911-20KGE2	WEIGHT , 20kg	8694.00	B
8911-20KGF1	WEIGHT , 20kg	3891.00	B
8911-20KGF1S	WEIGHT , 20kg	1711.00	B
8911-20KGF2	WEIGHT , 20kg	1587.00	B
8911-20KGM1	WEIGHT , 20kg	1500.00	B
8911-20KGM1C	WEIGHT , 20kg	880.00	B
8911-20MGE2	WEIGHT , 20mg	45.70	B
8911-20MGF1	WEIGHT , 20mg	27.30	B
8911-20MGF1S	WEIGHT , 20mg	11.80	B
8911-20MGF2	WEIGHT , 20mg	9.55	B
8911-20MGM1	WEIGHT , 20mg	7.15	B
8911-2GE2	WEIGHT , 2g	80.90	B
8911-2GF1	WEIGHT , 2g	37.30	B
8911-2GF1S	WEIGHT , 2g	19.30	B
8911-2GF2	WEIGHT , 2g	14.90	B
8911-2GM1	WEIGHT , 2g	12.90	B
8911-2KGE2	WEIGHT , 2kg	1014.00	B
8911-2KGF1	WEIGHT , 2kg	491.00	B
8911-2KGF1S	WEIGHT , 2kg	273.00	B
8911-2KGF2	WEIGHT , 2kg	228.00	B
8911-2KGM1	WEIGHT , 2kg	207.00	B
8911-2KGM1C	WEIGHT , 2kg	98.00	B
8911-2MGE2	WEIGHT , 2mg	45.70	B
8911-2MGF1	WEIGHT , 2mg	27.30	B
8911-2MGF1S	WEIGHT , 2mg	11.80	B
8911-2MGF2	WEIGHT , 2mg	9.55	B
8911-2MGM1	WEIGHT , 2mg	7.15	B
8911-500GE2	WEIGHT , 500g	364.00	B
8911-500GF1	WEIGHT , 500g	170.00	B
8911-500GF1S	WEIGHT , 500g	89.10	B
8911-500GF2	WEIGHT , 500g	76.00	B
8911-500GM1	WEIGHT , 500g	67.50	B
8911-500GM1C	WEIGHT , 500g	32.60	B
8911-500MGE2	WEIGHT , 500mg	45.70	B
8911-500MGF1	WEIGHT , 500mg	27.30	B
8911-500MGF1S	WEIGHT , 500mg	11.80	B
8911-500MGF2	WEIGHT , 500mg	9.55	B
8911-500MGM1	WEIGHT , 500mg	7.15	B
8911-50GE2	WEIGHT , 50g	135.00	B
8911-50GF1	WEIGHT , 50g	90.70	B
8911-50GF1S	WEIGHT , 50g	42.70	B
8911-50GF2	WEIGHT , 50g	29.80	B
8911-50GM1	WEIGHT , 50g	22.60	B
8911-50GM1C	WEIGHT , 50g	8.29	B
8911-50MGE2	WEIGHT , 50mg	45.70	B
8911-50MGF1	WEIGHT , 50mg	27.30	B
8911-50MGF1S	WEIGHT , 50mg	11.80	B
8911-50MGF2	WEIGHT , 50mg	9.55	B
8911-50MGM1	WEIGHT , 50mg	7.15	B

8911-5GE2	WEIGHT , 5g	80.90	B
8911-5GF1	WEIGHT , 5g	37.40	B
8911-5GF1S	WEIGHT , 5g	21.60	B
8911-5GF2	WEIGHT , 5g	16.90	B
8911-5GM1	WEIGHT , 5g	14.50	B
8911-5KGE2	WEIGHT, 5kg	1862.00	B
8911-5KGF1	WEIGHT, 5kg	987.00	B
8911-5KGF1S	WEIGHT, 5kg	509.00	B
8911-5KGF2	WEIGHT, 5kg	464.00	B
8911-5KGM1	WEIGHT, 5kg	444.00	B
8911-5KGM1C	WEIGHT, 5kg	228.00	B
8911-5MGE2	WEIGHT , 5mg	45.70	B
8911-5MGF1	WEIGHT , 5mg	27.30	B
8911-5MGF1S	WEIGHT , 5mg	11.80	B
8911-5MGF2	WEIGHT , 5mg	9.55	B
8911-5MGM1	WEIGHT , 5mg	7.15	B
9132-T400	INFRARED THERMAL IMAGING CAMERA (BASIC TYPE)	1297.00	B
9216-F520	DIGITAL MULTIMETER	88.50	B
9223-120	NON-CONTACT TACHOMETER, 2.5~99999RPM	83.20	A
9224-213	CONTACT TACHOMETER, 0.5~19999RPM/0.05~500m/min, 0.05~99999in	110.00	A
9225-405	CONTACT/NON-CONTACT TACHOMETER, 2.5~99999RPM/0.5~19999RPM	125.00	A
9241-ML200	PEN-TYPE DIGITAL MULTIMETER	73.30	B
9242-ML100A	MINI DIGITAL MULTIMETER (BASIC TYPE), DC Voltage 200mV/20	43.80	B
9246-180	DIGITAL MULTIMETER (WITH JACK INDICATOR LIGHT)	96.20	B
9247-190	SMART DIGITAL MULTIMETER	95.90	B
9315-CF210	DIGITAL AC/DC CLAMP METER	153.00	B
9341-50	DIGITAL MOISTURE METER, Measuring depth 0~1.97"	152.00	A
9353-413	DIGITAL SOUND LEVEL METER (ADVANCED TYPE), 40dB~130dB	449.00	B
9362-TH27	DIGITAL THERMOHYGROMETER, -4°F~158°F/-20°C~70°C	187.00	B
9407-1	OPTICAL TRANSMISSION PROBES FOR CNC MACHINE TOOL, p	4725.00	B
9407-1A	OPTICAL TRANSMISSION RECEIVER FOR CNC MACHINE TOOL	1397.00	B
9407-2	OPTICAL TRANSMISSION PROBES FOR CNC MACHINE TOOL, p	5403.00	B
9407-3	OPTICAL TRANSMISSION PROBE FOR CNC MACHINE TOOL, probe length 7.087"	4474.00	B
9407-4	OPTICAL TRANSMISSION PROBE FOR CNC MACHINE TOOL, probe length 7.087"	4455.00	B
9407-5	OPTICAL TRANSMISSION PROBE FOR CNC MACHINE TOOL, probe length 5.866"	4517.00	B
9407-P1	STYLI FOR 9407, H-.787", d-.039" DIA	24.80	B
9407-P10	STYLI FOR 9407, H-1.969", d-.117"DIA, d1-.236"DIA	157.00	B
9407-P11	STYLI FOR 9407, H-2.953", d-.150"DIA, d1-.197"DIA	171.00	B
9407-P2	STYLI FOR 9407, H-.768", d-.028"DIA, d1-.039"	121.00	B
9407-P3	STYLI FOR 9407, H-.748", d-.055"DIA, d1-.079"DIA	98.90	B
9407-P4	STYLI FOR 9407, H-.787", d-.028"DIA, d1-.039"DIA	121.00	B
9407-P5	STYLI FOR 9407, H-.787", d-.059"DIA, d1-.079"DIA	98.90	B
9407-P6	STYLI FOR 9407, H-.787", d-.079"DIA, d1-.118"DIA	135.00	B
9407-P7	STYLI FOR 9407, H-.787", d-.079"DIA, d1-.157"DIA	135.00	B
9407-P8	STYLI FOR 9407, H-1.969", d-.118"DIA, d1-.157"DIA	135.00	B
9407-P9	STYLI FOR 9407, H-1.969", d-.150"DIA, d1-.197"DIA	135.00	B
9407-R1	BROKEN PROTECTION ROD, H-.472"	28.20	B
9407-R2	BROKEN PROTECTION ROD, H-.787"	28.20	B
9501-1200	COATING THICKNESS GAGE, probe type Fe, 0~50mils	646.00	B
9501-1200-SPC	DATA TRANSMISSION CABLE	72.30	B
9561-50B	LASER DISTANCE METER, 8"~164ft	61.60	B
9561-70B	LASER DISTANCE METER, 8"~229ft	79.80	B
9631-130	VICKERS HARDNESS MEASURING SYSTEM, 1/2" CMOS	3956.00	B
9643-4	FRUIT HARDNESS TESTER, 0.5-4×105Pa(0.5-4kg/cm2), graduation 0.02×105Pa(0.02kg/cm2)	305.00	B
9710-30	COLORIMETER	14507.00	B
9720-199	VIBRATION PEN, 0in/s~78.74in/s	1027.00	B
9721-250	DIGITAL VOLTAGE TESTER, AC:12-250V; DC:6-36V	10.50	B
9722-250	VOLTAGE TESTER,AC:100-250V	5.73	B
9723-400	AC PHASE AND VOLTAGE DETECTOR	30.50	B

DSW-A010	DIGITAL STOPWATCH, 0~9 hour, 59 minutes, 59.99 seconds	66.50	B
HDT-B-HB10A2	BRINELL HARDNESS TEST BLOCK	113.00	B
HDT-B-HB10C1	BRINELL HARDNESS TEST BLOCK	132.00	B
HDT-B-HB25A1	BRINELL HARDNESS TEST BLOCK	108.00	B
HDT-B-HLD3	LEEB HARDNESS TEST BLOCK	250.00	B
HDT-B-HLG2	LEEB HARDNESS TEST BLOCK	661.00	B
HDT-B-HR15N2	ROCKWELL SUPERFICIAL HARDNESS TEST BLOCK	52.60	B
HDT-B-HR30N2	ROCKWELL SUPERFICIAL HARDNESS TEST BLOCK	53.80	B
HDT-B-HR30T	ROCKWELL SUPERFICIAL HARDNESS TEST BLOCK	53.30	B
HDT-B-HRA	ROCKWELL HARDNESS TEST BLOCK, 80-84 HRA	41.00	B
HDT-B-HRB	ROCKWELL HARDNESS TEST BLOCK, 88-100 HRB	39.40	B
HDT-B-HRC1	ROCKWELL HARDNESS TEST BLOCK	42.20	B
HDT-B-HRC2	ROCKWELL HARDNESS TEST BLOCK	40.70	B
HDT-B-HRC3	ROCKWELL HARDNESS TEST BLOCK	42.40	B
HDT-B-HV02C	MICRO-VICKERS HARDNESS TEST BLOCK	177.00	B
HDT-B-HV10D	VICKERS HARDNESS TEST BLOCK	107.00	B
HDT-B-HV1F	MICRO-VICKERS HARDNESS TEST BLOCK	177.00	B
HDT-B-HV30D	VICKERS HARDNESS TEST BLOCK	107.00	B
HDT-B-HV5D	VICKERS HARDNESS TEST BLOCK	107.00	B
HDT-B-HV5F	VICKERS HARDNESS TEST BLOCK	91.40	B
HDT-BRV130-U	DIGITAL BRINELL/ROCKWELL/VICKERS HARDNESS TESTER	16956.00	B
HDT-B-SA	SHORE HARDNESS TEST BLOCK, SA	284.00	B
HDT-B-SD	SHORE HARDNESS TEST BLOCK, SD	216.00	B
HDT-L410	PORTABLE LEEB HARDNESS TESTER	3499.00	B
HDT-L411	PORTABLE LEEB HARDNESS TESTER	645.00	B
HDT-LP200	PORTABLE LEEB HARDNESS TESTER, not include printer	630.00	B
HDT-LP200B	PORTABLE LEEB HARDNESS TESTER, include printer, with bluetooth	1135.00	B
HDT-LP200-C	IMPACT DEVICE C for HDT-LP200	637.00	B
HDT-LP200-D15	IMPACT DEVICE D+15	637.00	B
HDT-LP200-DC	IMPACT DEVICE DC for HDT-LP200	634.00	B
HDT-LP200-DL	IMPACT DEVICE DL	707.00	B
HDT-LP200-E	IMPACT DEVICE E for HDT-LP200	2781.00	B
HDT-LP200-G	IMPACT DEVICE G for HDT-LP200	1404.00	B
HDT-RSR100	MANUAL ROCKWELL AND SUPERFICIAL ROCKWELL HARDNESS TESTER	7606.00	B
HDT-RW160	MANUAL ROCKWELL HARDNESS TESTER	2555.00	B
HDT-VD-OB2X	OBJECTIVE, 2.5X	281.00	B
HDT-VD-OB40X	OBJECTIVE, 40X	348.00	B
HDT-VD-OB5X	OBJECTIVE, 5X	214.00	B
ISD-E320-U	ALL-IN-ONE CNC VISION MEASURING SYSTEM, 300×200×200mm	41752.00	B
ISD-E430-U	ALL-IN-ONE CNC VISION MEASURING SYSTEM, 400×300×200mm	48526.00	B
ISD-H210	HIGH-DEFINITION VISION MEASURING SYSTEM (computer is included), measuring range 8×4×6"	19900.00	B
ISD-H320	HIGH-DEFINITION VISION MEASURING SYSTEM (computer is included), measuring range 12×8×6"	22132.00	B
ISD-H430	HIGH-DEFINITION VISION MEASURING SYSTEM (computer is included), measuring range 16×12×6"	30717.00	B
ISD-V150A	VISION MEASURING SYSTEM,With Computer, 6×4×8"	15191.00	B
ISD-V220CNCA-U	CNC VISION MEASURING SYSTEM,With Computer, measuring range 8.66x4.72x5.90"	36936.00	B
ISD-V220HN-U	CNC VISION MEASURING SYSTEM (with computer)8.66x4.72x11.81", manual zoom lens	42042.00	B
ISD-V220ZA-U	CNC VISION MEASURING SYSTEM (with computer), 8.66x4.72x5.90", motorized zoom lens	44818.00	B
ISD-V220ZHN-U	CNC VISION MEASURING SYSTEM (with computer), 8.66x4.72x11.81", motorized zoom lens	48122.00	B
ISD-V250A	VISION MEASURING SYSTEM,With Computer, 10×6×8"	15604.00	B
ISD-V270CNCA-U	CNC VISION MEASURING SYSTEM,With Computer, measuring range 10.63x6.69x5.90"	39938.00	B
ISD-V270HN-U	CNC VISION MEASURING SYSTEM (with computer)10.63x6.69x11.81", manual zoom lens	44277.00	B

ISD-V270ZA-U	CNC VISION MEASURING SYSTEM (with computer),10.63x6.69x5.90", motorized zoom lens	47834.00	B
ISD-V270ZHN-U	CNC VISION MEASURING SYSTEM (with computer), 10.63x6.69x11.81", motorized zoom lens	50434.00	B
ISD-V300A	VISION MEASURING SYSTEM,With Computer, 12×8×8"	18252.00	B
ISD-V370CNCA-U	CNC VISION MEASURING SYSTEM,With Computer, measuring range 14.57x10.63x5.90"	48163.00	B
ISD-V370HN-U	CNC VISION MEASURING SYSTEM (with computer), 14.57x10.63x11.81", manual zoom lens	52586.00	B
ISD-V370ZA-U	CNC VISION MEASURING SYSTEM (with computer), 14.57x10.63x5.90", motorized zoom lens	55908.00	B
ISD-V370ZHN-U	CNC VISION MEASURING SYSTEM (with computer), 14.57x10.63x11.81", motorized zoom lens	58666.00	B
ISD-V400A	VISION MEASURING SYSTEM,With Computer, 16×12×8"	28986.00	B
ISD-V500HN	CNC VISION MEASURING SYSTEMS, 18.5×14.57×15.75"	66884.00	B
ISD-V500N	CNC VISION MEASURING SYSTEMS, 18.5×14.57×7.87"	60421.00	B
ISD-V-LENS	Lens with coaxial light(must be mounted in factory)	1928.00	B
ISD-VMM205	TOOLMAKER MICROSCOPES, binocular	29689.00	B
ISD-VMM205D	TOOLMAKER MICROSCOPES, monocular	26912.00	B
ISD-VMM215	TOOLMAKER MICROSCOPES, binocular	32007.00	B
ISD-VMM215D	TOOLMAKER MICROSCOPES, monocular	29228.00	B
ISD-VMM225	TOOLMAKER MICROSCOPES, binocular	35063.00	B
ISD-VMM225D	TOOLMAKER MICROSCOPES, monocular	31262.00	B
ISD-VMM235	TOOLMAKER MICROSCOPES, binocular	35664.00	B
ISD-VMM235D	TOOLMAKER MICROSCOPES, monocular	32883.00	B
ISD-V-OB05X	0.5X auxiliary objective	519.00	B
ISD-V-OB2X	2X auxiliary objective	519.00	B
ISD-V-PROBE	PROBE (including standard ball)	6306.00	B
ISE-2DT	DIGITAL LEVEL	1138.00	A
ISE-2DT-SOFTWA	SOFTWARE	90.30	A
ISF-1DF10	DIGITAL FORCE GAGE, 2.2lbf	763.00	B
ISF-1DF100	DIGITAL FORCE GAGE, 22lbf	763.00	B
ISF-1DF1000	DIGITAL FORCE GAGE, 220lbf	786.00	B
ISF-1DF50	DIGITAL FORCE GAGE, 11lbf	763.00	B
ISF-1DF500	DIGITAL FORCE GAGE, 110lbf	786.00	B
ISF-DF100A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 22lbf	1006.00	B
ISF-DF10A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 2.2lbf	1006.00	B
ISF-DF10KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 2250lbf	2970.00	B
ISF-DF1KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 220lbf	1006.00	B
ISF-DF200A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 44lbf	1006.00	B
ISF-DF20A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 4.4lbf	1006.00	B
ISF-DF20KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 4500lbf	3463.00	B
ISF-DF2KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 450lbf	2385.00	B
ISF-DF500A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 110lbf	1006.00	B
ISF-DF50A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 11lbf	1006.00	B
ISF-DF5A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 1.1lbf	1006.00	B
ISF-DF5KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 1100lbf	2743.00	B
ISF-DF-PRINTER	PRINTER	575.00	B
ISF-F10	FORCE GAGE, 10N/1kgf	288.00	B
ISF-F100	FORCE GAGE, 100N/10kgf	268.00	B
ISF-F20	FORCE GAGE, 20N/2kgf	288.00	B
ISF-F200	FORCE GAGE, 200N/20kgf	269.00	B
ISF-F30	FORCE GAGE, 30N/3kgf	289.00	B
ISF-F300	FORCE GAGE, 300N/30kgf	291.00	B
ISF-F50	FORCE GAGE, 50N/5kgf	291.00	B
ISF-F500	FORCE GAGE, 500N/50kgf	291.00	B
ISF-H20A	MANUAL HORIZONTAL TEST STAND FOR FORCE GAGE	891.00	B
ISF-H20D	MANUAL HORIZONTAL TEST STAND FOR FORCE GAGE	967.00	B
ISF-MT1K	TESTING STAND FOR DIGITAL FORCE GAGE, 220lbf	1296.00	B
ISF-MT1K-SCALE	DIGITAL SCALE, 8"	197.00	B
ISF-MT500	TEST STAND FOR FORCE GAGE	516.00	B
ISF-P30A	MANUAL STRIPPING FORCE TEST STAND	1398.00	B
ISF-P30D	MANUAL STRIPPING FORCE TEST STAND	1474.00	B
ISF-S1000-U	DIGITAL SPRING TESTERS, 224lbf	4781.00	B

ISF-S100-U	DIGITAL SPRING TESTERS, 22lbf	4197.00	B
ISF-S10-U	DIGITAL SPRING TESTERS, 2.2lbf	4022.00	B
ISF-S2000-U	DIGITAL SPRING TESTERS, 450lbf	4781.00	B
ISF-S200-U	DIGITAL SPRING TESTERS, 44lbf	4198.00	B
ISF-S20-U	DIGITAL SPRING TESTERS, 4.4lbf	4023.00	B
ISF-S300-U	DIGITAL SPRING TESTERS, 67lbf	4198.00	B
ISF-S30-U	DIGITAL SPRING TESTERS, 6lbf	4024.00	B
ISF-S5000-U	DIGITAL SPRING TESTERS, 1124lbf	5763.00	B
ISF-S500-U	DIGITAL SPRING TESTERS, 112lbf	4250.00	B
ISF-S50-U	DIGITAL SPRING TESTERS, 11lbf	4130.00	B
ISF-TG1	DIAL TENSION GAGE, Capacity (N) 1N, Graduation (N) 0.02N	109.00	B
ISF-TG1D5	DIAL TENSION GAGE, Capacity (N) 1.5N, Graduation (N) 0.025N	109.00	B
ISF-TG3	DIAL TENSION GAGE, Capacity (N) 3N, Graduation (N) 0.05N	109.00	B
ISF-TG5	DIAL TENSION GAGE, Capacity (N) 5N, Graduation (N) 0.1N	109.00	B
ISF-TGD1	DIAL TENSION GAGE, Capacity (N) 0.1N, Graduation (N) 0.002N	109.00	B
ISF-TGD3	DIAL TENSION GAGE, Capacity (N) 0.3N, Graduation (N) 0.005N	109.00	B
ISF-TGD5	DIAL TENSION GAGE, Capacity (N) 0.5N, Graduation (N) 0.01N	109.00	B
ISF-V10A	MANUAL VERTICAL TEST STAND FOR FORCE GAGE	829.00	B
ISF-V10D	MANUAL VERTICAL TEST STAND FOR FORCE GAGE	905.00	B
ISHB-B300	BARCOL HARDNESS TESTER	2645.00	B
ISHB-C161	CHAIN TYPE HYDRAULIC BRINELL HARDNESS TESTER, 32 ~ 650HBW	15306.00	B
ISHB-H131	HYDRAULIC BRINELL HARDNESS TESTER	14452.00	B
ISH-BRV-U	BRINELL/ROCKWELL/VICKERS HARDNESS TESTER	10883.00	B
ISHB-TSA	BRINELL INDENTATION MEASURING SYSTEM, 8 ~ 650HB	9076.00	B
ISHB-TSB	BRINELL INDENTATION MEASURING SYSTEM, 8 ~ 650HB	9076.00	B
ISH-COUPPLANT	COUPLANT	21.90	B
ISH-DSA	DIGITAL SHORE DUROMETER, shore A	949.00	A
ISH-DSA-W1	2.2lb weight (for ISH-DSA)	155.00	A
ISH-DSD	DIGITAL SHORE DUROMETER, shore D	1130.00	A
ISH-DS-PRINTER	WIRELESS PRINTER	528.00	B
ISH-DS-STANDA	TEST STAND FOR DIGITAL SHORE DUROMETER	1824.00	B
ISH-EHK-INDENTE	1/8" DIA carbide ball indenter	211.00	B
ISH-KNOOP	Knoop indenter	511.00	B
ISH-LP200-PRINTE	PRINTER	305.00	B
ISH-MR150-U	AUTOMATIC ROCKWELL HARDNESS TESTER	5352.00	B
ISH-MRD200-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	6109.00	B
ISH-OS2	TESTING STAND FOR SHORE DUROMETER	6115.00	B
ISH-OS2-W4	8.8lb weight (for ISH-S30D)	800.00	B
ISH-PHA	PORTABLE LEEB HARDNESS TESTER	2427.00	B
ISH-PHB	PORTABLE LEEB HARDNESS TESTER	1397.00	B
ISH-PHB-B	PORTABLE LEED HARDNESS TESTER (BUILT-IN BULETOOTH), 1HLD, 1HV, 1HB, 0.1HRC, 0.1HRB, 1HS, 1MPa	1094.00	B
ISH-PH-SP9	SUPPORT RING SET FOR PORTABLE LEEB HARDNESS TESTER, 12pcs	607.00	B
ISH-R150	MANUAL ROCKWELL HARDNESS TESTER	3785.00	B
ISHR-B141	MAGNETIC BRINELL/ROCKWELL HARDNESS TESTER	10080.00	B
ISHR-D121	DIGITAL MAGNETIC ROCKWELL HARDNESS TESTER	17116.00	B
ISH-RD200	MANUAL DIGITAL ROCKWELL HARDNESS TESTER	5050.00	B
ISHR-M111	MAGNETIC ROCKWELL HARDNESS TESTER	7946.00	B
ISHR-P151	PORTABLE ROCKWELL HARDNESS TESTER	3126.00	B
ISH-RSR700-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	46937.00	B
ISHR-T100-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER (DOLPHIN-NOSE MODEL)	15320.00	B
ISHR-T200-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER (DOLPHIN-NOSE MODEL)	17844.00	B
ISHR-T300-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER (DOLPHIN-NOSE MODEL)	23596.00	B
ISH-S30A	SHORE DUROMETER, shore A	2255.00	B
ISH-S30D	SHORE DUROMETER, shore D	2255.00	B
ISH-SAM	SHORE DUROMETER, shore A	247.00	B
ISH-SDM	SHORE DUROMETER, shore D	439.00	B
ISH-SMALL ANVIL	SMALL V-TYPE ANVIL	289.00	B
ISH-SPHA-C	IMPACT DEVICE C	1518.00	B

ISH-SPHA-D15	IMPACT DEVICE D+15	4208.00	B
ISH-SPHA-DC	IMPACT DEVICE DC	1337.00	B
ISH-SPHA-DL	IMPACT DEVICE DL	4208.00	B
ISH-SPHA-G	IMPACT DEVICE G	4208.00	B
ISH-SPHD	PORTABLE LEEB HARDNESS TESTER	1936.00	B
ISH-SR1113	SUPPORT RING FOR PORTABLE LEEB HARDNESS TESTER	67.70	B
ISH-STAC	TESTING STAND FOR SHORE DUROMETER	472.00	B
ISH-STD	TESTING STAND FOR SHORE DUROMETER	615.00	B
ISH-TDV1000A-B	DIGITAL MICRO-VICKERS HARDNESS TESTER	22238.00	B
ISH-TDV-ADAPTE	Camera adapter	85.40	B
ISHV-D120-ADAPT	CAMERA ADAPTER	247.00	B
ISHV-D120-KNOO	KNOOP INDENTER	525.00	B
ISHW-B70	WEBSTER HARDNESS TESTER	3686.00	B
ISHW-B75	WEBSTER HARDNESS TESTER	3686.00	B
ISHW-B92	WEBSTER HARDNESS TESTER	3686.00	B
ISHW-L20	WEBSTER HARDNESS TESTER	3271.00	B
ISHW-L20A	WEBSTER HARDNESS TESTER	4429.00	B
ISHW-L20B	WEBSTER HARDNESS TESTER	4429.00	B
ISL-A1-100	LINEAR SCALE, 4"/100mm	450.00	A
ISL-A1-1000	LINEAR SCALE, 40"/1000mm	841.00	A
ISL-A1-150	LINEAR SCALE, 6"/150mm	497.00	A
ISL-A1-200	LINEAR SCALE, 8"/200mm	484.00	A
ISL-A1-250	LINEAR SCALE, 10"/250mm	507.00	A
ISL-A1-300	LINEAR SCALE, 12"/300mm	497.00	A
ISL-A1-350	LINEAR SCALE, 14"/350mm	507.00	A
ISL-A1-400	LINEAR SCALE, 16"/400mm	507.00	A
ISL-A1-450	LINEAR SCALE, 18"/450mm	507.00	A
ISL-A1-50	LINEAR SCALE, 2"/50mm	484.00	A
ISL-A1-500	LINEAR SCALE, 20"/500mm	507.00	A
ISL-A1-550	LINEAR SCALE, 22"/550mm	512.00	A
ISL-A1-600	LINEAR SCALE, 24"/600mm	695.00	A
ISL-A1-650	LINEAR SCALE, 26"/650mm	713.00	A
ISL-A1-700	LINEAR SCALE, 28"/700mm	732.00	A
ISL-A1-750	LINEAR SCALE, 30"/750mm	750.00	A
ISL-A1-800	LINEAR SCALE, 32"/800mm	770.00	A
ISL-A1-850	LINEAR SCALE, 34"/850mm	777.00	A
ISL-A1-900	LINEAR SCALE, 36"/900mm	787.00	A
ISL-A1-950	LINEAR SCALE, 38"/950mm	815.00	A
ISL-A5-100	LINEAR SCALE, 4"/100mm	414.00	A
ISL-A5-1000	LINEAR SCALE, 40"/1000mm	654.00	A
ISL-A5-150	LINEAR SCALE, 6"/150mm	426.00	A
ISL-A5-200	LINEAR SCALE, 8"/200mm	426.00	A
ISL-A5-250	LINEAR SCALE, 10"/250mm	426.00	A
ISL-A5-300	LINEAR SCALE, 12"/300mm	426.00	A
ISL-A5-350	LINEAR SCALE, 14"/350mm	426.00	A
ISL-A5-400	LINEAR SCALE, 16"/400mm	426.00	A
ISL-A5-450	LINEAR SCALE, 18"/450mm	426.00	A
ISL-A5-50	LINEAR SCALE, 2"/50mm	414.00	A
ISL-A5-500	LINEAR SCALE, 20"/500mm	426.00	A
ISL-A5-550	LINEAR SCALE, 22"/550mm	426.00	A
ISL-A5-600	LINEAR SCALE, 24"/600mm	426.00	A
ISL-A5-650	LINEAR SCALE, 26"/650mm	456.00	A
ISL-A5-700	LINEAR SCALE, 28"/700mm	456.00	A
ISL-A5-750	LINEAR SCALE, 30"/750mm	456.00	A
ISL-A5-800	LINEAR SCALE, 32"/800mm	456.00	A
ISL-A5-850	LINEAR SCALE, 34"/850mm	491.00	A
ISL-A5-900	LINEAR SCALE, 36"/900mm	526.00	A
ISL-A5-950	LINEAR SCALE, 38"/950mm	583.00	A
ISL-B5-100	LINEAR SCALE, 4"/100mm	426.00	A
ISL-B5-1000	LINEAR SCALE, 40"/1000mm	744.00	A
ISL-B5-1100	LINEAR SCALE, 44"/1100mm	864.00	A
ISL-B5-1200	LINEAR SCALE, 48"/1200mm	962.00	A
ISL-B5-1300	LINEAR SCALE, 52"/1300mm	1057.00	A
ISL-B5-1400	LINEAR SCALE, 56"/1400mm	1157.00	A



ISL-B5-150	LINEAR SCALE, 6"/150mm	443.00	A
ISL-B5-1500	LINEAR SCALE, 60"/1500mm	1254.00	A
ISL-B5-1600	LINEAR SCALE, 64"/1600mm	1351.00	A
ISL-B5-1700	LINEAR SCALE, 68"/1700mm	1452.00	A
ISL-B5-1800	LINEAR SCALE, 72"/1800mm	1546.00	A
ISL-B5-1900	LINEAR SCALE, 76"/1900mm	1646.00	A
ISL-B5-200	LINEAR SCALE, 8"/200mm	456.00	A
ISL-B5-2000	LINEAR SCALE, 80"/2000mm	2012.00	A
ISL-B5-2100	LINEAR SCALE, 84"/2100mm	2514.00	A
ISL-B5-2200	LINEAR SCALE, 88"/2200mm	2995.00	A
ISL-B5-2300	LINEAR SCALE, 92"/2300mm	3114.00	A
ISL-B5-2400	LINEAR SCALE, 96"/2400mm	3228.00	A
ISL-B5-250	LINEAR SCALE, 10"/250mm	456.00	A
ISL-B5-2500	LINEAR SCALE, 100"/2500mm	3343.00	A
ISL-B5-2600	LINEAR SCALE, 104"/2600mm	3460.00	A
ISL-B5-2700	LINEAR SCALE, 108"/2700mm	3563.00	A
ISL-B5-2800	LINEAR SCALE, 112"/2800mm	3690.00	A
ISL-B5-2900	LINEAR SCALE, 116"/2900mm	3784.00	A
ISL-B5-300	LINEAR SCALE, 12"/300mm	456.00	A
ISL-B5-3000	LINEAR SCALE, 120"/3000mm	3919.00	A
ISL-B5-3100	LINEAR SCALE, 124"/3100mm	4003.00	A
ISL-B5-3200	LINEAR SCALE, 128"/3200mm	4114.00	A
ISL-B5-350	LINEAR SCALE, 14"/350mm	456.00	A
ISL-B5-400	LINEAR SCALE, 16"/400mm	456.00	A
ISL-B5-450	LINEAR SCALE, 18"/450mm	456.00	A
ISL-B5-50	LINEAR SCALE, 2"/50mm	443.00	A
ISL-B5-500	LINEAR SCALE, 20"/500mm	456.00	A
ISL-B5-550	LINEAR SCALE, 22"/550mm	456.00	A
ISL-B5-600	LINEAR SCALE, 24"/600mm	456.00	A
ISL-B5-650	LINEAR SCALE, 26"/650mm	598.00	A
ISL-B5-700	LINEAR SCALE, 28"/700mm	549.00	A
ISL-B5-750	LINEAR SCALE, 30"/750mm	598.00	A
ISL-B5-800	LINEAR SCALE, 32"/800mm	598.00	A
ISL-B5-850	LINEAR SCALE, 34"/850mm	608.00	A
ISL-B5-900	LINEAR SCALE, 36"/900mm	560.00	A
ISL-B5-950	LINEAR SCALE, 38"/950mm	637.00	A
ISL-DR2	COUNTER	615.00	A
ISL-DR3	COUNTER	755.00	A
ISL-SET1	2-AXIS DIGITAL READOUT SYSTEM FOR LATHE, two-axis	1527.00	B
ISM-AD-0D5	CAMERA ADAPTERS, 0.5X	147.00	B
ISM-AD-0D75	CAMERA ADAPTERS, 0.75X	147.00	B
ISM-AD-A0D5	CAMERA ADAPTERS, 0.41X~0.58X	189.00	B
ISM-AD-A0D75	CAMERA ADAPTERS, 0.64X~0.86X	189.00	B
ISM-CM20	DIGITAL CAMERA FOR MICROSCOPE	2373.00	B
ISM-CM63	USB CAMERA AND SOFTWARE	1270.00	B
ISM-DCA-CON	Connector .91" dia/1.20" dia	33.70	B
ISM-DL300	DIGITAL MEASURING MICROSCOPE (WITH DISPLAY), without contour illumination	3879.00	B
ISM-DL301	DIGITAL MEASURING MICROSCOPE (WITH DISPLAY), with contour illumination	4083.00	B
ISM-DL302	HIGH MAGNIFICATION MEASURING MICROSCOPE (WITH DISPLAY)	5919.00	B
ISM-DL400	DIGITAL MEASURING MICROSCOPE (WITH DISPLAY)	8928.00	B
ISM-DL500	HIGH-DEFINITION MEASURING MICROSCOPE	4096.00	B
ISM-DL520	MOTORIZED FOCUS STACKING MICROSCOPE (WITH DISPLAY), 24.5X~204.5X	7369.00	B
ISM-DL-CA1X	1X CAMERA ADAPTER	164.00	B
ISM-DL-LED	LED AUXILIARY ILLUMINATION	224.00	B
ISM-DL-OB03X	0.3X AUXILLIARY OBJECTIVE	146.00	B
ISM-DL-OB2X	2X AUXILLIARY OBJECTIVE	254.00	B
ISM-DL-STAGE	X-Y GLASS STAGE(TRAVEL 2.91×2.36")	286.00	B
ISM-M2000	METALLURGICAL MICROSCOPE	16925.00	B
ISM-M2000-15X	15X EYEPIECE (view field: .63" dia)	390.00	B
ISM-M2000-20X	20X EYEPIECE (view field: .47" dia)	427.00	B
ISM-M2000-DIC	DIC	7666.00	B

ISM-MAS100	METALLURGICAL ANALYSIS SOFTWARE AND CAMERA	5109.00	B
ISM-MAS-ADAPTE	ADAPTER 0.5X	382.00	B
ISM-MAS-SCALE	CALIBRATION RULE (graduation 0.01mm)	110.00	B
ISM-MTM-EP16X	WF16X eyepiece	115.00	B
ISM-MTM-EP20X	WF20X eyepiece	181.00	B
ISM-MTM-EPD10X	10X DIVIDING EYEPIECE (0.1mm/div.)	120.00	B
ISM-MTM-OB100X	OBJECTIVE, PL100X (dry type)	768.00	B
ISM-MTM-OB50X	OBJECTIVE, PL50X	348.00	B
ISM-MTM-OB60X	OBJECTIVE, PL60X	346.00	B
ISM-MTM-OB80X	OBJECTIVE, PL80X	444.00	B
ISM-MV10	SMART CAMERA	4741.00	B
ISM-PM100	PORTABLE MEASURING MICROSCOPE, 100X	336.00	B
ISM-PM20	PORTABLE MEASURING MICROSCOPE, 20X	347.00	B
ISM-PM200SA	DIGITAL MEASURING MICROSCOPE	484.00	B
ISM-PM200SB	DIGITAL MEASURING MICROSCOPE	493.00	B
ISM-PM40	PORTABLE MEASURING MICROSCOPE, 40X	322.00	B
ISM-PM50	PORTABLE MEASURING MICROSCOPE, 50X	378.00	B
ISM-PM-BLUE	Blue filter	18.30	B
ISM-PM-GREEN	Green filter	18.30	B
ISM-PM-STAND	STAND FOR DIGITAL MICROSCOPE	165.00	B
ISM-PM-YELLOW	Yellow filter	18.30	B
ISM-POL1000	POLARIZING MICROSCOPE	9065.00	B
ISM-WF200	WiFi DIGITAL MEASURING MICROSCOPE	497.00	B
ISM-WSTD	UNIVERSAL STAND FOR DIGITAL MICROSCOPE	169.00	B
ISM-ZS100	ZOOM STEREO MICROSCOPE (ADVANCED)	2344.00	B
ISM-ZS100T	ZOOM STEREO MICROSCOPE (ADVANCED)	3095.00	B
ISM-ZS200	PARALLET LIGHT STEREO MICROSCOPE	5921.00	B
ISM-ZS30	ZOOM STEREO MICROSCOPE	1093.00	B
ISM-ZS30-EPD10X	EYEPIECE, 10X dividing eyepiece (0.1mm/.004")	194.00	B
ISM-ZS30-OB05X	AUXILIARY OBJECTIVE, 0.5X	169.00	B
ISM-ZS30-OB06X	AUXILIARY OBJECTIVE, 0.63X	169.00	B
ISM-ZS30-OB07X	AUXILIARY OBJECTIVE, 0.75X	169.00	B
ISM-ZS30-OB2X	AUXILIARY OBJECTIVE, 2X	169.00	B
ISM-ZS50	ZOOM STEREO MICROSCOPE, binocular	2260.00	B
ISM-ZS50-EP15X	EYEPIECE, WF15X (view field: .63" DIA)	433.00	B
ISM-ZS50-EP20X	EYEPIECE, WF20X (view field: .47" DIA)	485.00	B
ISM-ZS50-EPD10X	EYEPIECE, 10X dividing eyepiece (0.1mm/.004")	202.00	B
ISM-ZS50-OB05X	AUXILIARY OBJECTIVE, 0.5X	284.00	B
ISM-ZS50-OB2X	AUXILIARY OBJECTIVE, 2X	284.00	B
ISM-ZS50T	ZOOM STEREO MICROSCOPE, trinocular	2662.00	B
ISM-ZS70-S	DIGITAL CAMERA (WITH PAD)	1911.00	B
ISO-1000FN	COATING THICKNESS GAGE(BASIC TYPE), 0~78.5mil	422.00	B
ISO-1200FN	COATING THICKNESS GAGE(BASIC TYPE), 0~78.5mil	509.00	B
ISO-2000FN-FE	MAGNETIC INDUCTION PROBE Fe	1436.00	B
ISO-2000FN-NFE	EDDY CURRENT PROBE Nfe	2120.00	B
ISO-8000FN	COATING THICKNESS GAGE(HIGH PERCISION), 0~19.6mils/0~59.0mils	1619.00	B
ISO-8000FN-N1500	EDDY CURRENT PROBE (with zero alibration plate)	1039.00	B
ISO-8000FN-STAN	STAND	1084.00	B
ISP-A1000E	PROFILE PROJECTOR, 12" DIA, with edge detector	19341.00	B
ISP-A1000-PRINTE	PRINTER (only for ISP-A1000E)	584.00	B
ISP-A1000-VBLOC	V-BLOCK WITH CLAMP	523.00	B
ISP-A3000-CHART	11.81" DIA OVERLAY CHART	239.00	B
ISP-A3000-DEMO	DEMO SAMPLE	112.00	B
ISP-A3000E	HORIZONTAL PROFILE PROJECTOR, 12" DIA, with edge detector	29879.00	B
ISP-A3000-LENS10	100X LENS	1892.00	B
ISP-A3000-LENS20	20X LENS	1994.00	B
ISP-A3000-LENS50	50X LENS	1941.00	B
ISP-A3000-PRINTE	PRINTER (for ISP-A3000E/ISP-A7000E)	584.00	B
ISP-A3000-RTABL	ROTARY TABLE	1420.00	B
ISP-A3000-RULE	300mm/11.81" CALIBRATION SCALE	1955.00	B
ISP-A3000-SCALE	50mm/1.97" READING SCALE	516.00	B
ISP-A3000-VISE	VICE	376.00	B
ISP-A5000-CHART	OVERLAY CHART	239.00	B
ISP-A5000-DEMO	DEMO SAMPLE	112.00	B

ISP-A5000E	PROFILE PROJECTOR, 12" DIA, with edge detector	25872.00	B
ISP-A5000-LENS10	100X lens with half-reflection mirror	1435.00	B
ISP-A5000-LENS20	20X lens with half-reflection mirror and oblique illuminator mirror	1652.00	B
ISP-A5000-LENS50	50X lens with half-reflection mirror	1545.00	B
ISP-A5000-PRINTER	PRINTER (only for ISP-A5000E)	584.00	B
ISP-A5000-RULE	300mm/11.81" CALIBRATION SCALE	1955.00	B
ISP-A5000-SCALE	50mm/1.97" READING SCALE	516.00	B
ISP-A6000	PROFILE PROJECTOR (with edge detector)	65963.00	B
ISP-A6000E	PROFILE PROJECTOR (with edge detector)	67646.00	B
ISP-A7000E	HORIZONTAL PROFILE PROJECTOR, 16" DIA, with edge detector	32346.00	B
ISP-AZ3020	PROFILE PROJECTOR, 12" DIA, without edge detector	20413.00	B
ISP-W3020	HORIZONTAL PROFILE PROJECTOR, 12" DIA, without edge detector	20187.00	B
ISP-W4025	HORIZONTAL PROFILE PROJECTOR, 16" DIA, without edge detector	23352.00	B
ISP-W4025-LENS10	100X LENS	1652.00	B
ISP-W4025-LENS20	20X LENS	1933.00	B
ISP-W4025-LENS50	50X LENS	1821.00	B
ISP-W4025-LENS5X	5X LENS	2835.00	B
ISP-Z3015	PROFILE PROJECTOR	13507.00	B
ISP-Z3015-CHART	Overlay chart	234.00	B
ISP-Z3015-DEMO	DEMO SAMPLE	109.00	B
ISP-Z3015-FILTER	Blue filter	175.00	B
ISP-Z3015-HOLDER	Holder with clamp	473.00	B
ISP-Z3015-LENS10	100X lens with half-reflection mirror	1413.00	B
ISP-Z3015-LENS20	20X lens with half-reflection mirror and oblique illuminator mirror	1629.00	B
ISP-Z3015-LENS50	50X lens with half-reflection mirror	1522.00	B
ISP-Z3015-RULE	300mm/11.81" CALIBRATION SCALE	1900.00	B
ISP-Z3015-SCALE	50mm/1.97" reading scale	442.00	B
ISP-Z3015-SUPPORT	Swivel center support	1363.00	B
ISP-Z3015-TABLE	Rotary table	902.00	B
ISP-Z3015-VBLOCK	V-block with clamp	772.00	B
ISQ-DG6	60° GLOSS METER, 0 ~ 150GU(60°)	1552.00	B
ISQ-DG8	20°/60°/85° GLOSS METER, 0 ~ 2000GU(20°), 0 ~ 1000GU(60°), 0 ~ 160GU(85°)	4158.00	B
ISQ-DRM31	DIGITAL REFRACTOMETER, 0~50%(1.3330~1.4200RI)	500.00	B
ISQ-RM30	PORTABLE REFRACTOMETER, 0 ~ 32%	132.00	B
ISQ-TE100	EXTERNAL THREAD MEASURING DEVICE, 0-3.937"	18943.00	B
ISQ-TE100-A	Measuring pin, 21 pairs	4827.00	B
ISQ-TE100-B	Measuring prism, 4 pairs	5217.00	B
ISQ-TE100-C	Female center, 1 pair	911.00	B
ISQ-TE100-D	Clamp, 3 pcs	1053.00	B
ISQ-TE100-E	Setting disc, 22 pcs	6050.00	B
ISQ-TE100-F	60° find pointer	870.00	B
ISQ-TE100-G	55° find pointer	870.00	B
ISQ-TS120K	DIGITAL LED TACHOMETER/STROBOSCOPE	1892.00	B
ISR-C002	ROUGHNESS TESTER, Range 6299µin, Resolution (Ra) 0.01µin	2793.00	B
ISR-C002-DGP	Deep groove probe	1925.00	B
ISR-C002-DGP1	DEEP GROOVE PROBE (need to be delivered with ISR-C002)	1988.00	B
ISR-C002-ER	Extension rod	336.00	B
ISR-C002-PRINTER	Wireless printer	855.00	B
ISR-C002-PROBE	The probe for ISR-C002	967.00	B
ISR-C002-SBP	Small hole probe	2062.00	B
ISR-C002-SPC	DATA TRANSMISSION CABLE	74.60	B
ISR-C002-STAND	Test stand	1480.00	B
ISR-C002-STAND1	Light duty test stand	886.00	B
ISR-C002-TR	Transverse rod	601.00	B
ISR-C003	ROUGHNESS TESTER, Range Ra, Rq: 2~590µin, Rz, Rt: 4~1968µin	2105.00	B
ISR-C200	ROUGHNESS TESTER, X axis .689"/Z axis 9842µin	4588.00	B
ISR-C300	ROUGHNESS TESTER(SEPARABLE TYPE)	2860.00	B
ISR-C300-COVER2	Support for cylindrical surface	14.90	B
ISR-C300-LB1	Height gage adapter	74.00	B
ISR-C300-P2UM	PROBE	1163.00	B
ISR-C300-RECEIVER	Bluetooth receiver	71.50	B
ISR-CS017	SHOT AND GRIT BLASTING SURFACE ROUGHNESS SPECIMEN	429.00	B

ISR-CS018	SHOT AND GRIT BLASTING SURFACE ROUGHNESS SPECIMEN	429.00	B
ISR-CS130	SURFACE ROUGHNESS SPECIMEN SET	439.00	B
ISR-CS2E	SURFACE ROUGHNESS SPECIMEN SET	272.00	B
ISR-CS315	SURFACE ROUGHNESS SPECIMEN	339.00	B
ISR-CS316	SURFACE ROUGHNESS SPECIMEN	339.00	B
ISR-CS317	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS318	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS319	SURFACE ROUGHNESS SPECIMEN	339.00	B
ISR-CS320	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS321	SURFACE ROUGHNESS SPECIMEN	339.00	B
ISR-CS322	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS323	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS325	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS326	SURFACE ROUGHNESS SPECIMEN	339.00	B
ISR-CS328	SURFACE ROUGHNESS SPECIMEN	339.00	B
ISR-CS329	SURFACE ROUGHNESS SPECIMEN	339.00	B
ISR-CS331	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS333	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS334	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS335	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CS336	SURFACE ROUGHNESS SPECIMEN	338.00	B
ISR-CSE017	SHOT AND GRIT BLASTING SURFACE ROUGHNESS	414.00	A
ISR-CSE018	SHOT AND GRIT BLASTING SURFACE ROUGHNESS	414.00	A
ISR-CSE130	SURFACE ROUGHNESS SPECIMEN SET, 30pcs per set	416.00	A
ISR-CSE315	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE316	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE317	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE318	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE319	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE320	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE321	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE322	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE323	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE325	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE326	SURFACE ROUGHNESS SPECIMEN, 6pcs per set	319.00	A
ISR-CSE328	SURFACE ROUGHNESS SPECIMEN, 6pcs per set	319.00	A
ISR-CSE329	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE331	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	319.00	A
ISR-CSE333	SURFACE ROUGHNESS SPECIMEN, 5pcs per set	319.00	A
ISR-CSE334	SURFACE ROUGHNESS SPECIMEN, 7pcs per set	319.00	A
ISR-CSE335	SURFACE ROUGHNESS SPECIMEN, 6pcs per set	319.00	A
ISR-CSE336	SURFACE ROUGHNESS SPECIMEN, 5pcs per set	319.00	A
ISR-LS601E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 3.9µin	276.00	B
ISR-LS602E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 7.9µin	276.00	B
ISR-LS603E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 15.7µin	276.00	B
ISR-LS604E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 31.5µin	276.00	B
ISR-LS605E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 63.0µin	276.00	B
ISR-LS606E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 126.0µin	276.00	B
ISR-LS607E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 252.0µin	471.00	B
ISR-RS525X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 250µin/6.25µm	1195.00	A
ISR-RS526X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 124µin/3.15µm	960.00	A
ISR-RS527X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 120µin/3.0µm	960.00	A
ISR-RS528X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 20µin/0.5µm	960.00	A
ISR-RS529X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 4µin/0.1µm	1254.00	A
ISR-RS530X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 40µin/1.0µm	828.00	A
ISR-RS531X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 14µin/0.3µm	1254.00	A
ISR-S1000B	SURFACE ROUGHNESS TESTER	20275.00	B
ISR-S1000B-STAN	TEST STAND FOR ISR-S1000B	4441.00	B
ISR-S300	ROUGHNESS TESTER	4963.00	B
ISR-S400	ROUGHNESS TESTER	5658.00	B
ISR-S400-DK	HEAVY DUTY TEST STAND	2232.00	B
ISR-S400-ER100	EXTENSION ROD	848.00	B

ISR-S400-SB10R2	SMALL ROUGHNESS PROBE	2843.00	B
ISR-S400-SB110	CYLINDER/HOLE PROBE	2843.00	B
ISR-S400-SB120	DEEP GROOVE PROBE	2843.00	B
ISR-S400-SB140	INTERNAL ANGLE PROBE	2843.00	B
ISR-S400-SB20	GROOVE PROBE	2435.00	B
ISR-S400-SB30	SMALL HOLE PROBE	2435.00	B
ISR-S400-SB40	SMALL ROD PROBE	2435.00	B
ISR-S400-SB50	TRANSVERSE PROBE	2435.00	B
ISR-S400-SB80	DEEP HOLE PROBE	2435.00	B
ISR-S400-STAND	TEST STAND	1315.00	B
ISR-SB10B	Standard probe (included)	2934.00	B
ISR-SB110B	CYLINDER/HOLE PROBE	3540.00	B
ISR-SB120B	DEEP GROOVE PROBE	3540.00	B
ISR-SB130B	KNIFE EDGE PROBE	3540.00	B
ISR-SB150B	DEEP GROOVE PROBE	3540.00	B
ISR-SB20B	GROOVE PROBE	2934.00	B
ISR-SB30B	HOLE PROBE	2934.00	B
ISR-SB40B	SMALL ROD PROBE	2934.00	B
ISR-SB50B	TRANSVERSE PROBE	2934.00	B
ISR-SB60B	SMALL HOLE PROBE	2496.00	B
ISR-SB70B	INTERNAL ANGLE PROBE	2934.00	B
ISR-SB80B	DEEP HOLE PROBE	2934.00	B
ISR-S-SOFTWARE	USB CABLE AND SOFTWARE	2797.00	B
IST-04TT1000	DIGITAL TORQUE TESTER, 74~738ft.lb	1881.00	B
IST-04TT2000	DIGITAL TORQUE TESTER, 148~1475ft.lb	1881.00	B
IST-04TT28	DIGITAL TORQUE TESTER, 24.8~247.8in.lb/2.06~20.65ft.lb	1836.00	B
IST-04TT350	DIGITAL TORQUE TESTER, 310~3097in.lb, 25.8~258.1ft.lb	1651.00	B
IST-04TT5	DIGITAL TORQUE TESTER, 4.42~44.2in.lb/0.369~3.69ft.lb	1836.00	B
IST-04TT68	DIGITAL TORQUE TESTER, 60.2~602in.lb, 5.01~50.1ft.lb	1651.00	B
IST-04TT815	DIGITAL TORQUE TESTER, 60.1~601ft.lb	1881.00	B
IST-10WM100	TORQUE WRENCHES, 20~100lb.ft	248.00	B
IST-10WM1000	TORQUE WRENCH, 200~1000lb.ft	2130.00	B
IST-10WM150	TORQUE WRENCHES, 30~150lb.ft	267.00	B
IST-10WM200	TORQUE WRENCHES, 40~200lb.in	226.00	B
IST-10WM2000	TORQUE WRENCH, 400~2000lb.ft	2763.00	B
IST-10WM250	TORQUE WRENCHES, 50~250lb.in	228.00	B
IST-10WM250A	TORQUE WRENCHES, 50~250lb.ft	287.00	B
IST-10WM400	TORQUE WRENCH, 80~400lb. ft	1269.00	B
IST-10WM600	TORQUE WRENCHES, 100~600lb.ft	1438.00	B
IST-11WM-R1	RATCHET HEAD 1/4"	93.00	B
IST-12W135A	BLUETOOTH DIGITAL TORQUE WRENCHES, 239~1195in.lb	2322.00	B
IST-12W200A	BLUETOOTH DIGITAL TORQUE WRENCHES, 354~1770in.lb	2336.00	B
IST-12W30A	BLUETOOTH DIGITAL TORQUE WRENCHES, 53.1~265.5in.lb	2319.00	B
IST-12W340A	BLUETOOTH DIGITAL TORQUE WRENCHES, 602~3009in.lb	2342.00	B
IST-15W06A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL)	2789.00	B
IST-15W12A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL)	2789.00	B
IST-15W135A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 239~1195in.lb, 19.9-99.95ft.lb	2717.00	B
IST-15W200A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 354~1770in.lb, 29.5-147.5ft.lb	2726.00	B
IST-15W20A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL)	2789.00	B
IST-15W30A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 53~265.5in.lb/4.4~22.12ft.lb	2713.00	B
IST-15W340A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 602~3009in.lb, 50.1-250.7ft.lb	2734.00	B
IST-1W135A	DIGITAL ANGLE TORQUE WRENCH, 239~1195in.lb/19.9 ~ 99.5ft.lb	915.00	B
IST-1W200A	DIGITAL ANGLE TORQUE WRENCH, 354~1770in.lb/29.5 ~ 147.5ft.lb	1029.00	B
IST-1W30A	DIGITAL ANGLE TORQUE WRENCH, 53.1~265.5in.lb/4.42 ~ 22.12ft.lb	870.00	B
IST-1W340A	DIGITAL ANGLE TORQUE WRENCH, 602~ 3009in.lb/50.1 ~ 250.7ft.lb	1111.00	B
IST-1W-CABLE	CALIBRATION CABLE	298.00	B

IST-20WM150	MECHANICAL TORQUE WRENCH (DIGITAL SETTING), 15~150ft.lb	569.00	B
IST-20WM250	MECHANICAL TORQUE WRENCH (DIGITAL SETTING), 25~250ft.lb	649.00	B
IST-20WM80	MECHANICAL TORQUE WRENCH (DIGITAL SETTING),	479.00	B
IST-2W135A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 239~1195in.lb/19.9 ~ 99.5ft.lb	675.00	B
IST-2W200A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 354~1770in.lb/29.5 ~ 147.5ft.lb	758.00	B
IST-2W30A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 53.1~265.5in.lb/4.42 ~ 22.12ft.lb	643.00	B
IST-2W340A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 602~3009in.lb/50.1 ~ 250.7ft.lb	819.00	B
IST-2W-K1A	OPEN END HEAD	44.90	B
IST-2W-K1B	OPEN END HEAD	44.90	B
IST-2W-K3B	OPEN END HEAD	49.00	B
IST-2W-K3C	OPEN END HEAD	44.90	B
IST-2W-K5C	OPEN END HEAD	46.40	B
IST-2W-K5D	OPEN END HEAD	44.90	B
IST-2W-K7D	OPEN END HEAD	44.90	B
IST-2W-K9D	OPEN END HEAD	46.40	B
IST-2W-M3B	BOX END HEAD	49.00	B
IST-2W-M3C	BOX END HEAD	46.40	B
IST-2W-M5C	BOX END HEAD	49.00	B
IST-2W-M5D	BOX END HEAD	46.40	B
IST-2W-M7C	BOX END HEAD	50.70	B
IST-2W-M7D	BOX END HEAD	46.40	B
IST-2W-M9D	BOX END HEAD	46.40	B
IST-2W-R1	RATCHET HEAD, 1/4"	43.40	B
IST-2W-R2	RATCHET HEAD, 3/8"	50.90	B
IST-2W-R3	RATCHET HEAD, 1/2"	54.40	B
IST-2W-R4	RATCHET HEAD, 1/2"	58.30	B
IST-3W135A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 239~1195in.lb/19.9~99.5ft.lb	1846.00	B
IST-3W200A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 354~1770in.lb/29.5~147.5ft.lb	1846.00	B
IST-3W30A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 53.1~265.5in.lb/4.42~22.12ft.lb	1846.00	B
IST-3W340A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 602~3009in.lb/50.1~250.7ft.lb	1846.00	B
IST-3W-CABLE	CALIBRATION CABLE	298.00	B
IST-3WREC	RECEIVER	2353.00	B
IST-4W135A	QUALITY INSPECTION TORQUE WRENCH, 239 ~ 1195in.lb, Resolution 1in.lb/0.1ft.lb	1328.00	B
IST-4W200A	QUALITY INSPECTION TORQUE WRENCH, 354 ~ 1770in.lb, Resolution 1in.lb/0.1ft.lb	1488.00	B
IST-4W30A	QUALITY INSPECTION TORQUE WRENCH, 53.1 ~ 265.5in.lb, Resolution 0.1in.lb/0.01ft.lb	1282.00	B
IST-4W340A	QUALITY INSPECTION TORQUE WRENCH, 602 ~ 3009in.lb, Resolution 1in.lb/0.1ft.lb	1591.00	B
IST-5W135A	DIGITAL TORQUE ADAPTER, 239~1195in.lb/19.9~99.5ft.lb	690.00	B
IST-5W200A	DIGITAL TORQUE ADAPTER, 354~1770in.lb/29.5~147.5ft.lb	733.00	B
IST-5W30A	DIGITAL TORQUE ADAPTER, 53.1~265.5in.lb/4.42~22.12ft.lb	669.00	B
IST-5W340A	DIGITAL TORQUE ADAPTER, 602~3009in.lb/50.1~250.7ft.lb	750.00	B
IST-9WM335	TORQUE WRENCH,65~335N.m, 1N.m	274.00	B
IST-DCT10	DIGITAL BOTTLE CAP TORQUE TESTER, 88.5lbf.in/7.4lbf.ft	4825.00	B
IST-DCT2	DIGITAL BOTTLE CAP TORQUE TESTER, 17.7lbf.in	4080.00	B
IST-DCT20	DIGITAL BOTTLE CAP TORQUE TESTER, 177lbf.in/14.7lbf.ft	5288.00	B
IST-DCT5	DIGITAL BOTTLE CAP TORQUE TESTER, 44.3lbf.in/3.68lbf.ft	4361.00	B
IST-DTT1	DIGITAL TORQUE TESTERS, 8.9lbf.in	2999.00	B
IST-DTT10	DIGITAL TORQUE TESTERS, 88.5lbf.in/7.38lbf.ft	3429.00	B
IST-DTT5	DIGITAL TORQUE TESTERS, 44.3lbf.in/3.68lbf.ft	3167.00	B
IST-DW140	DIAL TORQUE WRENCH, 28 ~ 140N.m, 20 ~ 100ft.lb	406.00	B
IST-DW18	DIAL TORQUE WRENCH, 3.6 ~ 18N.m, 30 ~ 150in.lb	304.00	B

IST-DW1D8	DIAL TORQUE WRENCH,0.36~1.8N.m/3~16in.lb	312.00	B
IST-DW240	DIAL TORQUE WRENCH, 48 ~ 240N.m, 35 ~ 175ft.lb	406.00	B
IST-DW35	DIAL TORQUE WRENCH, 7 ~ 35N.m, 60 ~ 300in.lb	304.00	B
IST-DW350	DIAL TORQUE WRENCH, 70 ~ 350N.m, 50 ~ 250ft.lb	406.00	B
IST-DW3D5	DIAL TORQUE WRENCH, 0.7 ~ 3.5N.m, 6 ~ 30in.lb	294.00	B
IST-DW480	DIAL TORQUE WRENCH,96~480N.m/70~350ft.lb,6N.m/5ft.lb	1082.00	B
IST-DW70	DIAL TORQUE WRENCH, 14 ~ 70N.m, 120 ~ 600in.lb	344.00	B
IST-DW9	DIAL TORQUE WRENCH, 1.8 ~ 9N.m, 15 ~ 75in.lb	294.00	B
IST-PW1000A	PRESET TORQUE WRENCH, 150~750lb.in	1446.00	B
IST-PW1000B	PRESET TORQUE WRENCH, 150~750lb.in	1467.00	B
IST-PW12	PRESET TORQUE WRENCH, 20~205lb.in	231.00	B
IST-PW125	PRESET TORQUE WRENCH, 20~90lb.in	271.00	B
IST-PW20	PRESET TORQUE WRENCH, 30~180lb.in	231.00	B
IST-PW200	PRESET TORQUE WRENCH, 30~150lb.in	358.00	B
IST-PW30	PRESET TORQUE WRENCH, 50~250lb.in	232.00	B
IST-PW340	PRESET TORQUE WRENCH, 50~250lb.in	477.00	B
IST-PW500	PRESET TORQUE WRENCH, 80~400lb.in	958.00	B
IST-PW60	PRESET TORQUE WRENCH, 9.1~45lb.in	240.00	B
IST-PW650	PRESET TORQUE WRENCH, 100~500lb.in	1121.00	B
IST-PW800	PRESET TORQUE WRENCH, 120~600lb.in	1296.00	B
IST-SD200	DIGITAL TORQUE SCREWDRIVER, 3.54~17.7in.lb	753.00	B
IST-SD400	DIGITAL TORQUE SCREWDRIVER, 7.08~35.39in.lb	753.00	B
IST-SD50	DIGITAL TORQUE SCREWDRIVER, 0.88~4.42in.lb	753.00	B
IST-SD-CABLE	CALIBRATION CABLE	256.00	B
IST-TM1000	TORQUE MULTIPLIER, 1000N.m	825.00	B
IST-TM10000	TORQUE MULTIPLIER, 10000N.m	2604.00	B
IST-TM10000P	TORQUE MULTIPLIER, 10000N.m	2613.00	B
IST-TM1000P	TORQUE MULTIPLIER, 1000N.m	842.00	B
IST-TM15000P	TORQUE MULTIPLIER, 15000N.m	3815.00	B
IST-TM2000	TORQUE MULTIPLIER, 2000N.m	1382.00	B
IST-TM20000P	TORQUE MULTIPLIER, 20000N.m	5533.00	B
IST-TM2000P	TORQUE MULTIPLIER, 2000N.m	1389.00	B
IST-TM3500	TORQUE MULTIPLIER, 3500N.m	1627.00	B
IST-TM3500P	TORQUE MULTIPLIER, 3500N.m	1627.00	B
IST-TM5500	TORQUE MULTIPLIER, 5500N.m	1963.00	B
IST-TM5500P	TORQUE MULTIPLIER, 5500N.m	1968.00	B
IST-TM7500	TORQUE MULTIPLIER, 7500N.m	2224.00	B
IST-TM7500P	TORQUE MULTIPLIER, 7500N.m	2234.00	B
IST-TS500-BLOCK	Adapter, necessary for IST-TT5, IST-TT50 and IST-TT220, not needed for IST-TT550	210.00	B
IST-TT05	DIGITAL TORQUE TESTER, 0.885~4.425in.lb/0.0738~3.688ft.lb	3151.00	B
IST-TT1000	DIGITAL TORQUE TESTER, 885~8851in.lb/74~738ft.lb	2875.00	B
IST-TT220	DIGITAL TORQUE TESTER, 195~1946in.lb/16.2~162.2ft.lb	2112.00	B
IST-TT2200	DIGITAL TORQUE TESTER, 1947~19470in.lb/162~1622ft.lb	2512.00	B
IST-TT30	DIGITAL TORQUE TESTER, 26.5-265.2in. Lb/3-30N.m, 0.01in.lb/0.001N.m	2279.00	B
IST-TT5	DIGITAL TORQUE TESTER, 4.42~44.24in.lb/0.369~3.687ft.lb	2484.00	B
IST-TT50	DIGITAL TORQUE TESTER, 44.2~442.4in.lb/3.69~36.87ft.lb	2097.00	B
IST-TT550	DIGITAL TORQUE TESTER, 487~4867in.lb/40.6~405.6ft.lb	2112.00	B
IST-W1200A	DIGITAL TORQUE WRENCH, 177~885ft.lb	3590.00	B
IST-W135A	DIGITAL TORQUE WRENCH, 239~ 1195in.lb/19.9~99.5ft.lb	802.00	B
IST-W1500A	DIGITAL TORQUE WRENCH, 221~1106ft.lb	4021.00	B
IST-W2000A	DIGITAL TORQUE WRENCH, 295~1476ft.lb	4688.00	B
IST-W200A	DIGITAL TORQUE WRENCH, 354~ 1770in.lb/29.5~147.5ft.lb	904.00	B
IST-W30A	DIGITAL TORQUE WRENCH, 53.1~ 265.5in.lb/4.42~22.12ft.lb	759.00	B
IST-W340A	DIGITAL TORQUE WRENCH, 602~ 3009in.lb/50.1~250.7ft.lb	726.00	B
IST-W500A	DIGITAL TORQUE WRENCH, 885~ 4424in.lb/73.7~368.7ft.lb	1755.00	B
IST-W850A	DIGITAL TORQUE WRENCH, 1504~7521in.lb/125.4~626.8ft.lb	2182.00	B
IST-W-CABLE	CALIBRATION CABLE	246.00	B
IST-WP6	SMALL RANGE DIGITAL TORQUE WRENCH, 10.6~53.09in.lb, 0.88	781.00	B
IST-WS30	SHORT HANDLE DIGITAL TORQUE WRENCH, 53.1 ~ 265.5in.lb/4.42 ~ 22.12ft.lb	596.00	B
IST-WS30A	SHORT HANDLE DIGITAL TORQUE WRENCH, 53.1 ~ 265.5in.lb/4.42 ~ 22.12ft.lb	596.00	B

IST-WS60	SHORT HANDLE DIGITAL TORQUE WRENCH, 106.2 ~ 530.9in.lb/8.85 ~ 44.24ft.lb	613.00	B
IST-WS85	SHORT HANDLE DIGITAL TORQUE WRENCH, 150 ~ 752in.lb/12.5 ~ 62.7ft.lb	619.00	B
IST-WS-CABLE	CALIBRATION CABLE	294.00	B
ISU-100D	ULTRASONIC THICKNESS GAGE, .03 ~ 11.81"	927.00	B
ISU-200D	ULTRASONIC THICKNESS GAGE	1119.00	B
ISU-200D-HT5	TRANSDUCER	544.00	B
ISU-200D-N02	TRANSDUCER	253.00	B
ISU-200D-N05	TRANSDUCER	148.00	B
ISU-200D-N07	TRANSDUCER	240.00	B
ISU-200D-W05	TRANSDUCER	240.00	B
ISU-250C	ULTRASONIC THICKNESS GAGE	2907.00	B
ISU-300D	ULTRASONIC THICKNESS GAGE (THROUGH COATING)	4261.00	B
ISU-700D	ULTRASONIC THICKNESS GAGE (FOR THIN WORKPIECES)	6692.00	B
ISU-710D	ULTRASONIC THICKNESS GAGE (FOR THICK WORKPIECES MADE OF ORGANIC MATERIALS)	6420.00	B
ISU-720D	ULTRASONIC THICKNESS GAGE	6272.00	B
ISU-800D	ULTRASONIC THICKNESS GAGE(ADVANCED TYPE)	4465.00	B
ISU-HT5-COUPLA	Couplant ( for ISU-T13)	296.00	B
ISU-T04	TRANSDUCER (for small tube)	1016.00	B
ISU-T06	TRANSDUCER	429.00	B
ISU-T07	TRANSDUCER	1876.00	B
ISU-T08	TRANSDUCER	428.00	B
ISU-T12	TRANSDUCER	643.00	B
ISU-T13	TRANSDUCER	856.00	B
ISV-1H4170	RIGID BOREScope, 6.85"	1203.00	B
ISV-1H4173	RIGID BOREScope, 6.85"	1328.00	B
ISV-1H4177	RIGID BOREScope, 6.85"	1328.00	B
ISV-1H4300	RIGID BOREScope, 11.89"	2485.00	B
ISV-1H4303	RIGID BOREScope, 11.89"	2671.00	B
ISV-1H4307	RIGID BOREScope, 11.89"	2671.00	B
ISV-1HLED	LED LIGHT HANDLE	391.00	B
ISV-1LED1	ADJUSTABLE LED LIGHT SOURCE	5225.00	B
ISV-2CAM	CAMERA (WITH DISPLAY)	4158.00	B
ISV-E10	VIDEOSCOPE	2215.00	B
ISV-E10-C5503	Steel wired weaved cable, $\phi$ .22", length 9.8FT	1189.00	B
ISV-E10-C5505	Steel wired weaved cable, $\phi$ .22", length 16.4FT	1402.00	B
ISV-E10-C5510	Steel wired weaved cable, $\phi$ .22", length 32.8FT	1942.00	B
ISV-E20	VIDEOSCOPE	2068.00	B
ISV-E20-HOOK	HOOK	41.60	B
ISV-E20-MAGNET	MAGNET PICK UP	41.60	B
ISV-E20-MIRROR	45° MIRROR	41.60	B
ISV-E30	VIDEOSCOPE(ECONOMIC TYPE)	334.00	B
ISV-E40	VIDEOSCOPE (BASIC TYPE)	509.00	B
ISV-E55-M35	35° MIRROR	124.00	B
ISV-E55-M45	45° mirror	127.00	B
ISV-E55-M60	60° MIRROR	124.00	B
ISV-HR6032	ROTARY SIDE VIEW BOREScope (RIGID)	6965.00	B
ISV-K1810	VIDEOSCOPE, lens diameter .071", cable length 40"	19000.00	B
ISV-K2410	VIDEOSCOPE, lens diameter .094", cable length 40"	14367.00	B
ISV-K2810	VIDEOSCOPE, lens diameter .110", cable length 40"	12651.00	B
ISV-K3915	VIDEOSCOPE, lens diameter .154", cable length 60"	10045.00	B
ISV-K6015	VIDEOSCOPE, lens diameter .236", cable length 60"	8021.00	B
ISV-L	VIDEOSCOPE, MAIN UNIT(WITHOUT CABLE)	2608.00	B
ISV-L1810	TWO-DIRECTION CABLE (FRONT VIEW, diameter 1.8mm, length 1	16622.00	B
ISV-L2410	TWO-DIRECTION CABLE (FRONT VIEW, diameter 2.4mm, length 1	12058.00	B
ISV-L2820	FOUR-DIRECTION CABLE (FRONT VIEW, diameter 2.8mm, length	14382.00	B
ISV-L3930	FOUR-DIRECTION CABLE (front view, diameter 3.9m, length 3m)	10791.00	B
ISV-L6010C	FOUR-DIRECTION CABLE (SIDE VIEW, diameter 6.0mm, length 1n	5932.00	B
ISV-L6020	FOUR-DIRECTION CABLE (FRONT VIEW, diameter 6.0mm, length	6496.00	B
ISV-L6030	FOUR-DIRECTION CABLE (FRONT VIEW, diameter 6.0mm, length	8647.00	B
ISV-P6	MOBILE PHONE VIDEOSCOPE	1358.00	B



ISV-RV	SIDE VIEW VIDEOSCOPE (RIGID)	2296.00	B
ISV-T105	360° SWIVEL VIDEOSCOPIES (BASIC TYPE), 40" cable	2958.00	B
ISV-VP280	PIPE VIDEOSCOPE	9313.00	B
ISV-VP280-B150	6" DIA BRUSH	332.00	B
ISV-VP280-R50	2" DIA CENTERING RING	332.00	B
ISV-VP60	VIDEOSCOPE	5815.00	B
ISV-VP60-R45	45° mirror	264.00	B
ISV-VP60-R55	55° mirror	264.00	B
ISY-100	106PCS JIG SET FOR CMM	4683.00	B
ISY-100-1001	STAND, 5PCS	20.00	B
ISY-100-1002	STAND, 5PCS	23.60	B
ISY-100-1003	STAND, 3PCS	30.40	B
ISY-100-1004	STAND, 5PCS	21.60	B
ISY-100-1005	STAND, 5PCS	26.40	B
ISY-100-1006	STAND, 3PCS	35.80	B
ISY-100-1201	CLIP, 2PCS	69.30	B
ISY-100-1301	CLIP, 2PCS	69.20	B
ISY-100-1401	CLIP STAND, 2PCS	16.40	B
ISY-100-1402	CLIP STAND, 2PCS	18.80	B
ISY-100-1801	SLIDING SUPPORT PLATE	42.00	B
ISY-100-1901	V SHAPED SUPPORT, 2PCS	46.80	B
ISY-100-1902	V SHAPED SUPPORT, 2PCS	30.10	B
ISY-100-2001	STAND WITH FINE ADJUSTMENT, 2PCS	35.20	B
ISY-100-2003	STAND WITH FINE ADJUSTMENT, 2PCS	39.70	B
ISY-100-2301	CLAMPING SCREW	10.80	B
ISY-100-27016	SUPPORT HEAD, aluminum	15.70	B
ISY-100-27018	SUPPORT HEAD, nylon	15.70	B
ISY-100-27026	SUPPORT HEAD, aluminum	15.70	B
ISY-100-27028	SUPPORT HEAD, nylon	15.70	B
ISY-100-27036	SUPPORT HEAD, aluminum	15.50	B
ISY-100-27038	SUPPORT HEAD, nylon	15.50	B
ISY-100-27046	SUPPORT HEAD, aluminum	15.50	B
ISY-100-27048	SUPPORT HEAD, nylon	15.50	B
ISY-100-27056	SUPPORT HEAD, aluminum	15.50	B
ISY-100-27058	SUPPORT HEAD, nylon	15.50	B
ISY-100-27066	SUPPORT HEAD, aluminum	16.90	B
ISY-100-27068	SUPPORT HEAD, nylon	16.90	B
ISY-100-27076	SUPPORT HEAD, aluminum	15.60	B
ISY-100-27078	SUPPORT HEAD, nylon	15.60	B
ISY-100-3003	VERTICAL SQUARE COLUMN, 2PCS	219.00	B
ISY-100-4001	HORIZONTAL SPRING STAND, 2PCS	32.80	B
ISY-100-5001	HORIZONTAL SCREW STAND, 2PCS	46.30	B
ISY-100-7001	MAGNETIC STAND(MAGNETIC TOP SURFACE)	65.10	B
ISY-100-8001	STAND FOR SLICE PARTS, 2PCS	25.60	B
ISY-100-8002	CLAMPING STAND FOR SLICE PARTS, 1PC	36.80	B
ISY-100-9001	45° STAND, 2PCS	82.50	B
ISY-200	JIG SET FOR CMM (ANVIL .10DIA)	4303.00	B
ISY-200-1	SPRING ANVIL	787.00	B
ISY-200-2	ADJUSTABLE SPRING ANVIL (range 0-.79")	899.00	B
ISY-200-3	BASE PLATE	1000.00	B
ISY-200-4	GUIDE	478.00	B
ISY-200-5	TWO-WAY ADJUSTABLE STAND	732.00	B
ISY-200-6	CLAMP HANDLE	75.20	B
ISY-300	JIG SET FOR CMM (ANVIL .10DIA)	4999.00	B
ISY-300-1	BASE PLATE	848.00	B
ISY-300-10	CLIP	13.90	B
ISY-300-11	CLIP	13.90	B
ISY-300-12	CONNECTING BLOCK OF CLIP STAND	24.80	B
ISY-300-13	CLIP STAND	16.90	B
ISY-300-2	SPRING ANVIL	856.00	B
ISY-300-3	SPRING ANVIL	722.00	B
ISY-300-4	BLOCK	80.10	B
ISY-300-5	BLOCK	41.20	B
ISY-300-6	CONNECTING PLATE	40.10	B
ISY-300-7	BLOCK	34.70	B

ISY-300-8	BLOCK	41.80	B
ISY-300-9	CONNECTING PLATE	36.80	B
ISY-400	JIG SET FOR CMM (ANVIL .24DIA)	7470.00	B
ISY-400-1	SPRING ANVIL	1315.00	B
ISY-400-2	BLOCK	93.70	B
ISY-400-3	BLOCK	103.00	B
ISY-400-4	BASE PLATE	1342.00	B
ISY-400-5	CONNECTING PLATE	115.00	B
ISY-400-6	CLAMP HANDLE	35.40	B
ISY-500	JIG SET FOR CMM (ANVIL .24DIA)	7310.00	B
ISY-500-1	SPRING ANVIL	1389.00	B
ISY-500-2	ADJUST SPRING ANVIL (range 0-1.57")	1706.00	B
ISY-500-3	BASE PLATE	1334.00	B
ISY-500-4	BLOCK	115.00	B
ISY-500-5	CONNECTING PLATE	106.00	B
ISY-500-6	CONNECTING BLOCK OF BASE PLATE	15.10	B
ISY-500-7	CLAMP HANDLE	34.90	B
ISY-600	JIG SET FOR CMM	3318.00	B
ISY-600-400200	BASE PLATE, 2PCS/SET	2341.00	B
ISY-600-80001	STAND	28.80	B
ISY-600-800010	SPRING STAND	63.90	B
ISY-600-800012	UNIVERSAL SUPPORT WITH DAMPING	132.00	B
ISY-600-800013	STAND WITH FINE ADJUSTMENT	84.10	B
ISY-600-800014	MAGNETIC STAND (MAGNETIC TOP SURFACE )	17.60	B
ISY-600-800015	STAND FOR SLICE PARTS	19.90	B
ISY-600-800016	ADAPTOR	19.90	B
ISY-600-800017	CLAMPING SCREW FOR BASE PLATE	18.40	B
ISY-600-800018	V SHAPED SUPPORT	33.80	B
ISY-600-800019	CLAMPING SCREW	17.60	B
ISY-600-80002	STAND	19.90	B
ISY-600-800020	SLIDING SUPPORT PLATE	25.10	B
ISY-600-800021	CLIP	26.00	B
ISY-600-800022	CHUCK SUPPORT	27.10	B
ISY-600-800023	CLIP STAND	32.30	B
ISY-600-800024	CLIP STAND	25.10	B
ISY-600-800025	ALUMINUM SUPPORT HEAD	18.40	B
ISY-600-800026	NYLON SUPPORT HEAD	18.40	B
ISY-600-800027	WRENCH	16.10	B
ISY-600-800028	BASE PLATE	1003.00	B
ISY-600-80003	STAND	27.90	B
ISY-600-80004	STAND	21.90	B
ISY-600-80005	STAND	30.00	B
ISY-600-80006	STAND	25.40	B
ISY-600-80007	STAND	17.30	B
ISY-600-80008	STAND	17.90	B
ISY-600-80009	STAND	22.20	B
ISY-6100-1501	MARKER	86.90	B
ISY-700	JIG SET FOR VISION MEASURING SYSTEM	3340.00	B
ISY-700-90001	CLIP	21.40	B
ISY-700-90002	CLIP	12.50	B
ISY-700-90003	CLIP	12.50	B
ISY-700-90004	CLIP STAND	27.20	B
ISY-700-90005	CLIP STAND	44.10	B
ISY-700-90006	SPHERICAL SUPPORT HEAD	25.10	B
ISY-700-90007	STAND	12.50	B
ISY-700-90008	STAND	16.30	B
ISY-700-90009	STAND	12.00	B
ISY-700-90010	STAND	18.00	B
ISY-700-90011	STAND	18.40	B
ISY-700-90012	STAND	21.60	B
ISY-700-90013	STAND	18.50	B
ISY-700-90014	STAND	23.50	B
ISY-700-90015	STAND FOR SLICE PARTS	12.00	B
ISY-700-90016	STAND FOR SLICE PARTS	18.40	B
ISY-700-90017	STAND FOR SLICE PARTS	18.70	B

ISY-700-90018	STAND WITH FINE ADJUSTMENT	29.40	B
ISY-700-90019	STAND	12.00	B
ISY-700-90020	ADAPTOR FOR SQUARE SUPPORT	12.50	B
ISY-700-90021	CLAMPING SCREW	16.90	B
ISY-700-90022	L-SHAPED POSITIONING PLATE	30.30	B
ISY-700-90023	SLIDING SUPPORT PLATE	18.40	B
ISY-700-90024	SQUARE SUPPORT	35.10	B
ISY-700-90025	BASE FOR SQUARE SUPPORT	21.40	B
ISY-700-90026	SPRING STAND	78.50	B
ISY-700-90028	ACRYLIC SLIDING SUPPORT PLATE	23.50	B
ISY-700-90029	WRENCH	18.40	B
ISY-700-90030	ACRYLIC BASE PLATE	1709.00	B
LDM-030	LASER SCAN MICROMETER, 0.1-30mm	13777.00	B
LDM-065	LASER SCAN MICROMETER, 0.5-65mm	15335.00	B
LDM-D090	LASER SCAN MICROMETER, 0.5-90mm, 1µm	16283.00	B
MLP-CM60	CUTTING MACHINE, φ60mm	7667.00	B
MLP-CM60-CHUCK	CUTTING BLADE CHUCK, 32mm	193.00	B
MLP-CM60-CUT2	CUTTING BLADE, 250×1.5×25.4mm	1050.00	B
MLP-CM60-U	CUTTING MACHINE, 60mm	8832.00	B
MLP-CM86	CUTTING MACHINE (BASIC TYPE), 80mm	5983.00	B
MLP-GP260-U	GRINDER AND POLISHER	20233.00	B
MLP-GP270-U	GRINDER AND POLISHER	8702.00	B
MLP-GP280-U	GRINDER AND POLISHER	8702.00	B
MLP-GP305-U	GRINDER AND POLISHER(ADVANCED TYPE), 9.84" DIA(Customizable 11.81" DIA)	30900.00	B
MLP-GP314-U	GRINDER AND POLISHER(BASIC TYPE), 7.99" DIA	5377.00	B
MLP-HCM102	AUTOMATIC TUTTING MACHINE (ADVANCED TYPE), 100mm	20977.00	B
MLP-HCM102-CHUCK	CUTTING BLADE CHUCK, for 1.26" cutting blade	189.00	B
MLP-MP30	MOUNTING PRESS, φ30mm	8870.00	B
MLP-MP43-U	MOUNTING PRESSES (ADVANCED TYPE)	16591.00	B
MLP-MP53-U	MOUNTING PRESSES (ADVANCED TYPE)	30572.00	B
MLP-MP62-U	MOUNTING PRESS(BASIC TYPE), 1.18" DIA (Customizable .87" DIA, 1.77" DIA)	2158.00	B
PHT-C751	PENCIL HARDNESS TESTER	718.00	B
PHT-C751-P	PENCIL(17PCS: 6B-9H)	207.00	B
PHT-C751-S	400 GRADE ABRASIVE PAPER	16.40	B
QMS-A110-U	QUICK MEASUREMENT SYSTEM	21773.00	B
QMS-A200-U	QUICK MEASUREMENT SYSTEM	37133.00	B
QMS-A220-U	QUICK MEASUREMENT SYSTEM	46450.00	B
QMS-A315-U	QUICK MEASUREMENT SYSTEM	51736.00	B
QMS-A320-U	QUICK MEASUREMENT SYSTEM	82220.00	B
QMS-A450-U	LARGE SIZE QUICK MEASUREMENT SYSTEMS	94322.00	B
QMS-CALIBRATION	CALIBRATION PLATE for QMS	2015.00	B
QMY-AP32-U	ROTATIONAL ABRASION TESTER	7289.00	B
SFT-S210R-U	SALT SPRAY TESTER	8606.00	B
SPM-1000-U	SURFACE PROFILE MEASURING MACHINE	49996.00	B
THT-A101T-U	TEMPERATURE AND HUMIDITY TESTER, 19.69×23.62×19.69"	23350.00	B
THT-A102T-U	TEMPERATURE AND HUMIDITY TESTER, 19.69×19.69×15.75"	21496.00	B
THT-A103T-U	TEMPERATURE AND HUMIDITY TESTER, 19.69×29.53×23.62"	26151.00	B
THT-A104T-U	TEMPERATURE AND HUMIDITY TESTER, 27.56×33.46×27.56"	35289.00	B
THT-A105T-U	TEMPERATURE AND HUMIDITY TESTER, 39.37×39.37×39.37"	52606.00	B
TLP-300H	TOOL PRESETTER (BASIC TYPE)	11572.00	B
TLP-300H-C1	BT50/BT30 converter	1240.00	B
TLP-300H-C2	BT50/BT40 converter	1240.00	B
TLP-400E	TOOL PRESETTER(ROTATING SPINDLE)	26040.00	B
TLP-P340	TOOL PRESETTER (projection type)	20645.00	B
TLP-P340-R1	BT30 ROD	1808.00	B
TLP-P340-R2	BT40 ROD	2042.00	B
UFD-T680	DIGITAL ULTRASONIC FLAW DETECTOR	4761.00	B
UTM-E10	DIGITAL UNIVERSAL TESTING MACHINE, 10kN	30129.00	B
UTM-E100	DIGITAL UNIVERSAL TESTING MACHINE, 100kN	73353.00	B
UTM-E300	DIGITAL UNIVERSAL TESTING MACHINE, 300kN	111511.00	B
UTM-E50	DIGITAL UNIVERSAL TESTING MACHINE, 50kN	37619.00	B
VSP-201	MULTIPURPOSE VIDEOSCOPE,MAIN UNIT	5414.00	B

VSP-201D	FOUR DIRECTION CABLE(FRONT VIEW), cable length 120"	3603.00	B
VSP-201H	RIGID CABLE, cable length 9.84"	2941.00	B
VSP-201R	ROTATING LENS CABLE, cable length 1200"	11905.00	B
VSP-201-R200	ADJUSTABLE SUPPORT, diameter , 2.36"~7.87"	1263.00	B
VSP-201W	WIDE-ANGLE LENS CABLE, cable length 1200"	9749.00	B